Exploiting the User: Adapting Personas for Use in Security Visualization Design

Jennifer Stoll* (jstoll@gatech.edu)
David McColgin
Michelle Gregory
Vern Crow
Keith Edwards*

*Georgia Tech School of Interactive Computing Atlanta, GA

Pacific Northwest National Laboratory Richland, WA

professional information analysts

...spend lots of time exploring their data before they can perform productive analysis.


professional information analysts

...need a faster way to get a sense of the data.

...need a faster way to see meaningful changes.

first look problem

Visualization System Design Process



the meta problem

UCAN Design Requirements

The following document is a compilation of the design document s ubmitted by the UCAN Design Team in January, 1996. The Design Team document has been summarized, herein, to clarify project design issues. As stated at the outset of the UC AN project, the UCAN

data can be supplemented by locally entered data but will match the form and substance of the NCDC data.

- 2.1.1. TD-3200 Summary of the Day, Cooperative stations. (See Table 3)
- **2.1.2.** TD-3210 Summary of the Day, First Order stations. This will be limited to the variables reported in the TD-3200.
- 2.1.3. TD-3220 Summary of the Month, Cooperative stations. (See Table 3)
- 2.1.4. TD-3240 Hourly Precipitation. (See Table 3)
- **2.1.5.** TD-9641 1961-90 Monthly Station Normals. This dataset is available at the NRCS for distribution to the RCCs as required. (See Table 4)

2.2. Rules for inclusion of data.

- **2.2.1.** Stations that are active as of December 31, 1990 and have at le ast 10 years of data will be included in NRCS datasets.
- 2.2.2. Stations with data and appropriate metadata should be retrievab le by NRCS from the RCCs.
- 2.2.3. Stations with less than 1 year of data and no corresponding met adata will be not be added to the active database. A list of these stations, however, will be maintained for future reference.
- 2.2.4. Datasets delivered to NRCS should be period of record through D ecember 31, 1995 for sites included.
- 2.2.5. Rules for inclusion of ValHiDD corrections:
 - 2.2.5.1. All max and min temperature ValHiDD corrections will be added to the UCAN database. Original temperature observations will be placed in a look-aside table.
 - 2.2.5.2. Precipitation and snowfall ValHiDD corrections for COOP stations will be added to the UCAN database. Original observations will be placed in a look-aside table.
 - 2.2.5.3. Precipitation and snowfall ValHiDD corrections for FIRST-ORDER stations will be added to the UCAN database and original observations placed in a look-aside table, with the following exception. ValHiDD corrections with a ValHiDD error code of 59 (precip estimated from snowfall and snow depth) will be put in a look-aside table and the ORIGINAL observations will be put in the UCAN database.
 - 2.2.5.4. Snow depth ValHiDD corrections for COOP stations be added to the UCAN database and original observations placed in a look -aside table, with the following exception. Snow depth values that ValHiDD changes from zero to missing will go into the UCAN database as zero and the ValHiDD missing value and associtated error code will go in the look-aside table.
 - 2.2.5.4. Snow depth ValHiDD corrections for FIRST-ORDER stations with an error code of either 11 (data value exceeds all time extreme) or 91 (several elements keyed off column) will be added to the UCAN database and original observations placed in a look -aside table. All other snow depth ValHiDD corrections for FIRST-ORDER stations will be put in a look-aside table and the ORIGINAL observations will be put in the UCAN database.

Poor requirements capture can lead to requirements that are lost, forgotten or ignored.

1. Stat 1.1. Me

Revisi

6-May

Conte

Station

Station

Statist

Phase

Table

1.2. Ad

why it persists

UCAN Design Requirements

The following document is a compilation of the design document s ubmitted by the UCAN Design Team in January, 1996. The Design Team document has been summari zed, herein, to clarify project design issues. As stated at the outset of the UC AN project, the UCAN

data can be supplemented by locally entered data but will match the form and substance of the NCDC data.

2.1.1. TD-3200 Summary of the Day, Cooperative stations. (See Table 3)

2.1.2. TD-3210 Summary of the Day, First Order stations. This will be limited to the

Table 3. RCC Variable Names

Inches EVAP Dail

3200 DegF MXPN

3200 0.1 Inches S

snow depth 3200

Minimum Soil Ten

Soil Temperature

HTDD Monthly He

Inch precip 3220

Number days >=

3220 Number DP

>= 1.0 Inch precip

DP50 Number dat

monthly precip 32

DSNW Number of

minimum temp. <

DegC 3220 Numb

DT32 Number day

minimum temp. <

DeaF 3220 Numb

DX15 Number da

DegF 3220 Numb

EMXT Extreme m

temp, for the mon

MMXT Monthly m

3220 DegF MMNI

MMXP Monthly m

Maximum snow d

evaporation 3220

Total monthly sno

FRZD Freeze data

maximum temp.

TD 3200 - Summary of the Day (includes TD 3210) Var Long Name Source Units Note TMAX Daily Maximum Temperature 3200 DegF TMIN Daily Minimum Temperature 3200

DegF TOBS Temperature at Obs time 3200 DegF PRCP Daily Precinitation 3200_01

temp 3220 DegF 1 Trigries Trig Lowest minimum soil temp for the month 3220 DegF 1 MOnn Monthly mean soil temp at

obs time 3220 DegF 1 HOnn Highest soil temp for the month at 3220 DegF 1

2.2. Rul

Revisi 6-May

> TD 3240 - Hourly Precipitation 3240 3220 - Summary Var Long Name Source

Conte Station Statist Table

1. Stat 1.1. M

1.2. A

TD 3240 - Hourly Precipitation Var Long Name Source Units HPCP Hourly Precipitation 3240 .01 Inches DPCP Daily summary of Hourly Precip 3240 .01 Inches TD 3220 - Summary of the Month

Var Long Name Source Units Note CLDD Monthly Cooling Degree Days Base 65 3220 DegF HTDD Monthly Heating Degree Days Base 65 3220 DegF DP01 Number days >= 0.1 Inch precip 3220 Number DP03 Number days >= 3.0 mm precip 3220 Number DP05 Number days >= 0.5 Inch precip 3220 Number DP0H Number days >= 0.01 Inch precip 3220 Number DP0Q Number days >= 0.25 Inch precip 3220 Number DP10 Number days >= 1.0 Inch precip 3220 Number DP25 Number days >= 25.0 mm precip 3220 Number DP50 Number days >= 50.0 mm precip 3220 Number DPNP Departure from normal monthly precip 3220 .01 Inch DPNT Departure from normal monthly temp 3220 DegF DSNW Number of days with snow depth >= 1 inch 3220 Number DT00 N umber days minimum temp. <= 0 DegF 3220 Number DT15 Number days minimum temp. <= 15 DegC 3220 Number DT30 Number days maximum temp. >= 30 DegC 3220 Number DT32 Number days minimum temp. <= 32 DegF 3220 Number DT60 Number days minimum temp. <= 60 DegF 3220 Number DT70 Number days maximum temp. >= 70 DegF 3220 Number DT90 Number days maximum temp. >= 90 DegF 3220 Number DX15 Number days maximum temp. <= 15 DegC 3220 Number DX32 Number days maximum temp. <= 32 DegF 3220 Number DX60 Number days maximum temp. <= 60 DegF 3220 Number EMXP Extreme max daily precip, in the month 3220,01 Inch. Date EMXT Extreme max daily temp. for the month 3220 DegF, Date EMNT Extreme min daily temp, for the month 3220 DegF, Date MMNT Monthly mean minimum temp, 3220 DegF MMXT Monthly mean maximum temp. 3220 DegF MNTM Monthly mean temperature 3220 DegF MMNP Monthly mean minimum temp of 3220 DegF evaporation pan water MMXP Monthly mean maximum temp of 3220 DegF evaporation pan water MXSD Maximum snow depth during the month 3220 Inch. Date TEVP Total monthly evaporation 3220 0.01 Inch TPCP Total monthly precipitation 3220 0.01 Inch TSNW Total monthly snowfall 3220 0.1 Inch TWND Total monthly wind mov ement 3220 Miles FRZD Freeze data: dates of occurrence 3220 Date 2 MNnn Monthly mean minimum soil temp 3220 DegF 1 HNnn Highest minimum soil temp for the month 3220 DegF 1 LNnn Lowest minimum soil temp for the month 3220 DegF 1 MOnn Monthly mean soil temp at obs time 3220 DegF 1 HOnn Highest soil temp for the month at 3220 DegF 1 observation time LOnn Lowest soil temp for the month at 3220 DegF 1 observation time MXnn Monthly mean maximum soil temp 3220 DegF 1 HXnn Highest maximum soil temp for the month 3220 DegF 1 LXnn Lowest maximum soil temp for the month 3220 DegF 1

Poor requirements capture can lead to requirements that are lost, forgotten or ignored.

observation time LOnn Lowest soil temp for the month at 3220 DegF 1 observation time

why it persists

UCAN Design Requirements The following document is a compilation of the design document s ubmitted by the UCAN Design Poor requirements capture Team in January, 1996. The Design Team document has been summari zed, herein, to clarify project design issues. As stated at the outset of the UC AN project, the UCAN data can be supplemented by locally entered data but will match the form and substance of the can lead to requirements **2.1.1.** TD-3200 Summary of the Day, Cooperative stations. (See <u>Table 3</u>) 2.1.2 TD-3210 Summary of the Day First Order stations. This will be limited Table 3. RCC Variable Names that are lost, TD 3200 - Summary of the Day (includes TD 3210) Var Long Name Source Units Note TMAX Daily Maximum Temperature 3200 DegF TMIN Daily Minimum Temperature 3200 DegF TOBS Temperature at Obs. time 3200 DegF PRCP Daily Precipitation 3200 01 Inches EVAP Dail TD 3240 - Hourly Precipitation Var Long Name Source Units HPCP Hourly Precipitation 3240 forgotten or 2.2. Rules 3200 DegF MXPN .01 Inches DPCP Daily summary of Hourly Precip 3240 .01 Inches TD 3220 - Summary 3200 0.1 Inches S snow depth 3200 Var Long Name Source Units Note CLDD Monthly Cooling Degree Days Base 65 3220 DegF Revisi Minimum Soil Tem HTDD M 6-Maydays >= 0.25 Inch precip 3220 Number DP10 Number days >= 1.0 Inch precip 3220 Number Soil Temperature Inch pre DP25 Number days >= 25.0 mm precip 3220 Number DP50 Number days >= 50.0 mm TD 3240 - Hourly Number Precipitation 3240 precip 3220 Number DPNP Departure from normal monthly precip 3220 .01 Inch DPNT 3220 Nu 3220 - Summary >= 1.0 Ir 3220 Number DT32 Number davs minimum temp. <= 32 DegF 3220 Number DT60 Number Var Long Name Source DP50 No days minimum temp. <= 60 DegF 3220 Number DT70 Number days maximum temp. >= HTDD Monthly He monthly 70 DegF 3220 Number DT90 Number days maximum temp. >= 90 DegF 3220 Number Inch precip 3220 DSNW N DX15 Number days maximum temp. <= 15 DegC 3220 Number DX32 Number days Number days >= 0 minimun Contei maximum temp. <= 32 DegF 3220 Number DX60 Number days maximum temp. <= 60 3220 Number DP0 DegC 32 Station DegF 3220 Number EMXP Extreme max daily precip. in the month 3220 .01 Inch, Date >= 1.0 Inch precip Station DT32 N EMXT Extreme max daily temp. for the month 3220 DegF, Date EMNT Extreme min daily DP50 Number day minimun Statist temp. for the month 3220 DegF, Date MMNT Monthly mean minimum temp. 3220 DegF monthly precip 32 DegF 32 Phase EMXP Extreme max daily precip, in the month 3220 .01 Inch. Date EMXT Extreme max daily DSNW Number of DX15 N Table minimum temp. <= temp. for the month 3220 DegF, Date EMNT Extreme min daily temp. for the month 3220 maximu DegC 3220 Numb DegF, Date MMNT Monthly mean minimum temp, 3220 DegF MMXT Monthly mean DegF 32 maximum temp. 3220 DegF MNTM Monthly mean temperature 3220 DegF MMNP DT32 Number day **EMXT E** minimum temp. <= Monthly mean minimum temp of 3220 DegF evaporation pan water MMXP Monthly mean temp. fol DegF 3220 Numb maximum temp of 3220 DegF evaporation pan water MXSD Maximum snow depth MMXT N during the month 3220 Inch, Date TEVP Total monthly evaporation 3220 0.01 Inch TPCP DX15 Number day 1. Stat 3220 De Total monthly precipitation 3220 0.01 Inch TSNW Total monthly sn owfall 3220 0.1 Inch maximum temp. < MMXP N 1.1. Me DegF 3220 Numb TWND Total monthly wind movement 3220 Miles FRZD Freeze data: da tes of Maximur occurrence 3220 Date 2 MNnn Monthly mean minimum soil temp 3220 DegF 1 HNnn EMXT Extreme ma evaporal temp. for the mon Highest minimum soil temp for the month 3220 DegF 1 LNnn Lowest minimum soil temp Total md MMXT Monthly m for the month 3220 DegF 1 MOnn Monthly mean soil temp at obs time 3220 DegF 1 FRZD F 3220 DegF MMNI HOnn Highest soil temp for the month at 3220 DegF 1 observation time LOnn Lowest soil temp 32 MMXP Monthly m temp for the month at 3220 DegF 1 observation time MXnn Monthly mean maximum soil Lowest r The Maximum snow de temp 3220 DegF 1 HXnn Highest maximum soil temp for the month 3220 DegF 1 LXnn obs time evaporation 3220 Lowest maximum soil temp for the month 3220 DegF 1 observat Total monthly snow MXnn Monthly mean maximum soil temp 3220 DegF 1 HXnn Highest maximum soil temp 1.2. Ad FRZD Freeze data for the month 3220 DegF 1 LXnn Lowest maximum soil temp for the month 3220 DegF 1 temp 3220 DegF 1 Trivini Trignest minimum son temp for the month 5220 Degr 1 Livini Lowest minimum soil temp for the month 3220 DegF 1 MOnn Monthly mean soil temp at obs time 3220 DegF 1 HOnn Highest soil temp for the month at 3220 DegF 1 observation time LOnn Lowest soil temp for the month at 3220 DegF 1 observation time

why it persists

ignored.



A persona is the archetype of the target user.

It tells the story about the user requirements data.

a solution

The personas method

Helps address the meta-problem regarding user requirements

Can keep a user involved throughout the project.

Captures user requirements data in a usable way.

Accessible HCI* method for those unfamiliar with the user-centered design process.

Less time and resource-intensive compared to other HCI methods.

some benefits

^{*}human-computer interaction

Summary:

Take the user data gathered.

Capture it in the form of a persona.

Use the persona as a member of the team.

Details:

- 1. Define the user population
- 2. Transform user data into a persona (or personas)
- 3. Personalize the persona(s)
- 4. Consult persona(s) in the design decisions
- 5. Evaluate results and persona retention

method in a nutshell

Decided on: professional information analysts

Analyzed:

job postings organizations related to job postings literature review interview

Found:

3 different types of information analysts: policy, intelligence, cyber

defining the user

Decided to: create 3 different personas

Wrote the story about user data: included details about goals, primary tasks, work environment, expertise, systems

Personalized the personas: gave them names and faces

Found:

that specific persona characteristics are highly organization dependant; also the rise of the accidental analyst

transforming the data

Frank Kreuse

Cyber Analyst, EOBU (a defense industry supplier)

Background:


Frank has a B.S. in Infomation Systems. He specialized in technical writing and has CISSP certification. His training, experience and certification establishes him as an expert user.

Work Environment & Information Mgmt:

Frank has access to sophisticated data capture tools but better analytic tools are still lacking. Much of the data that he works with is generated by network scanning tools. However, he primarily relies on MS Excel to keep track of the data that is of interest to him so that he can perform analyses such as "what if" queries.

Tasks:

Part of Frank's duties is to produce risk analysis reports based on test results derived from system assessment tools such as Tivoli Netview and DISA SRR.



Frank Kreuse - EOBU Cyber Analyst

the foundation document

Data-to-features matrix

Persona Data				
Frank Cyber Analyst	Terry Intelligence Researcher	Rob Consumer Safetry Officer		
"Frank is not always the person required to respond to intrusionshe must be aware of and be able to access information about how each incidenct is being handled by the teamnetwork monitoring information comes from a variety of tools so Frank needs to know where the information came from."	"Terry must perform her analysis in a highly collaborative environment and the data she receives from the Intelligence support staff comes from many varied sources at times she must do quality control on the information she receives from the newer support staff by making sure they are coming from credible sources."	"Rob works for an agency that utilizes antiquated computer and information systems. One of the daily challenges that Rob faces is keeping track of the many alerts he receives about food safety incidents to be investigated. He relies on where the alert came from to determine priority for investigation."	1. Functional: Need a summary of the metadata about the information being used in analysis.	

collaborate with the persona

Persona-weighted features matrix

Features	Persona Weights			
	Frank (weight = 40)	Terry (weight = 40)	Rob (weight = 20)	Weighted Priority
1. Functional: Need a summary of the metadata about the information being used in analysis.	2 (Must-have)	2 (Must-have)	2 (Must-have)	200
2. Non-functional: Need information change alerts to be rapidly customize-able.	2 (Must-have)	1 (Helpful)	0 (Doesn't matter)	120

weight = percentages totaling to 100% or on a scale such as 1-5

score = -1 harms persona


0 does not matter to persona if the feature is there or not

+1 helpful to the persona

+2 is a must-have feature for the persona

collaborate with the persona

Features-to-design map



collaborate with the persona

Yahoo! 3-fold persona card (CHI '06)

http://www.uie.com/brainsparks/2006/05/18/yahoos-approach-to-keeping-personas-alive/



his desirbs for receilty. He has his was exclude where he publishes examples of his phylography but is compared about people. missing this bases. When the has been all of shots with a specific person he usually could a periods an arbitrate of CA. Smill does not make paints very vibra, but we was also be writen prints with notice an a very day of after depending on which give him the best

amone after exact determine photolecular and description projects for the depth same photolecular at the second about picture quality. He considered recoines picture messages from triands with formy or breaking images, but be is not informed in saving these ghests for his sum are.

TIGOCENSTICA COMENATIVE:

- Codifies anything takes everythy somes, pertraits and ment pituas
- TORICHES AND STERRE
- Stocks of givelet in Braded from somes. Snoding single photos (possible with a Brictoria) even.
- Commetting or picture; paded by other;
- Directing of test two site to easier (and provided their own).

ON CHARGE IS STRATEGIES.

- . Red pasers regarder ab-has by the dute taken but he is interested in being wide to search photos by subject, date Booking and when or below.
- Ross senior duffine deun Beingagnes is Bisarbiere.
- Concern about batting up his effections
- · Very sonowmed with picture quality
- · Gellingagoodstuf

PURCEEUR, SCALS:

- Billions and speed Security (1) \$10 to enthalt waverfile of incom-
- Organizes sindeplace by multiple systems or knywords is destinacy seeding
- Depotion with email
- Using someone eith beamed to make backups of artifive

DECEMBER 600 C Generalise for short-community

- Conseller with triends blend/competition
- Onetive empowement, authoritigal-connectig of
- Personal bell'expression Reporting to offers for countrily and behold

ALTRICAS:

Water its to helded, potential and den-

"If I don't have pictures, it's as if it didn't happen_'

EVENT ORIENTED CASUAL USER ROBBI

MARK Stok-IRDE: Unit his Headern spot neat near the University DODDRAGON: University Admissions Course by DECEME: \$14,700 location Well, France

loable works to copium important memories and share them with the proper doce to best the resets to make points of pictures the Acted to be the supplying of head.)

AUCES: Enradound

"Things go so fast:

wouldn't know what went on in my life without my

COMPULSIVE LIFE DOCUMENTER BRAD

BART: Single with a piditional favority live in Long, Lives with a normally in an apartment, His pirfinent increds therefore decide the facility occupation: Secretal for a new factor find restaurant in San

postalba: Mindalnas Aschaniferia dalnas instale

Thought it is rejected an limited, this would be to have the label. and greated communication padgetry, and is interested in experimenting with non-technologies, Sheathe partitions the Interest much at word, by refer to programme promountation te stay in touch with his filenes and girthford, like Bass brogsing a the because the subject him to promoving the like experience with tient in Breand Britos will a belle into tessorily works to be famous.

CARTINA HYDRE MERCANDOS

journa"

had fact comes place that he takes with him everywhere and takes pictures or proving, purhywhels, anything that is pavel for allows. He would file to leave adultal pamers because his convex givene logs direited feature set and direct's work well in direit. It conditions, He Bresty put two pictures almody on his webby without a Bit of walking, though he may use on a virolate betwee pooling, and he perforationers from this private frequently. Her disc mode some either people' photologic and communicates with them alread their picture. The Bies to show his Images with others but obsent word to store of of them with everyone (this pictured would be him) so he wo differ to be saide to control who sees some of the images, the prints the bed pictures or line, but only if they've very special the would print more of the if his phope took higher resolution pictures

TOBOGENS FOR COMENUT HOME RUE:

Trings that calch his wer during this shaller the, swellings furry that could be used for allough, pictures of his Needs and oldfriend

Halford benis brighted republic assertable's recorded carrelling betweening

She wont's updeated to be that, as the semedimes upfleats CHARGE OF BUTTOON

Print quality, but remedimes will sportly quality the price

Privacy: exalt feel uncombetable if strangers saw her

. Extended about restant counting and a deplay

entance became of horse PORTY IS CHARGE TO COUNTY THE CHARGE

DESCRIPTION OF STREET

infragourage returns to the place find photos sometime. Share phobic and agrees to photo: from small

Size, anal, print, indedigitation Visits refine at 4th sites to one aid unasstored by themis

- Bebid ages to phess
- Harristy and one picture of hers@hers Nend? Save time and more

quality for each off-Codic points. The hears about shock benther him do who share about will then. The disected have shone

abladements to med of her pictures, sooing from as disposable and conferencing from

DISTRIBUTE SAFELLESS:

THE WAY FIRE THE USE:

Distribute:

northall websteweb

shabe visional branching scale

not oberpious, set to be

ORGANIZARE LEGALITATOS: Photo equalized med frequents by event

Drangley reperience: to be shared (that peried pair of

Upbedupidume acroon persocible affor an event in-

Decay share photos with her triangle incredible year

May have some spedilic lighters (buth as good pictures of

unal peretines as a left to an abure, or individual

Same pictures of heady and to her ola exalt, depries DOMESTICAL CONT.

- Demonstrate throughtfulness:
- Se counted to reading satisfiants, bellet.

Bitagnoldsa

Professional Safe

remeto:

Next to believe, friendly, and fin-

NAMES OF THE OWNER

SACAMENT STATEMENT

For the medigant, his pictures are all expanded emedigade sea pideral dronial efficilità

Candrod ever access Separity Science want to Jest his picture?

ROSCHORAL SOMES

- Speed of ugbaciliditions:

RECEIVED AND CO.

- Convertedness 5∰-martche Bindly

AUTO-EST

· Wants a site to feel direk professional and ability and

example collaboration tool

A meta-problem exists when designing security visualizations. Improper requirements capture can lead to lost, forgotten or ignored user requirements.

The personas method provides an explicit way to deal with this problem throughout the design, development and evaluation of a project.

Critical to address this meta-problem in order to better ensure the usability of the security visualization.

conclusion

Thank you!

questions?