

NOT SUBMITTED



Study	DEN-324 TST2
Sponsor	Takeda
Casebook Definition Name	InitialVersion
Casebook Definition External ID	InitialVersion
Generation Mode	Unique CRFs (No Schedule)
Include Annotations	No
Casebook Version	1.12
Generated	31-Jan-2025 09:28:41
Specification Version	

AE (Adverse Events)

ADVERSE AND SERIOUS EVENTS (AE_SAE)

Adverse and Serious Events	
Reported Term for the Adverse Event	
	AETERM
Start Date of Adverse Event	AESTDTC
End Date of Adverse Event	AEENDTC
Did this event occur prior to the first dose of study treatment?	☐ Yes
AEPTRTPT in SUPPAE	☐ No
Pattern of Adverse Event	☐ Once
AEPATT	☐ Continuous
	☐ Intermittent
Severity/Intensity	☐ Mild
AESEV	☐ Moderate
	☐ Severe
Causality	☐ Related
AEREL	☐ Not Related
Relationship to Study Procedure	☐ Related
AERELPR in SUPPAE	☐ Not Related
Is this a medically attended adverse event?	☐ Yes
MAAE in SUPPAE	☐ No
Is this a Solicited Adverse Event?	☐ Yes
AESLCTD in SUPPAE	☐ No

AE (Adverse Events)

Action Taken with Study Treatment

ACNDNC in SUPPAE

ACNDW in SUPPAE

ACNNA in SUPPAE

ACNDD in SUPPAE

If multiple values are selected AEACN=MULTIPLE

☐ Dose Not Changed☐ Drug Withdrawn☐ Not Applicable☐ Dose Delayed

Outcome of Adverse Event

AEOUT

☐ Recovered/Resolved☐ Recovering/Resolving☐ Not Recovered/Not Resolved☐ Recovered/Resolved with Sequelae☐ Fatal☐ Unknown

Did the Adverse Event cause the subject to be discontinued from the study?

AEDIS in SUPPAE

☐ Yes☐ No

Serious Event

AESER

☐ Yes☐ No**Serious Adverse Event Details**

Select all seriousness criteria that apply:

Congenital Anomaly or Birth Defect

AESCONG

☐ Yes

Persistent or Significant Disability/Incapacity

AESDISAB

☐ Yes

Specify Disability/Incapacity

NOT SUBMITTED

Results in Death

AESDTH

☐ Yes

DD (Death Details)**AE (Adverse Events)**

General Cause of Death #1

DDSPID=1

DDORRES when DDTESTCD=GENCDTH

General Cause of Death, #2 if applicable

DDSPID=2

DDORRES when DDTESTCD=GENCDTH

General Cause of Death, #3 if applicable

DDSPID=3

DDORRES when DDTESTCD=GENCDTH

Autopsy Performed

☐ Yes☐ No

DDORRES when DDTESTCD=AUTOPIND

☐ Unknown

Death Certificate Obtained

☐ YesDDORRES when
DDTESTCD=DTHCOIND☐ No☐ Unknown

Requires or Prolongs Hospitalization

AESHOSP

☐ Yes

Date of Hospitalization

AEHOSPD in SUPPAE

Date of Discharge

AEDISCDT in SUPPAE

Is Life Threatening

☐ Yes

AESLIFE

Other Medically Important Serious Event

☐ Yes

AESMIE

Narrative

NOT SUBMITTED

NOT SUBMITTED

Narrative 2

Narrative 3

Narrative 4

NOT SUBMITTED

ANY ADVERSE EVENTS? (AE_Q)

Any Adverse Events?

Did the subject experience any Adverse Events during the study?

*(If answered "Yes", an additional form will be added to record
Adverse Event information.)*☐ Yes☐ No

NOT SUBMITTED

ANY CONCOMITANT MEDICATIONS? (CM_Q)

Any Concomitant Medications?

Did the subject take any Concomitant Medications starting after or ongoing at first study vaccination? ☐ Yes

(If answered 'Yes', an additional form will be added to record Concomitant medication information.) ☐ No

NOT SUBMITTED

ANY MEDICAL HISTORY? (MH_Q)

Any Medical History?

Has the subject had any significant conditions or diseases that stopped at or prior to first study vaccination or are ongoing at first study vaccination?

☐ Yes☐ No

(If answered 'Yes', an additional form will be added to record Medical History information.)

NOT SUBMITTED

ANY PRIOR INTERVENTIONS? (PR_CM_Q)

Any Prior Interventions?

Has the subject stopped taking any medication within the protocol specified timeframe?

☐ Yes

(If answered 'Yes', an additional form will be added to record Medication History information.)

☐ No

NOT SUBMITTED**ANY PRIOR/CONCOMITANT LICENSED VACCINE ADMINISTRATION?
(VAC_Q)****Any Prior/Concomitant Licensed Vaccine Administration?**

Did the subject take any vaccine (other than study vaccine) within the protocol specified timeframe?

☐ Yes

(If answered 'Yes', an additional form will be added to record Prior/Concomitant Licensed Vaccine Administration information.)

☐ No

IS (Immunogenicity Specimen Assessments)

CENTRAL LAB (CL)

Central Lab - 1		
Check here if Sample Collection was Done/Not Done		☐ Done
if Not Done then ISSTAT when ISTECD=ISALL		☐ Not Done
Date Sample Taken	ISDTC	24 hour clock
Reason Test Not Done	☐ Insufficient Sample Volume	
ISREASND	☐ Laboratory Mishap	
	☐ Specimen Condition	
	☐ Specimen Not Collected	
	☐ Dietary Restrictions Requirements Not Met	
	☐ Fasting requirement Not Met	
	☐ Other	
Other Reason Sample Not Collected, Specify		
	ISREASND	
Category	ISCAT	Serology
Sub-category	ISSCAT	Immunology

CM (Concomitant/Prior Medications)

CONCOMITANT MEDICATIONS (CM)

Concomitant Medications	
Reported Name of Drug, Medication, or Therapy	
	CMTRT
Dose per Administration	CMDOSE/CMDOSTXT

CM (Concomitant/Prior Medications)

Dose Units

CMDOSU

- ☐ %
- ☐ APPLICATION
- ☐ CAPSULE
- ☐ g
- ☐ gtt
- ☐ IU
- ☐ IU/mL
- ☐ mEq
- ☐ mg
- ☐ mL
- ☐ PUFF
- ☐ TABLET
- ☐ UNIT
- ☐ ug
- ☐ SPRAY
- ☐ Tbsp
- ☐ tsp
- ☐ mg/m2
- ☐ mg/kg
- ☐ mg/L

CM (Concomitant/Prior Medications)

Dosing Frequency per Interval

CMDOSFRQ

- ☐ QD
- ☐ ONCE
- ☐ BID
- ☐ PRN
- ☐ Q12H
- ☐ Q24H
- ☐ Q8H
- ☐ QID
- ☐ QM
- ☐ QOD
- ☐ TID
- ☐ UNKNOWN
- ☐ 2 TIMES PER WEEK
- ☐ 3 TIMES PER MONTH
- ☐ 3 TIMES PER WEEK
- ☐ 4 TIMES PER WEEK
- ☐ CONTINUOUS
- ☐ EVERY 2 WEEKS
- ☐ EVERY 3 WEEKS
- ☐ EVERY 4 WEEKS
- ☐ EVERY WEEK
- ☐ INTERMITTENT
- ☐ Q4H
- ☐ Q6H
- ☐ QH

CM (Concomitant/Prior Medications)

CMDOSFRQ

☐ BIM

CM (Concomitant/Prior Medications)

Route of Administration

CMROUTE

- ☐ ORAL
- ☐ INTRAVENOUS
- ☐ SUBCUTANEOUS
- ☐ TOPICAL
- ☐ TRANSDERMAL
- ☐ RESPIRATORY (INHALATION)
- ☐ INTRAMUSCULAR
- ☐ NASAL
- ☐ RECTAL
- ☐ INTRAVENOUS BOLUS
- ☐ INTRAVENOUS DRIP
- ☐ AURICULAR (OTIC)
- ☐ BUCCAL
- ☐ CONJUNCTIVAL
- ☐ CUTANEOUS
- ☐ ENTERAL
- ☐ EPIDURAL
- ☐ INTRA-ARTICULAR
- ☐ INTRADERMAL
- ☐ INTRAOCULAR
- ☐ INTRAPERITONEAL
- ☐ INTRASINAL
- ☐ NASOGASTRIC
- ☐ OPHTHALMIC
- ☐ OROMUCOSAL

CM (Concomitant/Prior Medications)

CMROUTE	☐ OROPHARYNGEAL
	☐ PARENTERAL
	☐ PERCUTANEOUS
	☐ SUBLINGUAL
	☐ VAGINAL
Start Date of Medication	CMSTDTC
If unknown, select if Start Date was BEFORE or AFTER First Vaccination	☐ Before
CMSTTPT=First Vaccination CMSTRTPT	☐ After
End Date of Medication	CMENDTC
Select if End Date is ONGOING or UNKNOWN at End of Study.	☐ Ongoing
CMENTPT=End of Study CMENRTPT	☐ Unknown
Indication	CMINDC
Related Adverse Event (Primary):	Used for RELREC of AE and CM
Related Adverse Event (#2, if applicable):	
Related Adverse Event (#3, if applicable):	
Related Medical History (Primary):	Used for RELREC of MH and CM
Related Medical History (#2, if applicable):	
Related Medical History (#3, if applicable):	

SV (Subject Visits)

DATE OF VISIT ADHOC (DOVADD)

Date of Visit Adhoc	
Type of Visit	NOT SUBMITTED VISIT ☐ Scheduled ☐ Unscheduled
Scheduled Visit	VISIT ☐ Visit 1 ☐ Visit 2 ☐ Visit 3 ☐ Visit 4 ☐ Visit 5
Select the forms for which additional assessments were done for the specified visit:	
Vital Signs	☐ Vital Signs
Central Lab	SVUPDES ☐ Central Lab
Pregnancy Test	☐ Pregnancy

Note: The information would be included in SVUPDES if type of Visit equals "Unscheduled". And if multiple are selected, concatenate with the annotated values with ";;"

DM (Demographics)**DS (Disposition)**

DEMOGRAPHICS (DM)

Demographics	
Sex	SEX ☐ Male ☐ Female
Year of Birth	BRTHDTC
Age at Informed Consent	AGE
Race	
Asian	RACE ☐ Asian
Asian Sub-Category	RACESASN in SUPPDM ☐ Japanese
DSDECOD=INFORMED CONSENT OBTAINED	
Start of Participation	
Date of Informed Consent	RFICDTC DSSTDTC when DSTERM=INFORMED CONSENT OBTAINED
Protocol Version	PROTVRSN in SUPPDM ☐ Original Protocol ☐ Amendment 1 ☐ Amendment 2 ☐ Amendment 3 ☐ Amendment 4 ☐ Amendment 5 ☐ Amendment 6 ☐ Amendment 7 ☐ Amendment 8 ☐ Amendment 9 ☐ Amendment 10
Parent/Legal Guardian Consent Obtained	PLGCNTO in SUPPDM ☐ Yes ☐ No

DM (Demographics)**DS (Disposition)**

Date Parent/Legal Guardian Consent Obtained

Second Parent/Legal Guardian Consent Obtained

PLGCNTO2 in SUPPDM

DSSTDTC when DSTERM=PARENT/LEGAL
GUARDIAN CONSENT OBTAINED☐ Yes☐ NoDSDECOD=INFORMED
CONSENT OBTAINED

Date Second Parent/Legal Guardian Consent Obtained

Study Participation Assent Obtained

SPASENTO in SUPPDM

DSSTDTC when DSTERM=SECOND PARENT/
LEGAL GUARDIAN CONSENT OBTAINED☐ Yes☐ No

Date Study Participation Assent Obtained

Randomization Date

Cohort

DSSTDTC When DSTERM=ASSENT OBTAINED

DSSTDTC When DSDECOD/DSTERM=RANDOMIZED

COHORT in SUPPDM

☐ Cohort 1☐ Cohort 2

FA (Findings About Events or Interventions)**CE (Clinical Events)**DIARY GENERAL SYMPTOMS (DAYS 1-14, 6 YEARS OLD OR MORE)
(DIARY_GEN)

DIARY GENERAL SYMPTOMS (DAYS 1-14, 6 YEARS OLD OR MORE) - 1	
Day	Day 1 FATPT
Date	FADTC
Headache FAOBJ=HEADACHE	☐ None
FAORRES when FATESTCD=OCCUR	☐ Mild
FAORRES when FATESTCD=SEV	☐ Moderate
CETERM=HEADACHE	☐ Severe
Investigator Assessment of Relationship to Investigational Vaccine for Headache	☐ Related
FAORRES when FATESTCD=REL	☐ Not Related
Investigator Assessment of Relationship to Study Procedure for Headache	☐ Related
FAORRES when FATESTCD=RELPR	☐ Not Related
Asthenia (Weakness) FAOBJ=ASTHENIA	☐ None
FAORRES when FATESTCD=OCCUR	☐ Mild
FAORRES when FATESTCD=SEV	☐ Moderate
CETERM=ASTHENIA	☐ Severe
Investigator Assessment of Relationship to Investigational Vaccine for Asthenia (Weakness)	☐ Related
FAORRES when FATESTCD=REL	☐ Not Related
Investigator Assessment of Relationship to Study Procedure for Asthenia (Weakness)	☐ Related
FAORRES when FATESTCD=RELPR	☐ Not Related

FA (Findings About Events or Interventions)**CE (Clinical Events)**

Malaise (Generally Unwell)

FAOBJ=MALAISE

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=MALAISE

- ☐ None
- ☐ Mild
- ☐ Moderate
- ☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Malaise (Generally Unwell)

FAORRES when FATESTCD=REL

- ☐ Related
- ☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Malaise (Generally Unwell)

FAORRES when FATESTCD=RELPR

- ☐ Related
- ☐ Not Related

Muscle Pain (Myalgia)

FAOBJ=MYALGIA

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=MYALGIA

- ☐ None
- ☐ Mild
- ☐ Moderate
- ☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Muscle Pain (Myalgia)

FAORRES when FATESTCD=RELPR

- ☐ Related
- ☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Muscle Pain (Myalgia)

FAORRES when FATESTCD=REL

- ☐ Related
- ☐ Not Related

DIARY GENERAL SYMPTOMS (DAYS 1-14, 6 YEARS OLD OR MORE) - 2

Day

Day 2

FATPT

Date

FADTC

FA (Findings About Events or Interventions)**CE (Clinical Events)**

Headache

FAOBJ=HEADACHE

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=HEADACHE

- ☐ None
- ☐ Mild
- ☐ Moderate
- ☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Headache

FAORRES when FATESTCD=REL

- ☐ Related
- ☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Headache

FAORRES when FATESTCD=RELPR

- ☐ Related
- ☐ Not Related

Asthenia (Weakness)

FAOBJ=ASTHENIA

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=ASTHENIA

- ☐ None
- ☐ Mild
- ☐ Moderate
- ☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Asthenia (Weakness)

FAORRES when FATESTCD=REL

- ☐ Related
- ☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Asthenia (Weakness)

FAORRES when FATESTCD=RELPR

- ☐ Related
- ☐ Not Related

Malaise (Generally Unwell)

FAOBJ=MALAISE

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=MALAISE

- ☐ None
- ☐ Mild
- ☐ Moderate
- ☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Malaise (Generally Unwell)

FAORRES when FATESTCD=REL

- ☐ Related
- ☐ Not Related

FA (Findings About Events or Interventions)**CE (Clinical Events)**Investigator Assessment of Relationship to Study Procedure for
Malaise (Generally Unwell)☐ Related**FAORRES when FATESTCD=RELPR**☐ Not Related

Muscle Pain (Myalgia)

FAOBJ=MYALGIA☐ None**FAORRES when FATESTCD=OCCUR**☐ Mild**FAORRES when FATESTCD=SEV**☐ Moderate**CETERM=MYALGIA**☐ SevereInvestigator Assessment of Relationship to Investigational Vaccine
for Muscle Pain (Myalgia)☐ Related**FAORRES when FATESTCD=REL**☐ Not RelatedInvestigator Assessment of Relationship to Study Procedure for
Muscle Pain (Myalgia)☐ Related**FAORRES when FATESTCD=RELPR**☐ Not Related**DIARY GENERAL SYMPTOMS (DAYS 1-14, 6 YEARS OLD OR MORE) - 3**

Day

Day 3

FATPT

Date

FADTC

Headache

FAOBJ=HEADACHE☐ None**FAORRES when FATESTCD=OCCUR**☐ Mild**FAORRES when FATESTCD=SEV**☐ Moderate**CETERM=HEADACHE**☐ SevereInvestigator Assessment of Relationship to Investigational Vaccine
for Headache☐ Related**FAORRES when FATESTCD=REL**☐ Not RelatedInvestigator Assessment of Relationship to Study Procedure for
Headache☐ Related**FAORRES when FATESTCD=RELPR**☐ Not Related

FA (Findings About Events or Interventions)**CE (Clinical Events)**

Asthenia (Weakness)

FAOBJ=ASTHENIA

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=ASTHENIA

☐ None☐ Mild☐ Moderate☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Asthenia (Weakness)

FAORRES when FATESTCD=RELPR

☐ Related☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Asthenia (Weakness)

FAORRES when FATESTCD=REL

☐ Related☐ Not Related

Malaise (Generally Unwell)

FAOBJ=MALAISE

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=MALAISE

☐ None☐ Mild☐ Moderate☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Malaise (Generally Unwell)

FAORRES when FATESTCD=REL

☐ Related☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Malaise (Generally Unwell)

FAORRES when FATESTCD=RELPR

☐ Related☐ Not Related

Muscle Pain (Myalgia)

FAOBJ=MYALGIA

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=MYALGIA

☐ None☐ Mild☐ Moderate☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Muscle Pain (Myalgia)

FAORRES when FATESTCD=REL

☐ Related☐ Not Related

FA (Findings About Events or Interventions)**CE (Clinical Events)**

Investigator Assessment of Relationship to Study Procedure for Muscle Pain (Myalgia)

☐ Related

FAORRES when FATESTCD=RELPR

☐ Not Related**DIARY GENERAL SYMPTOMS (DAYS 1-14, 6 YEARS OLD OR MORE) - 4**

Day

Day 4

FATPT

Date

FADTC

Headache

FAOBJ=HEADACHE

☐ None

FAORRES when FATESTCD=OCCUR

☐ Mild

FAORRES when FATESTCD=SEV

☐ Moderate

CETERM=HEADACHE

☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Headache

☐ Related

FAORRES when FATESTCD=REL

☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Headache

☐ Related

FAORRES when FATESTCD=RELPR

☐ Not Related

Asthenia (Weakness)

FAOBJ=ASTHENIA

☐ None

FAORRES when FATESTCD=OCCUR

☐ Mild

FAORRES when FATESTCD=SEV

☐ Moderate

CETERM=ASTHENIA

☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Asthenia (Weakness)

☐ Related

FAORRES when FATESTCD=REL

☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Asthenia (Weakness)

☐ Related

FAORRES when FATESTCD=RELPR

☐ Not Related

FA (Findings About Events or Interventions)**CE (Clinical Events)**

Malaise (Generally Unwell)

FAOBJ=MALAISE

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=MALAISE

☐ None☐ Mild☐ Moderate☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Malaise (Generally Unwell)

FAORRES when FATESTCD=REL

☐ Related☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Malaise (Generally Unwell)

FAORRES when FATESTCD=RELPR

☐ Related☐ Not Related

Muscle Pain (Myalgia)

FAOBJ=MYALGIA

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=MYALGIA

☐ None☐ Mild☐ Moderate☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Muscle Pain (Myalgia)

FAORRES when FATESTCD=REL

☐ Related☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Muscle Pain (Myalgia)

FAORRES when FATESTCD=RELPR

☐ Related☐ Not Related**DIARY GENERAL SYMPTOMS (DAYS 1-14, 6 YEARS OLD OR MORE) - 5**

Day

Day 5

FATPT

Date

FADTC

FA (Findings About Events or Interventions)**CE (Clinical Events)**

Headache

FAOBJ=HEADACHE

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=HEADACHE

- ☐ None
- ☐ Mild
- ☐ Moderate
- ☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Headache

FAORRES when FATESTCD=REL

- ☐ Related
- ☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Headache

FAORRES when FATESTCD=RELPR

- ☐ Related
- ☐ Not Related

Asthenia (Weakness)

FAOBJ=ASTHENIA

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=ASTHENIA

- ☐ None
- ☐ Mild
- ☐ Moderate
- ☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Asthenia (Weakness)

FAORRES when FATESTCD=RELPR

- ☐ Related
- ☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Asthenia (Weakness)

FAORRES when FATESTCD=REL

- ☐ Related
- ☐ Not Related

Malaise (Generally Unwell)

FAOBJ=MALAISE

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=MALAISE

- ☐ None
- ☐ Mild
- ☐ Moderate
- ☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Malaise (Generally Unwell)

FAORRES when FATESTCD=REL

- ☐ Related
- ☐ Not Related

FA (Findings About Events or Interventions)**CE (Clinical Events)**Investigator Assessment of Relationship to Study Procedure for
Malaise (Generally Unwell)☐ Related

FAORRES when FATESTCD=RELPR

☐ Not Related

Muscle Pain (Myalgia)

FAOBJ=MYALGIA

☐ None

FAORRES when FATESTCD=OCCUR

☐ Mild

FAORRES when FATESTCD=SEV

☐ Moderate

CETERM=MYALGIA

☐ SevereInvestigator Assessment of Relationship to Investigational Vaccine
for Muscle Pain (Myalgia)☐ Related

FAORRES when FATESTCD=REL

☐ Not RelatedInvestigator Assessment of Relationship to Study Procedure for
Muscle Pain (Myalgia)☐ Related

FAORRES when FATESTCD=RELPR

☐ Not Related**DIARY GENERAL SYMPTOMS (DAYS 1-14, 6 YEARS OLD OR MORE) - 6**

Day

Day 6

FATPT

Date

FADTC

Headache

☐ None

FAOBJ=HEADACHE

☐ Mild

FAORRES when FATESTCD=OCCUR

☐ Moderate

FAORRES when FATESTCD=SEV

☐ Severe

CETERM=HEADACHE

Investigator Assessment of Relationship to Investigational Vaccine
for Headache☐ Related

FAORRES when FATESTCD=REL

☐ Not RelatedInvestigator Assessment of Relationship to Study Procedure for
Headache☐ Related

FAORRES when FATESTCD=RELPR

☐ Not Related

FA (Findings About Events or Interventions)**CE (Clinical Events)**

Asthenia (Weakness)

FAOBJ=ASTHENIA

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=ASTHENIA

- ☐ None
- ☐ Mild
- ☐ Moderate
- ☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Asthenia (Weakness)

FAORRES when FATESTCD=REL

- ☐ Related
- ☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Asthenia (Weakness)

FAORRES when FATESTCD=RELPR

- ☐ Related
- ☐ Not Related

Malaise (Generally Unwell)

FAOBJ=MALAISE

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=MALAISE

- ☐ None
- ☐ Mild
- ☐ Moderate
- ☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Malaise (Generally Unwell)

FAORRES when FATESTCD=REL

- ☐ Related
- ☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Malaise (Generally Unwell)

FAORRES when FATESTCD=RELPR

- ☐ Related
- ☐ Not Related

Muscle Pain (Myalgia)

FAOBJ=MYALGIA

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=MYALGIA

- ☐ None
- ☐ Mild
- ☐ Moderate
- ☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Muscle Pain (Myalgia)

FAORRES when FATESTCD=REL

- ☐ Related
- ☐ Not Related

FA (Findings About Events or Interventions)**CE (Clinical Events)**

Investigator Assessment of Relationship to Study Procedure for Muscle Pain (Myalgia)

☐ Related

FAORRES when FATESTCD=RELPR

☐ Not Related**DIARY GENERAL SYMPTOMS (DAYS 1-14, 6 YEARS OLD OR MORE) - 7**

Day

Day 7

FATPT

Date

FADTC

Headache

☐ None

FAOBJ=HEADACHE

☐ Mild

FAORRES when FATESTCD=OCCUR

☐ Moderate

FAORRES when FATESTCD=SEV

CETERM=HEADACHE

☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Headache

☐ Related

FAORRES when FATESTCD=REL

☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Headache

☐ Related

FAORRES when FATESTCD=RELPR

☐ Not Related

Asthenia (Weakness)

☐ None

FAOBJ=ASTHENIA

☐ Mild

FAORRES when FATESTCD=OCCUR

☐ Moderate

FAORRES when FATESTCD=SEV

CETERM=ASTHENIA

☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Asthenia (Weakness)

☐ Related

FAORRES when FATESTCD=REL

☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Asthenia (Weakness)

☐ Related

FAORRES when FATESTCD=RELPR

☐ Not Related

FA (Findings About Events or Interventions)**CE (Clinical Events)**

Malaise (Generally Unwell)

FAOBJ=MALAISE

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=MALAISE

- ☐ None
- ☐ Mild
- ☐ Moderate
- ☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Malaise (Generally Unwell)

FAORRES when FATESTCD=RELPR

- ☐ Related
- ☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Malaise (Generally Unwell)

FAORRES when FATESTCD=REL

- ☐ Related
- ☐ Not Related

Muscle Pain (Myalgia)

FAOBJ=MYALGIA

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=MYALGIA

- ☐ None
- ☐ Mild
- ☐ Moderate
- ☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Muscle Pain (Myalgia)

FAORRES when FATESTCD=RELPR

- ☐ Related
- ☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Muscle Pain (Myalgia)

FAORRES when FATESTCD=REL

- ☐ Related
- ☐ Not Related

DIARY GENERAL SYMPTOMS (DAYS 1-14, 6 YEARS OLD OR MORE) - 8

Day

Day 8

FATPT

Date

FADTC

FA (Findings About Events or Interventions)**CE (Clinical Events)**

Headache

FAOBJ=HEADACHE

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=HEADACHE

- ☐ None
- ☐ Mild
- ☐ Moderate
- ☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Headache

FAORRES when FATESTCD=REL

- ☐ Related
- ☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Headache

FAORRES when FATESTCD=RELPR

- ☐ Related
- ☐ Not Related

Asthenia (Weakness)

FAOBJ=ASTHENIA

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=ASTHENIA

- ☐ None
- ☐ Mild
- ☐ Moderate
- ☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Asthenia (Weakness)

FAORRES when FATESTCD=REL

- ☐ Related
- ☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Asthenia (Weakness)

FAORRES when FATESTCD=RELPR

- ☐ Related
- ☐ Not Related

Malaise (Generally Unwell)

FAOBJ=MALAISE

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=MALAISE

- ☐ None
- ☐ Mild
- ☐ Moderate
- ☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Malaise (Generally Unwell)

FAORRES when FATESTCD=REL

- ☐ Related
- ☐ Not Related

FA (Findings About Events or Interventions)**CE (Clinical Events)**Investigator Assessment of Relationship to Study Procedure for
Malaise (Generally Unwell)☐ Related

FAORRES when FATESTCD=RELPR

☐ Not Related

Muscle Pain (Myalgia)

☐ None

FAOBJ=MYALGIA

☐ Mild

FAORRES when FATESTCD=OCCUR

☐ Moderate

FAORRES when FATESTCD=SEV

☐ Severe

CETERM=MYALGIA

Investigator Assessment of Relationship to Investigational Vaccine
for Muscle Pain (Myalgia)☐ Related

FAORRES when FATESTCD=REL

☐ Not RelatedInvestigator Assessment of Relationship to Study Procedure for
Muscle Pain (Myalgia)☐ Related

FAORRES when FATESTCD=RELPR

☐ Not Related**DIARY GENERAL SYMPTOMS (DAYS 1-14, 6 YEARS OLD OR MORE) - 9**

Day

Day 9

FATPT

Date

FADTC

Headache

☐ None

FAOBJ=HEADACHE

☐ Mild

FAORRES when FATESTCD=OCCUR

☐ Moderate

FAORRES when FATESTCD=SEV

☐ Severe

CETERM=HEADACHE

Investigator Assessment of Relationship to Investigational Vaccine
for Headache☐ Related

FAORRES when FATESTCD=REL

☐ Not RelatedInvestigator Assessment of Relationship to Study Procedure for
Headache☐ Related

FAORRES when FATESTCD=RELPR

☐ Not Related

FA (Findings About Events or Interventions)**CE (Clinical Events)**

Asthenia (Weakness)

FAOBJ=ASTHENIA

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=ASTHENIA

☐ None☐ Mild☐ Moderate☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Asthenia (Weakness)

FAORRES when FATESTCD=RELPR

☐ Related☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Asthenia (Weakness)

FAORRES when FATESTCD=REL

☐ Related☐ Not Related

Malaise (Generally Unwell)

FAOBJ=MALAISE

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=MALAISE

☐ None☐ Mild☐ Moderate☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Malaise (Generally Unwell)

FAORRES when FATESTCD=REL

☐ Related☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Malaise (Generally Unwell)

FAORRES when FATESTCD=RELPR

☐ Related☐ Not Related

Muscle Pain (Myalgia)

FAOBJ=MYALGIA

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=MYALGIA

☐ None☐ Mild☐ Moderate☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Muscle Pain (Myalgia)

FAORRES when FATESTCD=REL

☐ Related☐ Not Related

FA (Findings About Events or Interventions)**CE (Clinical Events)**

Investigator Assessment of Relationship to Study Procedure for Muscle Pain (Myalgia)

☐ Related

FAORRES when FATESTCD=RELPR

☐ Not Related**DIARY GENERAL SYMPTOMS (DAYS 1-14, 6 YEARS OLD OR MORE) - 10**

Day

Day 10

FATPT

Date

FADTC

Headache

FAOBJ=HEADACHE

☐ None

FAORRES when FATESTCD=OCCUR

☐ Mild

FAORRES when FATESTCD=SEV

☐ Moderate

CETERM=HEADACHE

☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Headache

☐ Related

FAORRES when FATESTCD=REL

☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Headache

☐ Related

FAORRES when FATESTCD=RELPR

☐ Not Related

Asthenia (Weakness)

FAOBJ=ASTHENIA

☐ None

FAORRES when FATESTCD=OCCUR

☐ Mild

FAORRES when FATESTCD=SEV

☐ Moderate

CETERM=ASTHENIA

☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Asthenia (Weakness)

☐ Related

FAORRES when FATESTCD=REL

☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Asthenia (Weakness)

☐ Related

FAORRES when FATESTCD=RELPR

☐ Not Related

FA (Findings About Events or Interventions)**CE (Clinical Events)**

Malaise (Generally Unwell)

FAOBJ=MALAISE

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=MALAISE

- ☐ None
- ☐ Mild
- ☐ Moderate
- ☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Malaise (Generally Unwell)

FAORRES when FATESTCD=REL

- ☐ Related
- ☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Malaise (Generally Unwell)

FAORRES when FATESTCD=RELPR

- ☐ Related
- ☐ Not Related

Muscle Pain (Myalgia)

FAOBJ=MYALGIA

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=MYALGIA

- ☐ None
- ☐ Mild
- ☐ Moderate
- ☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Muscle Pain (Myalgia)

FAORRES when FATESTCD=REL

- ☐ Related
- ☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Muscle Pain (Myalgia)

FAORRES when FATESTCD=RELPR

- ☐ Related
- ☐ Not Related

DIARY GENERAL SYMPTOMS (DAYS 1-14, 6 YEARS OLD OR MORE) - 11

Day

Day 11

FATPT

Date

FADTC

FA (Findings About Events or Interventions)**CE (Clinical Events)**

Headache

FAOBJ=HEADACHE

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=HEADACHE

- ☐ None
- ☐ Mild
- ☐ Moderate
- ☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Headache

FAORRES when FATESTCD=REL

- ☐ Related
- ☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Headache

FAORRES when FATESTCD=RELPR

- ☐ Related
- ☐ Not Related

Asthenia (Weakness)

FAOBJ=ASTHENIA

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=ASTHENIA

- ☐ None
- ☐ Mild
- ☐ Moderate
- ☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Asthenia (Weakness)

FAORRES when FATESTCD=REL

- ☐ Related
- ☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Asthenia (Weakness)

FAORRES when FATESTCD=RELPR

- ☐ Related
- ☐ Not Related

Malaise (Generally Unwell)

FAOBJ=MALAISE

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=MALAISE

- ☐ None
- ☐ Mild
- ☐ Moderate
- ☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Malaise (Generally Unwell)

FAORRES when FATESTCD=REL

- ☐ Related
- ☐ Not Related

FA (Findings About Events or Interventions)**CE (Clinical Events)**

Investigator Assessment of Relationship to Study Procedure for Malaise (Generally Unwell)

☐ Related

FAORRES when FATESTCD=RELPR

☐ Not Related

Muscle Pain (Myalgia)

☐ None

FAOBJ=MYALGIA

☐ Mild

FAORRES when FATESTCD=OCCUR

☐ Moderate

FAORRES when FATESTCD=SEV

☐ Severe

CETERM=MYALGIA

Investigator Assessment of Relationship to Investigational Vaccine for Muscle Pain (Myalgia)

☐ Related

FAORRES when FATESTCD=REL

☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Muscle Pain (Myalgia)

☐ Related

FAORRES when FATESTCD=RELPR

☐ Not Related**DIARY GENERAL SYMPTOMS (DAYS 1-14, 6 YEARS OLD OR MORE) - 12**

Day

Day 12

FATPT

Date

FADTC

Headache

☐ None

FAOBJ=HEADACHE

☐ Mild

FAORRES when FATESTCD=OCCUR

☐ Moderate

FAORRES when FATESTCD=SEV

☐ Severe

CETERM=HEADACHE

Investigator Assessment of Relationship to Investigational Vaccine for Headache

☐ Related

FAORRES when FATESTCD=REL

☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Headache

☐ Related

FAORRES when FATESTCD=RELPR

☐ Not Related

FA (Findings About Events or Interventions)**CE (Clinical Events)**

Asthenia (Weakness)

FAOBJ=ASTHENIA

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=ASTHENIA

☐ None☐ Mild☐ Moderate☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Asthenia (Weakness)

FAORRES when FATESTCD=REL

☐ Related☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Asthenia (Weakness)

FAORRES when FATESTCD=RELPR

☐ Related☐ Not Related

Malaise (Generally Unwell)

FAOBJ=MALAISE

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=MALAISE

☐ None☐ Mild☐ Moderate☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Malaise (Generally Unwell)

FAORRES when FATESTCD=REL

☐ Related☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Malaise (Generally Unwell)

FAORRES when FATESTCD=RELPR

☐ Related☐ Not Related

Muscle Pain (Myalgia)

FAOBJ=MYALGIA

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=MYALGIA

☐ None☐ Mild☐ Moderate☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Muscle Pain (Myalgia)

FAORRES when FATESTCD=REL

☐ Related☐ Not Related

FA (Findings About Events or Interventions)**CE (Clinical Events)**

Investigator Assessment of Relationship to Study Procedure for Muscle Pain (Myalgia)

FAORRES when FATESTCD=RELPR

☐ Related☐ Not Related**DIARY GENERAL SYMPTOMS (DAYS 1-14, 6 YEARS OLD OR MORE) - 13**

Day

Day 13

FATPT

Date

FADTC

Headache

FAOBJ=HEADACHE

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=HEADACHE

☐ None☐ Mild☐ Moderate☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Headache

FAORRES when FATESTCD=REL

☐ Related☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Headache

FAORRES when FATESTCD=RELPR

☐ Related☐ Not Related

Asthenia (Weakness)

FAOBJ=ASTHENIA

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=ASTHENIA

☐ None☐ Mild☐ Moderate☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Asthenia (Weakness)

FAORRES when FATESTCD=REL

☐ Related☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Asthenia (Weakness)

FAORRES when FATESTCD=RELPR

☐ Related☐ Not Related

FA (Findings About Events or Interventions)**CE (Clinical Events)**

Malaise (Generally Unwell)

FAOBJ=MALAISE

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=MALAISE

- ☐ None
- ☐ Mild
- ☐ Moderate
- ☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Malaise (Generally Unwell)

FAORRES when FATESTCD=REL

- ☐ Related
- ☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Malaise (Generally Unwell)

FAORRES when FATESTCD=RELPR

- ☐ Related
- ☐ Not Related

Muscle Pain (Myalgia)

FAOBJ=MYALGIA

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=MYALGIA

- ☐ None
- ☐ Mild
- ☐ Moderate
- ☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Muscle Pain (Myalgia)

FAORRES when FATESTCD=REL

- ☐ Related
- ☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Muscle Pain (Myalgia)

FAORRES when FATESTCD=RELPR

- ☐ Related
- ☐ Not Related

DIARY GENERAL SYMPTOMS (DAYS 1-14, 6 YEARS OLD OR MORE) - 14

Day

Day 14

FATPT

Date

FADTC

FA (Findings About Events or Interventions)**CE (Clinical Events)**

Headache

FAOBJ=HEADACHE

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=HEADACHE

☐ None☐ Mild☐ Moderate☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Headache

FAORRES when FATESTCD=REL

☐ Related☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Headache

FAORRES when FATESTCD=RELPR

☐ Related☐ Not Related

Asthenia (Weakness)

FAOBJ=ASTHENIA

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=ASTHENIA

☐ None☐ Mild☐ Moderate☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Asthenia (Weakness)

FAORRES when FATESTCD=REL

☐ Related☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Asthenia (Weakness)

FAORRES when FATESTCD=RELPR

☐ Related☐ Not Related

Malaise (Generally Unwell)

FAOBJ=MALAISE

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=MALAISE

☐ None☐ Mild☐ Moderate☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Malaise (Generally Unwell)

FAORRES when FATESTCD=REL

☐ Related☐ Not Related

FA (Findings About Events or Interventions)

CE (Clinical Events)

Investigator Assessment of Relationship to Study Procedure for Malaise (Generally Unwell)

FAORRES when FATESTCD=RELPR

- ☐ Related
- ☐ Not Related

Muscle Pain (Myalgia)

FAOBJ=MYALGIA

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=MYALGIA

- ☐ None
- ☐ Mild
- ☐ Moderate
- ☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Muscle Pain (Myalgia)

FAORRES when FATESTCD=REL

- ☐ Related
- ☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Muscle Pain (Myalgia)

FAORRES when FATESTCD=RELPR

- ☐ Related
- ☐ Not Related

Diary General Symptoms [(PROTOCOL SPECIFIC DAY RANGE)]

CEENTPT=Day 15

Did Headache continue beyond Day 14?

CEENRTPT when CETERM=HEADACHE

- ☐ Yes
- ☐ No

Did Asthenia (Weakness) continue beyond Day 14?

CEENRTPT when CETERM=ASTHENIA

- ☐ Yes
- ☐ No

Did Malaise (Generally Unwell) continue beyond Day 14?

CEENRTPT when CETERM=MALAISE

- ☐ Yes
- ☐ No

Did Muscle Pain (Myalgia) continue beyond Day 14?

CEENRTPT when CETERM=MYALGIA

- ☐ Yes
- ☐ No

FA (Findings About Events or Interventions)**CE (Clinical Events)**DIARY GENERAL SYMPTOMS (DAYS 1-14, LESS THAN 6 YEARS OLD)
(DIARY_GEN_1)

DIARY GENERAL SYMPTOMS (DAYS 1-14, LESS THAN 6 YEARS OLD) - 1	
Day	Day 1 FATPT
Date	FADTC
Irritability/Fussiness FAOBJ=IRRITABILITY/FUSSINESS FAORRES when FATESTCD=OCCUR FAORRES when FATESTCD=SEV CETERM=IRRITABILITY/FUSSINESS	☐ Behavior as usual ☐ Mild ☐ Moderate ☐ Severe
Investigator Assessment of Relationship to Investigational Vaccine for Irritability/Fussiness FAORRES when FATESTCD=REL	☐ Related ☐ Not Related
Investigator Assessment of Relationship to Study Procedure for Irritability/Fussiness FAORRES when FATESTCD=RELPR	☐ Related ☐ Not Related
Drowsiness FAOBJ=DROWSINESS FAORRES when FATESTCD=OCCUR FAORRES when FATESTCD=SEV CETERM=DROWSINESS	☐ Behavior as usual ☐ Mild ☐ Moderate ☐ Severe
Investigator Assessment of Relationship to Investigational Vaccine for Drowsiness FAORRES when FATESTCD=REL	☐ Related ☐ Not Related
Investigator Assessment of Relationship to Study Procedure for Drowsiness FAORRES when FATESTCD=RELPR	☐ Related ☐ Not Related

FA (Findings About Events or Interventions)**CE (Clinical Events)**

Loss of Appetite

FAOBJ=LOSS OF APPETITE

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=LOSS OF APPETITE

☐ Appetite as usual☐ Mild☐ Moderate☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Loss of Appetite

FAORRES when FATESTCD=REL

☐ Related☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Loss of Appetite

FAORRES when FATESTCD=RELPR

☐ Related☐ Not Related**DIARY GENERAL SYMPTOMS (DAYS 1-14, LESS THAN 6 YEARS OLD) - 2**

Day

Day 2

FATPT

Date

FADTC

Irritability/Fussiness

FAOBJ=IRRITABILITY/
FUSSINESS

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=IRRITABILITY/FUSSINESS

☐ Behavior as usual☐ Mild☐ Moderate☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Irritability/Fussiness

FAORRES when FATESTCD=REL

☐ Related☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Irritability/Fussiness

FAORRES when FATESTCD=RELPR

☐ Related☐ Not Related

FA (Findings About Events or Interventions)**CE (Clinical Events)**

Drowsiness

FAOBJ=DROWSINESS

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=DROWSINESS

- ☐ Behavior as usual
- ☐ Mild
- ☐ Moderate
- ☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Drowsiness

FAORRES when FATESTCD=REL

- ☐ Related
- ☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Drowsiness

FAORRES when FATESTCD=RELPR

- ☐ Related
- ☐ Not Related

Loss of Appetite

FAOBJ=LOSS OF APPETITE

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=LOSS OF APPETITE

- ☐ Appetite as usual
- ☐ Mild
- ☐ Moderate
- ☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Loss of Appetite

FAORRES when FATESTCD=REL

- ☐ Related
- ☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Loss of Appetite

FAORRES when FATESTCD=RELPR

- ☐ Related
- ☐ Not Related

DIARY GENERAL SYMPTOMS (DAYS 1-14, LESS THAN 6 YEARS OLD) - 3

Day

Day 3

FATPT

Date

FADTC

FA (Findings About Events or Interventions)**CE (Clinical Events)**

Irritability/Fussiness

FAOBJ=IRRITABILITY/
FUSSINESS

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=IRRITABILITY/FUSSINESS

Investigator Assessment of Relationship to Investigational Vaccine
for Irritability/Fussiness

FAORRES when FATESTCD=REL

☐ Behavior as usual☐ Mild☐ Moderate☐ Severe☐ Related☐ Not RelatedInvestigator Assessment of Relationship to Study Procedure for
Irritability/Fussiness

FAORRES when FATESTCD=RELPR

☐ Related☐ Not Related

Drowsiness

FAOBJ=DROWSINESS

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=DROWSINESS

☐ Behavior as usual☐ Mild☐ Moderate☐ SevereInvestigator Assessment of Relationship to Investigational Vaccine
for Drowsiness

FAORRES when FATESTCD=REL

☐ Related☐ Not RelatedInvestigator Assessment of Relationship to Study Procedure for
Drowsiness

FAORRES when FATESTCD=RELPR

☐ Related☐ Not Related

Loss of Appetite

FAOBJ=LOSS OF APPETITE

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=LOSS OF APPETITE

☐ Appetite as usual☐ Mild☐ Moderate☐ SevereInvestigator Assessment of Relationship to Investigational Vaccine
for Loss of Appetite

FAORRES when FATESTCD=REL

☐ Related☐ Not Related

FA (Findings About Events or Interventions)**CE (Clinical Events)**Investigator Assessment of Relationship to Study Procedure for
Loss of Appetite☐ Related

FAORRES when FATESTCD=RELPR

☐ Not Related**DIARY GENERAL SYMPTOMS (DAYS 1-14, LESS THAN 6 YEARS OLD) - 4**

Day

Day 4

FATPT

Date

FADTC

Irritability/Fussiness

FAOBJ=IRRITABILITY/
FUSSINESS☐ Behavior as usual☐ Mild

FAORRES when FATESTCD=OCCUR

☐ Moderate

FAORRES when FATESTCD=SEV

☐ Severe

CETERM=IRRITABILITY/FUSSINESS

Investigator Assessment of Relationship to Investigational Vaccine
for Irritability/Fussiness☐ Related

FAORRES when FATESTCD=REL

☐ Not RelatedInvestigator Assessment of Relationship to Study Procedure for
Irritability/Fussiness☐ Related

FAORRES when FATESTCD=RELPR

☐ Not Related

Drowsiness

FAOBJ=DROWSINESS

☐ Behavior as usual☐ Mild

FAORRES when FATESTCD=OCCUR

☐ Moderate

FAORRES when FATESTCD=SEV

☐ Severe

CETERM=DROWSINESS

Investigator Assessment of Relationship to Investigational Vaccine
for Drowsiness☐ Related

FAORRES when FATESTCD=REL

☐ Not RelatedInvestigator Assessment of Relationship to Study Procedure for
Drowsiness☐ Related

FAORRES when FATESTCD=RELPR

☐ Not Related

FA (Findings About Events or Interventions)**CE (Clinical Events)**

Loss of Appetite

FAOBJ=LOSS OF APPETITE

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=LOSS OF APPETITE

☐ Appetite as usual☐ Mild☐ Moderate☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Loss of Appetite

FAORRES when FATESTCD=REL

☐ Related☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Loss of Appetite

FAORRES when FATESTCD=RELPR

☐ Related☐ Not Related**DIARY GENERAL SYMPTOMS (DAYS 1-14, LESS THAN 6 YEARS OLD) - 5**

Day

Day 5

FATPT

Date

FADTC

Irritability/Fussiness

FAOBJ=IRRITABILITY/
FUSSINESS

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=IRRITABILITY/FUSSINESS

☐ Behavior as usual☐ Mild☐ Moderate☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Irritability/Fussiness

FAORRES when FATESTCD=REL

☐ Related☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Irritability/Fussiness

FAORRES when FATESTCD=RELPR

☐ Related☐ Not Related

FA (Findings About Events or Interventions)**CE (Clinical Events)**

Drowsiness

FAOBJ=DROWSINESS

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=DROWSINESS

- ☐ Behavior as usual
- ☐ Mild
- ☐ Moderate
- ☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Drowsiness

FAORRES when FATESTCD=REL

- ☐ Related
- ☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Drowsiness

FAORRES when FATESTCD=RELPR

- ☐ Related
- ☐ Not Related

Loss of Appetite

FAOBJ=LOSS OF APPETITE

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=LOSS OF APPETITE

- ☐ Appetite as usual
- ☐ Mild
- ☐ Moderate
- ☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Loss of Appetite

FAORRES when FATESTCD=REL

- ☐ Related
- ☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Loss of Appetite

FAORRES when FATESTCD=RELPR

- ☐ Related
- ☐ Not Related

DIARY GENERAL SYMPTOMS (DAYS 1-14, LESS THAN 6 YEARS OLD) - 6

Day

Day 6

FATPT

Date

FADTC

FA (Findings About Events or Interventions)**CE (Clinical Events)**

Irritability/Fussiness

FAOBJ=IRRITABILITY/
FUSSINESS

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=IRRITABILITY/FUSSINESS

☐ Behavior as usual☐ Mild☐ Moderate☐ SevereInvestigator Assessment of Relationship to Investigational Vaccine
for Irritability/Fussiness☐ Related

FAORRES when FATESTCD=REL

☐ Not RelatedInvestigator Assessment of Relationship to Study Procedure for
Irritability/Fussiness☐ Related

FAORRES when FATESTCD=RELPR

☐ Not Related

Drowsiness

FAOBJ=DROWSINESS

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=DROWSINESS

☐ Behavior as usual☐ Mild☐ Moderate☐ SevereInvestigator Assessment of Relationship to Investigational Vaccine
for Drowsiness☐ Related

FAORRES when FATESTCD=REL

☐ Not RelatedInvestigator Assessment of Relationship to Study Procedure for
Drowsiness☐ Related

FAORRES when FATESTCD=RELPR

☐ Not Related

Loss of Appetite

FAOBJ=LOSS OF APPETITE

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=LOSS OF APPETITE

☐ Appetite as usual☐ Mild☐ Moderate☐ SevereInvestigator Assessment of Relationship to Investigational Vaccine
for Loss of Appetite☐ Related

FAORRES when FATESTCD=REL

☐ Not Related

FA (Findings About Events or Interventions)**CE (Clinical Events)**Investigator Assessment of Relationship to Study Procedure for
Loss of Appetite

FAORRES when FATESTCD=RELPR

☐ Related☐ Not Related**DIARY GENERAL SYMPTOMS (DAYS 1-14, LESS THAN 6 YEARS OLD) - 7**

Day

Day 7

FATPT

Date

FADTC

Irritability/Fussiness

FAOBJ=IRRITABILITY/
FUSSINESS

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=IRRITABILITY/FUSSINESS

☐ Behavior as usual☐ Mild☐ Moderate☐ SevereInvestigator Assessment of Relationship to Investigational Vaccine
for Irritability/Fussiness

FAORRES when FATESTCD=REL

☐ Related☐ Not RelatedInvestigator Assessment of Relationship to Study Procedure for
Irritability/Fussiness

FAORRES when FATESTCD=RELPR

☐ Related☐ Not Related

Drowsiness

FAOBJ=DROWSINESS

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=DROWSINESS

☐ Behavior as usual☐ Mild☐ Moderate☐ SevereInvestigator Assessment of Relationship to Investigational Vaccine
for Drowsiness

FAORRES when FATESTCD=REL

☐ Related☐ Not RelatedInvestigator Assessment of Relationship to Study Procedure for
Drowsiness

FAORRES when FATESTCD=RELPR

☐ Related☐ Not Related

FA (Findings About Events or Interventions)

CE (Clinical Events)

Loss of Appetite

FAOBJ=LOSS OF APPETITE

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=LOSS OF APPETITE

☐ Appetite as usual

☐ Mild

☐ Moderate

☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Loss of Appetite

FAORRES when FATESTCD=REL

☐ Related

☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Loss of Appetite

FAORRES when FATESTCD=RELPR

☐ Related

☐ Not Related

DIARY GENERAL SYMPTOMS (DAYS 1-14, LESS THAN 6 YEARS OLD) - 8

Day

Day 8

FATPT

Date

FADTC

Irritability/Fussiness

FAOBJ=IRRITABILITY/
FUSSINESS

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=IRRITABILITY/FUSSINESS

☐ Behavior as usual

☐ Mild

☐ Moderate

☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Irritability/Fussiness

FAORRES when FATESTCD=REL

☐ Related

☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Irritability/Fussiness

FAORRES when FATESTCD=RELPR

☐ Related

☐ Not Related

FA (Findings About Events or Interventions)**CE (Clinical Events)**

Drowsiness

FAOBJ=DROWSINESS

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=DROWSINESS

- ☐ Behavior as usual
- ☐ Mild
- ☐ Moderate
- ☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Drowsiness

FAORRES when FATESTCD=REL

- ☐ Related
- ☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Drowsiness

FAORRES when FATESTCD=RELPR

- ☐ Related
- ☐ Not Related

Loss of Appetite

FAOBJ=LOSS OF APPETITE

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=LOSS OF APPETITE

- ☐ Appetite as usual
- ☐ Mild
- ☐ Moderate
- ☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Loss of Appetite

FAORRES when FATESTCD=REL

- ☐ Related
- ☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Loss of Appetite

FAORRES when FATESTCD=RELPR

- ☐ Related
- ☐ Not Related

DIARY GENERAL SYMPTOMS (DAYS 1-14, LESS THAN 6 YEARS OLD) - 9

Day

Day 9

FATPT

Date

FADTC

FA (Findings About Events or Interventions)

CE (Clinical Events)

Irritability/Fussiness

FAOBJ=IRRITABILITY/
FUSSINESS

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=IRRITABILITY/FUSSINESS

Investigator Assessment of Relationship to Investigational Vaccine
for Irritability/Fussiness

FAORRES when FATESTCD=REL

☐ Behavior as usual☐ Mild☐ Moderate☐ Severe☐ Related☐ Not RelatedInvestigator Assessment of Relationship to Study Procedure for
Irritability/Fussiness

FAORRES when FATESTCD=RELPR

☐ Related☐ Not Related

Drowsiness

FAOBJ=DROWSINESS

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=DROWSINESS

☐ Behavior as usual☐ Mild☐ Moderate☐ SevereInvestigator Assessment of Relationship to Investigational Vaccine
for Drowsiness

FAORRES when FATESTCD=REL

☐ Related☐ Not RelatedInvestigator Assessment of Relationship to Study Procedure for
Drowsiness

FAORRES when FATESTCD=RELPR

☐ Related☐ Not Related

Loss of Appetite

FAOBJ=LOSS OF APPETITE

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=LOSS OF APPETITE

☐ Appetite as usual☐ Mild☐ Moderate☐ SevereInvestigator Assessment of Relationship to Investigational Vaccine
for Loss of Appetite

FAORRES when FATESTCD=REL

☐ Related☐ Not Related

FA (Findings About Events or Interventions)**CE (Clinical Events)**Investigator Assessment of Relationship to Study Procedure for
Loss of Appetite

FAORRES when FATESTCD=RELPR

☐ Related☐ Not Related**DIARY GENERAL SYMPTOMS (DAYS 1-14, LESS THAN 6 YEARS OLD) - 10**

Day

Day 10

FATPT

Date

FADTC

Irritability/Fussiness

FAOBJ=IRRITABILITY/
FUSSINESS

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=IRRITABILITY/FUSSINESS

☐ Behavior as usual☐ Mild☐ Moderate☐ SevereInvestigator Assessment of Relationship to Investigational Vaccine
for Irritability/Fussiness

FAORRES when FATESTCD=REL

☐ Related☐ Not RelatedInvestigator Assessment of Relationship to Study Procedure for
Irritability/Fussiness

FAORRES when FATESTCD=RELPR

☐ Related☐ Not Related

Drowsiness

FAOBJ=DROWSINESS

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=DROWSINESS

☐ Behavior as usual☐ Mild☐ Moderate☐ SevereInvestigator Assessment of Relationship to Investigational Vaccine
for Drowsiness

FAORRES when FATESTCD=REL

☐ Related☐ Not RelatedInvestigator Assessment of Relationship to Study Procedure for
Drowsiness

FAORRES when FATESTCD=RELPR

☐ Related☐ Not Related

FA (Findings About Events or Interventions)**CE (Clinical Events)**

Loss of Appetite

FAOBJ=LOSS OF APPETITE

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=LOSS OF APPETITE

☐ Appetite as usual☐ Mild☐ Moderate☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Loss of Appetite

FAORRES when FATESTCD=REL

☐ Related☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Loss of Appetite

FAORRES when FATESTCD=RELPR

☐ Related☐ Not Related**DIARY GENERAL SYMPTOMS (DAYS 1-14, LESS THAN 6 YEARS OLD) - 11**

Day

Day 11

FATPT

Date

FADTC

Irritability/Fussiness

FAOBJ=IRRITABILITY/
FUSSINESS

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=IRRITABILITY/FUSSINESS

☐ Behavior as usual☐ Mild☐ Moderate☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Irritability/Fussiness

FAORRES when FATESTCD=REL

☐ Related☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Irritability/Fussiness

FAORRES when FATESTCD=RELPR

☐ Related☐ Not Related

FA (Findings About Events or Interventions)**CE (Clinical Events)**

Drowsiness

FAOBJ=DROWSINESS

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=DROWSINESS

- ☐ Behavior as usual
- ☐ Mild
- ☐ Moderate
- ☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Drowsiness

FAORRES when FATESTCD=REL

- ☐ Related
- ☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Drowsiness

FAORRES when FATESTCD=RELPR

- ☐ Related
- ☐ Not Related

Loss of Appetite

FAOBJ=LOSS OF APPETITE

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=LOSS OF APPETITE

- ☐ Appetite as usual
- ☐ Mild
- ☐ Moderate
- ☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Loss of Appetite

FAORRES when FATESTCD=REL

- ☐ Related
- ☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Loss of Appetite

FAORRES when FATESTCD=RELPR

- ☐ Related
- ☐ Not Related

DIARY GENERAL SYMPTOMS (DAYS 1-14, LESS THAN 6 YEARS OLD) - 12

Day

Day 12

FATPT

Date

FADTC

FA (Findings About Events or Interventions)

CE (Clinical Events)

Irritability/Fussiness

FAOBJ=IRRITABILITY/
FUSSINESS

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=IRRITABILITY/FUSSINESS

☐ Behavior as usual☐ Mild☐ Moderate☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Irritability/Fussiness

☐ Related☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Irritability/Fussiness

☐ Related☐ Not Related

FAORRES when FATESTCD=RELPR

Drowsiness

FAOBJ=DROWSINESS

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=DROWSINESS

☐ Behavior as usual☐ Mild☐ Moderate☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Drowsiness

☐ Related☐ Not Related

FAORRES when FATESTCD=REL

Investigator Assessment of Relationship to Study Procedure for Drowsiness

☐ Related☐ Not Related

FAORRES when FATESTCD=RELPR

Loss of Appetite

FAOBJ=LOSS OF APPETITE

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=LOSS OF APPETITE

☐ Appetite as usual☐ Mild☐ Moderate☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Loss of Appetite

☐ Related☐ Not Related

FAORRES when FATESTCD=REL

FA (Findings About Events or Interventions)**CE (Clinical Events)**Investigator Assessment of Relationship to Study Procedure for
Loss of Appetite☐ Related☐ Not Related

FAORRES when FATESTCD=RELPR

DIARY GENERAL SYMPTOMS (DAYS 1-14, LESS THAN 6 YEARS OLD) - 13

Day

Day 13

FATPT

Date

FADTC

Irritability/Fussiness

☐ Behavior as usualFAOBJ=IRRITABILITY/
FUSSINESS☐ Mild

FAORRES when FATESTCD=OCCUR

☐ Moderate

FAORRES when FATESTCD=SEV

☐ Severe

CETERM=IRRITABILITY/FUSSINESS

Investigator Assessment of Relationship to Investigational Vaccine
for Irritability/Fussiness☐ Related

FAORRES when FATESTCD=REL

☐ Not RelatedInvestigator Assessment of Relationship to Study Procedure for
Irritability/Fussiness☐ Related

FAORRES when FATESTCD=RELPR

☐ Not Related

Drowsiness

☐ Behavior as usual

FAOBJ=DROWSINESS

☐ Mild

FAORRES when FATESTCD=OCCUR

☐ Moderate

FAORRES when FATESTCD=SEV

☐ Severe

CETERM=DROWSINESS

Investigator Assessment of Relationship to Investigational Vaccine
for Drowsiness☐ Related

FAORRES when FATESTCD=REL

☐ Not RelatedInvestigator Assessment of Relationship to Study Procedure for
Drowsiness☐ Related

FAORRES when FATESTCD=RELPR

☐ Not Related

FA (Findings About Events or Interventions)**CE (Clinical Events)**

Loss of Appetite

FAOBJ=LOSS OF APPETITE

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=LOSS OF APPETITE

☐ Appetite as usual☐ Mild☐ Moderate☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Loss of Appetite

FAORRES when FATESTCD=REL

☐ Related☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Loss of Appetite

FAORRES when FATESTCD=RELPR

☐ Related☐ Not Related**DIARY GENERAL SYMPTOMS (DAYS 1-14, LESS THAN 6 YEARS OLD) - 14**

Day

Day 14

FATPT

Date

FADTC

Irritability/Fussiness

FAOBJ=IRRITABILITY/
FUSSINESS

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=IRRITABILITY/FUSSINESS

☐ Behavior as usual☐ Mild☐ Moderate☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Irritability/Fussiness

FAORRES when FATESTCD=REL

☐ Related☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Irritability/Fussiness

FAORRES when FATESTCD=RELPR

☐ Related☐ Not Related

FA (Findings About Events or Interventions)**CE (Clinical Events)**

Drowsiness

FAOBJ=DROWSINESS

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=DROWSINESS

☐ Behavior as usual☐ Mild☐ Moderate☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Drowsiness

FAORRES when FATESTCD=REL

☐ Related☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Drowsiness

FAORRES when FATESTCD=RELPR

☐ Related☐ Not Related

Loss of Appetite

FAOBJ=LOSS OF APPETITE

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=LOSS OF APPETITE

☐ Appetite as usual☐ Mild☐ Moderate☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Loss of Appetite

FAORRES when FATESTCD=REL

☐ Related☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Loss of Appetite

FAORRES when FATESTCD=RELPR

☐ Related☐ Not Related**Diary General Symptoms [(PROTOCOL SPECIFIC DAY RANGE)]**

CEENTPT=Day 15

Did Irritability/Fussiness continue beyond Day 14?

☐ Yes

CEENRTPT when

CETERM=IRRITABILITY/FUSSINESS

☐ No

Did Drowsiness continue beyond Day 14?

☐ Yes

CEENRTPT when CETERM=DROWSINESS

☐ No

CE (Clinical Events)

Did Loss of Appetite continue beyond Day 14?

CEENRTPT when CETERM=LOSS OF APPETITE☐ Yes☐ No

FA (Findings About Events or Interventions)**CE (Clinical Events)**

DIARY REACTIONS OBSERVED AT INJECTION SITE (DAYS 1-7, 6 YEARS OLD OR MORE) (DIARY_INJ)

DIARY REACTIONS OBSERVED AT INJECTION SITE (DAYS 1-7) - 1	
Day	Day 1 FATPT
Date	FADTC
Pain	☐ None
FAOBJ=PAIN	☐ Mild
FAORRES when FATESTCD=OCCUR	☐ Moderate
FAORRES when FATESTCD=SEV	☐ Severe
CETERM=PAIN	
Erythema	☐ <25 mm
FAOBJ=ERYTHEMA	☐ Mild
FAORRES when FATESTCD=OCCUR	☐ Moderate
FAORRES when FATESTCD=SEV	☐ Severe
CETERM=ERYTHEMA	
Erythema Longest Diameter	FAORRES when FATESTCD=LDIAM (xxxxx.y)
Swelling	☐ <25 mm
FAOBJ=SWELLING	☐ Mild
FAORRES when FATESTCD=OCCUR	☐ Moderate
FAORRES when FATESTCD=SEV	☐ Severe
CETERM=SWELLING	
Swelling Longest Diameter	FAORRES when FATESTCD=LDIAM (xxxxx.y)

DIARY REACTIONS OBSERVED AT INJECTION SITE (DAYS 1-7) - 2	
Day	Day 2 FATPT
Date	FADTC

FA (Findings About Events or Interventions)**CE (Clinical Events)**

Pain

FAOBJ=PAIN

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=PAIN

- ☐ None
- ☐ Mild
- ☐ Moderate
- ☐ Severe

Erythema

FAOBJ=ERYTHEMA

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=ERYTHEMA

- ☐ <25 mm
- ☐ Mild
- ☐ Moderate
- ☐ Severe

Erythema Longest Diameter

FAORRES when FATESTCD=LDIAM

(xxxxx.y)

Swelling

FAOBJ=SWELLING

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=SWELLING

- ☐ <25 mm
- ☐ Mild
- ☐ Moderate
- ☐ Severe

Swelling Longest Diameter

FAORRES when FATESTCD=LDIAM

(xxxxx.y)

DIARY REACTIONS OBSERVED AT INJECTION SITE (DAYS 1-7) - 3

Day

Day 3

FATPT

Date

FADTC

Pain

FAOBJ=PAIN

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=PAIN

- ☐ None
- ☐ Mild
- ☐ Moderate
- ☐ Severe

FA (Findings About Events or Interventions)**CE (Clinical Events)**

Erythema

FAOBJ=ERYTHEMA

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=ERYTHEMA

- ☐ <25 mm
- ☐ Mild
- ☐ Moderate
- ☐ Severe

Erythema Longest Diameter

FAORRES when FATESTCD=LDIAM

(xxxxx.y)

Swelling

FAOBJ=SWELLING

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=SWELLING

- ☐ <25 mm
- ☐ Mild
- ☐ Moderate
- ☐ Severe

Swelling Longest Diameter

FAORRES when FATESTCD=LDIAM

(xxxxx.y)

DIARY REACTIONS OBSERVED AT INJECTION SITE (DAYS 1-7) - 4

Day

Day 4

FATPT

Date

FADTC

Pain

FAOBJ=PAIN

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=PAIN

- ☐ None
- ☐ Mild
- ☐ Moderate
- ☐ Severe

Erythema

FAOBJ=ERYTHEMA

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=ERYTHEMA

- ☐ <25 mm
- ☐ Mild
- ☐ Moderate
- ☐ Severe

Erythema Longest Diameter

FAORRES when FATESTCD=LDIAM

(xxxxx.y)

FA (Findings About Events or Interventions)**CE (Clinical Events)**

Swelling

FAOBJ=SWELLING

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=SWELLING

☐ <25 mm☐ Mild☐ Moderate☐ Severe

Swelling Longest Diameter

FAORRES when FATESTCD=LDIAM

(xxxxx.y)

DIARY REACTIONS OBSERVED AT INJECTION SITE (DAYS 1-7) - 5

Day

Day 5

FATPT

Date

FADTC

Pain

FAOBJ=PAIN

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=PAIN

☐ None☐ Mild☐ Moderate☐ Severe

Erythema

FAOBJ=ERYTHEMA

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=ERYTHEMA

☐ <25 mm☐ Mild☐ Moderate☐ Severe

Erythema Longest Diameter

FAORRES when FATESTCD=LDIAM

(xxxxx.y)

Swelling

FAOBJ=SWELLING

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=SWELLING

☐ <25 mm☐ Mild☐ Moderate☐ Severe

Swelling Longest Diameter

FAORRES when FATESTCD=LDIAM

(xxxxx.y)

DIARY REACTIONS OBSERVED AT INJECTION SITE (DAYS 1-7) - 6

FA (Findings About Events or Interventions)**CE (Clinical Events)**

Day	Day 6	FATPT
Date		FADTC
Pain	☐ None	
FAOBJ=PAIN	☐ Mild	
FAORRES when FATESTCD=OCCUR	☐ Moderate	
FAORRES when FATESTCD=SEV	☐ Severe	
CETERM=PAIN		
Erythema	☐ <25 mm	
FAOBJ=ERYTHEMA	☐ Mild	
FAORRES when FATESTCD=OCCUR	☐ Moderate	
FAORRES when FATESTCD=SEV	☐ Severe	
CETERM=ERYTHEMA		
Erythema Longest Diameter	FAORRES when FATESTCD=LDIAM	(xxxxx.y)
Swelling	☐ <25 mm	
FAOBJ=SWELLING	☐ Mild	
FAORRES when FATESTCD=OCCUR	☐ Moderate	
FAORRES when FATESTCD=SEV	☐ Severe	
CETERM=SWELLING		
Swelling Longest Diameter	FAORRES when FATESTCD=LDIAM	(xxxxx.y)

DIARY REACTIONS OBSERVED AT INJECTION SITE (DAYS 1-7) - 7

Day	Day 7	FATPT
Date		FADTC
Pain	☐ None	
FAOBJ=PAIN	☐ Mild	
FAORRES when FATESTCD=OCCUR	☐ Moderate	
FAORRES when FATESTCD=SEV	☐ Severe	
CETERM=PAIN		

FA (Findings About Events or Interventions)**CE (Clinical Events)**

Erythema

☐ <25 mm

FAOBJ=ERYTHEMA

☐ Mild

FAORRES when FATESTCD=OCCUR

☐ Moderate

FAORRES when FATESTCD=SEV

☐ Severe

CETERM=ERYTHEMA

Erythema Longest Diameter

FAORRES when FATESTCD=LDIAM

(xxxxx.y)

Swelling

☐ <25 mm

FAOBJ=SWELLING

☐ Mild

FAORRES when FATESTCD=OCCUR

☐ Moderate

FAORRES when FATESTCD=SEV

☐ Severe

CETERM=SWELLING

Swelling Longest Diameter

FAORRES when FATESTCD=LDIAM

(xxxxx.y)

DIARY REACTIONS OBSERVED AT INJECTION SITE (DAYS 1-7)_1

CEENTPT=Day 8

Did pain continue beyond Day 7?

☐ Yes

CEENRTPT when CETERM=PAIN

☐ No

Did erythema continue beyond Day 7?

☐ Yes

CEENRTPT when CETERM=ERYTHEMA

☐ No

Did swelling continue beyond Day 7?

☐ Yes

CEENRTPT when CETERM=SWELLING

☐ No

FA (Findings About Events or Interventions)**CE (Clinical Events)**

DIARY REACTIONS OBSERVED AT INJECTION SITE (DAYS 1-7, LESS THAN 6 YEARS OLD) (DIARY_INJ_1)

Diary Reactions Observed at Injection Site (Days 1-7, Less Than 6 Years Old) - 1	
Day	Day 1 FATPT
Date	FADTC
Pain	☐ None
FAOBJ=PAIN	☐ Mild
FAORRES when FATESTCD=OCCUR	☐ Moderate
FAORRES when FATESTCD=SEV	☐ Severe
CETERM=PAIN	
Erythema	☐ <10 mm
FAOBJ=ERYTHEMA	☐ Mild
FAORRES when FATESTCD=OCCUR	☐ Moderate
FAORRES when FATESTCD=SEV	☐ Severe
CETERM=ERYTHEMA	
Erythema Longest Diameter	FAORRES when FATESTCD=LDIAM (xxxxx.y)
Swelling	☐ <10 mm
FAOBJ=SWELLING	☐ Mild
FAORRES when FATESTCD=OCCUR	☐ Moderate
FAORRES when FATESTCD=SEV	☐ Severe
CETERM=SWELLING	
Swelling Longest Diameter	FAORRES when FATESTCD=LDIAM (xxxxx.y)

Diary Reactions Observed at Injection Site (Days 1-7, Less Than 6 Years Old) - 2	
Day	Day 2 FATPT
Date	FADTC

FA (Findings About Events or Interventions)**CE (Clinical Events)**

Pain

FAOBJ=PAIN

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=PAIN

- ☐ None
- ☐ Mild
- ☐ Moderate
- ☐ Severe

Erythema

FAOBJ=ERYTHEMA

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=ERYTHEMA

- ☐ <10 mm
- ☐ Mild
- ☐ Moderate
- ☐ Severe

Erythema Longest Diameter

FAORRES when FATESTCD=LDIAM

(xxxxx.y)

Swelling

FAOBJ=SWELLING

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=SWELLING

- ☐ <10 mm
- ☐ Mild
- ☐ Moderate
- ☐ Severe

Swelling Longest Diameter

FAORRES when FATESTCD=LDIAM

(xxxxx.y)

Diary Reactions Observed at Injection Site (Days 1-7, Less Than 6 Years Old) - 3

Day

Day 3

FATPT

Date

FADTC

Pain

FAOBJ=PAIN

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=PAIN

- ☐ None
- ☐ Mild
- ☐ Moderate
- ☐ Severe

FA (Findings About Events or Interventions)**CE (Clinical Events)**

Erythema

☐ <10 mm

FAOBJ=ERYTHEMA

☐ Mild

FAORRES when FATESTCD=OCCUR

☐ Moderate

FAORRES when FATESTCD=SEV

☐ Severe

CETERM=ERYTHEMA

Erythema Longest Diameter

FAORRES when FATESTCD=LDIAM

(xxxxx.y)

Swelling

☐ <10 mm

FAOBJ=SWELLING

☐ Mild

FAORRES when FATESTCD=OCCUR

☐ Moderate

FAORRES when FATESTCD=SEV

☐ Severe

CETERM=SWELLING

Swelling Longest Diameter

FAORRES when FATESTCD=LDIAM

(xxxxx.y)

Diary Reactions Observed at Injection Site (Days 1-7, Less Than 6 Years Old) - 4

Day

Day 4

FATPT

Date

FADTC

Pain

☐ None

FAOBJ=PAIN

☐ Mild

FAORRES when FATESTCD=OCCUR

☐ Moderate

FAORRES when FATESTCD=SEV

☐ Severe

CETERM=PAIN

Erythema

☐ <10 mm

FAOBJ=ERYTHEMA

☐ Mild

FAORRES when FATESTCD=OCCUR

☐ Moderate

FAORRES when FATESTCD=SEV

☐ Severe

CETERM=ERYTHEMA

Erythema Longest Diameter

FAORRES when FATESTCD=LDIAM

(xxxxx.y)

FA (Findings About Events or Interventions)**CE (Clinical Events)**

Swelling

☐ <10 mm

FAOBJ=SWELLING

☐ Mild

FAORRES when FATESTCD=OCCUR

☐ Moderate

FAORRES when FATESTCD=SEV

☐ Severe

CETERM=SWELLING

Swelling Longest Diameter

FAORRES when FATESTCD=LDIAM

(xxxxx.y)

Diary Reactions Observed at Injection Site (Days 1-7, Less Than 6 Years Old) - 5

Day

Day 5

FATPT

Date

FADTC

Pain

☐ None

FAOBJ=PAIN

☐ Mild

FAORRES when FATESTCD=OCCUR

☐ Moderate

FAORRES when FATESTCD=SEV

☐ Severe

CETERM=PAIN

Erythema

☐ <10 mm

FAOBJ=ERYTHEMA

☐ Mild

FAORRES when FATESTCD=OCCUR

☐ Moderate

FAORRES when FATESTCD=SEV

☐ Severe

CETERM=ERYTHEMA

Erythema Longest Diameter

FAORRES when FATESTCD=LDIAM

(xxxxx.y)

Swelling

☐ <10 mm

FAOBJ=SWELLING

☐ Mild

FAORRES when FATESTCD=OCCUR

☐ Moderate

FAORRES when FATESTCD=SEV

☐ Severe

CETERM=SWELLING

Swelling Longest Diameter

FAORRES when FATESTCD=LDIAM

(xxxxx.y)

Diary Reactions Observed at Injection Site (Days 1-7, Less Than 6 Years Old) - 6

FA (Findings About Events or Interventions)**CE (Clinical Events)**

Day	Day 6	FATPT
Date		FADTC
Pain	☐ None	
FAOBJ=PAIN	☐ Mild	
FAORRES when FATESTCD=OCCUR	☐ Moderate	
FAORRES when FATESTCD=SEV	☐ Severe	
CETERM=PAIN		
Erythema	☐ <10 mm	
FAOBJ=ERYTHEMA	☐ Mild	
FAORRES when FATESTCD=OCCUR	☐ Moderate	
FAORRES when FATESTCD=SEV	☐ Severe	
CETERM=ERYTHEMA		
Erythema Longest Diameter	FAORRES when FATESTCD=LDIAM	(xxxxx.y)
Swelling	☐ <10 mm	
FAOBJ=SWELLING	☐ Mild	
FAORRES when FATESTCD=OCCUR	☐ Moderate	
FAORRES when FATESTCD=SEV	☐ Severe	
CETERM=SWELLING		
Swelling Longest Diameter	FAORRES when FATESTCD=LDIAM	(xxxxx.y)

Diary Reactions Observed at Injection Site (Days 1-7, Less Than 6 Years Old) - 7

Day	Day 7	FATPT
Date		FADTC
Pain	☐ None	
FAOBJ=PAIN	☐ Mild	
FAORRES when FATESTCD=OCCUR	☐ Moderate	
FAORRES when FATESTCD=SEV	☐ Severe	
CETERM=PAIN		

FA (Findings About Events or Interventions)**CE (Clinical Events)**

Erythema

☐ <10 mm

FAOBJ=ERYTHEMA

☐ Mild

FAORRES when FATESTCD=OCCUR

☐ Moderate

FAORRES when FATESTCD=SEV

☐ Severe

CETERM=ERYTHEMA

Erythema Longest Diameter

FAORRES when FATESTCD=LDIAM

(xxxxx.y)

Swelling

☐ <10 mm

FAOBJ=SWELLING

☐ Mild

FAORRES when FATESTCD=OCCUR

☐ Moderate

FAORRES when FATESTCD=SEV

☐ Severe

CETERM=SWELLING

Swelling Longest Diameter

FAORRES when FATESTCD=LDIAM

(xxxxx.y)

Diary Reactions Observed at Injection Site (Days 1-7, Less Than 6 Years Old), CEENTPT=Day 8

Did pain continue beyond Day 7?

☐ Yes

CEENRTPT when CETERM=PAIN

☐ No

Did erythema continue beyond Day 7?

☐ Yes

CEENRTPT when CETERM=ERYTHEMA

☐ No

Did swelling continue beyond Day 7?

☐ Yes

CEENRTPT when CETERM=SWELLING

☐ No

VS (Vital Signs)**CE (Clinical Events)****FA (Findings About Events or Interventions)**

DIARY TEMPERATURE (DAYS 1-14) (DIARY_TEMP)

Diary - Temperature (Days 1-14) - 1	
Day	Day 1 VSTPT FATPT
Date	VSDTC
Highest Daily Temperature	VSORRES when VSTESTCD=HIGHTEMP VSCOLSRT=MAXIMUM in SUPPVS (xxxxx.y)
Temperature Units	☐ C ☐ F
VSORRESU	
Location of Measurement	☐ Oral ☐ Axilla
VSLOC	
Investigator Assessment of Relationship to Investigational Vaccine for Temperature	☐ Related ☐ Not Related
FAOBJ=FEVER CETERM=FEVER	
FAORRES when FATESTCD=REL	
Investigator Assessment of Relationship to Study Procedure for Temperature	☐ Related ☐ Not Related
FAOBJ=FEVER	
FAORRES when FATESTCD=RELPR	
Was medication taken for pain or high temperature?	☐ Yes ☐ No
FAOBJ=MEDICATION FOR PAIN OR HIGH TEMPERATURE	
FAORRES when FATESTCD=OCCUR	
Reason Medication Taken	☐ Prevent Symptoms ☐ Treat Symptoms
FAREASOC in SUPPFA	

Diary - Temperature (Days 1-14) - 2	
Day	Day 2 VSTPT FATPT
Date	VSDTC
Highest Daily Temperature	VSORRES when VSTESTCD=HIGHTEMP VSCOLSRT=MAXIMUM in SUPPVS (xxxxx.y)
Temperature Units	☐ C ☐ F
VSORRESU	

VS (Vital Signs)**CE (Clinical Events)****FA (Findings About Events or Interventions)**

Location of Measurement

VSLOC

☐ Oral☐ Axilla

Investigator Assessment of Relationship to Investigational Vaccine for Temperature

FAOBJ=FEVER

CETERM=FEVER

☐ Related☐ Not Related

FAORRES when FATESTCD=REL

Investigator Assessment of Relationship to Study Procedure for Temperature

FAOBJ=FEVER

☐ Related☐ Not Related

FAORRES when FATESTCD=RELPR

Was medication taken for pain or high temperature?

FAOBJ=MEDICATION FOR PAIN OR
HIGH TEMPERATURE☐ Yes☐ No

FAORRES when FATESTCD=OCCUR

Reason Medication Taken

☐ Prevent Symptoms☐ Treat Symptoms

FAREASOC in SUPPFA

Diary - Temperature (Days 1-14) - 3

Day

Day 3

VSTPT

FATPT

Date

VSDTC

Highest Daily Temperature

VSORRES when VSTESTCD=HIGHTEMP

(xxxxx.y)

VSCOLSRT=MAXIMUM in SUPPVS

Temperature Units

VSORRESU

☐ C☐ F

Location of Measurement

VSLOC

☐ Oral☐ Axilla

Investigator Assessment of Relationship to Investigational Vaccine for Temperature

FAOBJ=FEVER

CETERM=FEVER

☐ Related☐ Not Related

FAORRES when FATESTCD=REL

VS (Vital Signs)**CE (Clinical Events)****FA (Findings About Events or Interventions)**

Investigator Assessment of Relationship to Study Procedure for Temperature

FAOBJ=FEVER

☐ Related☐ Not Related

FAORRES when FATESTCD=RELPR

Was medication taken for pain or high temperature?

FAOBJ=MEDICATION FOR PAIN OR HIGH TEMPERATURE

☐ Yes☐ No

FAORRES when FATESTCD=OCCUR

Reason Medication Taken

☐ Prevent Symptoms☐ Treat Symptoms

FAREASOC in SUPPFA

Diary - Temperature (Days 1-14) - 4

Day

Day 4

VSTPT

FATPT

Date

VSDTC

Highest Daily Temperature

VSORRES when VSTESTCD=HIGHTEMP

VSCOLSRT=MAXIMUM in SUPPVS

(xxxxx.y)

Temperature Units

VSORRESU

☐ C☐ F

Location of Measurement

VSLOC

☐ Oral☐ Axilla

Investigator Assessment of Relationship to Investigational Vaccine for Temperature

FAOBJ=FEVER

CETERM=FEVER

☐ Related☐ Not Related

FAORRES when FATESTCD=REL

Investigator Assessment of Relationship to Study Procedure for Temperature

FAOBJ=FEVER

☐ Related☐ Not Related

FAORRES when FATESTCD=RELPR

Was medication taken for pain or high temperature?

FAOBJ=MEDICATION FOR PAIN OR HIGH TEMPERATURE

☐ Yes☐ No

FAORRES when FATESTCD=OCCUR

VS (Vital Signs)**CE (Clinical Events)****FA (Findings About Events or Interventions)**

Reason Medication Taken

☐ Prevent Symptoms

FAREASOC in SUPPFA

☐ Treat Symptoms**Diary - Temperature (Days 1-14) - 5**

Day

Day 5

VSTPT

FATPT

Date

VSDTC

Highest Daily Temperature

VSORRES when VSTESTCD=HIGHTEMP

VSCOLSRT=MAXIMUM in SUPPVS

(xxxxx.y)

Temperature Units

VSORRESU

☐ C☐ F

Location of Measurement

VSLOC

☐ Oral☐ Axilla

Investigator Assessment of Relationship to Investigational Vaccine for Temperature

FAOBJ=FEVER

CETERM=FEVER

☐ Related☐ Not Related

FAORRES when FATESTCD=REL

Investigator Assessment of Relationship to Study Procedure for Temperature

FAOBJ=FEVER

☐ Related☐ Not Related

FAORRES when FATESTCD=RELPR

Was medication taken for pain or high temperature?

FAOBJ=MEDICATION FOR PAIN OR
HIGH TEMPERATURE☐ Yes☐ No

FAORRES when FATESTCD=OCCUR

Reason Medication Taken

☐ Prevent Symptoms

FAREASOC in SUPPFA

☐ Treat Symptoms**Diary - Temperature (Days 1-14) - 6**

Day

Day 6

VSTPT

FATPT

Date

VSDTC

Highest Daily Temperature

VSORRES when VSTESTCD=HIGHTEMP

VSCOLSRT=MAXIMUM in SUPPVS

(xxxxx.y)

VS (Vital Signs)**CE (Clinical Events)****FA (Findings About Events or Interventions)**

Temperature Units

VSORRESU

☐ C☐ F

Location of Measurement

VSLOC

☐ Oral☐ Axilla

Investigator Assessment of Relationship to Investigational Vaccine for Temperature

FAOBJ=FEVER CETERM=FEVER

☐ Related☐ Not Related

FAORRES when FATESTCD=REL

Investigator Assessment of Relationship to Study Procedure for Temperature

FAOBJ=FEVER

☐ Related☐ Not Related

FAORRES when FATESTCD=RELPR

Was medication taken for pain or high temperature?

FAOBJ=MEDICATION FOR PAIN OR HIGH TEMPERATURE

☐ Yes☐ No

FAORRES when FATESTCD=OCCUR

Reason Medication Taken

☐ Prevent Symptoms

FAREASOC in SUPPFA

☐ Treat Symptoms**Diary - Temperature (Days 1-14) - 7**

Day

Day 7

VSTPT

FATPT

Date

VSDTC

Highest Daily Temperature

VSORRES when VSTESTCD=HIGHTEMP

VSCOLSRT=MAXIMUM in SUPPVS

(xxxxx.y)

Temperature Units

VSORRESU

☐ C☐ F

Location of Measurement

VSLOC

☐ Oral☐ Axilla

VS (Vital Signs)**CE (Clinical Events)****FA (Findings About Events or Interventions)**

Investigator Assessment of Relationship to Investigational Vaccine for Temperature

FAOBJ=FEVER CETERM=FEVER

☐ Related☐ Not Related

FAORRES when FATESTCD=REL

Investigator Assessment of Relationship to Study Procedure for Temperature

FAOBJ=FEVER

☐ Related☐ Not Related

FAORRES when FATESTCD=RELPR

Was medication taken for pain or high temperature?

FAOBJ=MEDICATION FOR PAIN OR HIGH TEMPERATURE

☐ Yes☐ No

FAORRES when FATESTCD=OCCUR

Reason Medication Taken

☐ Prevent Symptoms

FAREASOC in SUPPFA

☐ Treat Symptoms**Diary - Temperature (Days 1-14) - 8**

Day

Day 8

VSTPT

FATPT

Date

VSDTC

Highest Daily Temperature

VSORRES when VSTESTCD=HIGHTEMP

VSCOLSRT=MAXIMUM in SUPPVS

(xxxxx.y)

Temperature Units

☐ C

VSORRESU

☐ F

Location of Measurement

VSLOC

☐ Oral☐ Axilla

Investigator Assessment of Relationship to Investigational Vaccine for Temperature

FAOBJ=FEVER CETERM=FEVER

☐ Related☐ Not Related

FAORRES when FATESTCD=REL

Investigator Assessment of Relationship to Study Procedure for Temperature

FAOBJ=FEVER

☐ Related☐ Not Related

FAORRES when FATESTCD=RELPR

VS (Vital Signs)**CE (Clinical Events)****FA (Findings About Events or Interventions)**

Was medication taken for pain or high temperature?

FAOBJ=MEDICATION FOR PAIN OR
HIGH TEMPERATURE☐ Yes☐ No

FAORRES when FATESTCD=OCCUR

Reason Medication Taken

☐ Prevent Symptoms

FAREASOC in SUPPFA

☐ Treat Symptoms**Diary - Temperature (Days 1-14) - 9**

Day

Day 9

VSTPT

FATPT

Date

VSDTC

Highest Daily Temperature

VSORRES when VSTESTCD=HIGHTEMP

VSCOLSRT=MAXIMUM in SUPPVS

(xxxxx.y)

Temperature Units

☐ C

VSORRESU

☐ F

Location of Measurement

☐ Oral

VSLOC

☐ AxillaInvestigator Assessment of Relationship to Investigational Vaccine
for Temperature

FAOBJ=FEVER CETERM=FEVER

☐ Related☐ Not Related

FAORRES when FATESTCD=REL

Investigator Assessment of Relationship to Study Procedure for
Temperature

FAOBJ=FEVER

☐ Related☐ Not Related

FAORRES when FATESTCD=RELPR

Was medication taken for pain or high temperature?

FAOBJ=MEDICATION FOR PAIN OR
HIGH TEMPERATURE☐ Yes☐ No

FAORRES when FATESTCD=OCCUR

Reason Medication Taken

☐ Prevent Symptoms

FAREASOC in SUPPFA

☐ Treat Symptoms**Diary - Temperature (Days 1-14) - 10**

Day

Day 10

VSTPT

FATPT

VS (Vital Signs)**CE (Clinical Events)****FA (Findings About Events or Interventions)**

Date	VSDTC
Highest Daily Temperature	VSORRES when VSTESTCD=HIGHTEMP VSCOLSRT=MAXIMUM in SUPPVS (xxxxx.y)
Temperature Units	☐ C ☐ F
VSORRESU	
Location of Measurement	☐ Oral ☐ Axilla
VSLOC	
Investigator Assessment of Relationship to Investigational Vaccine for Temperature	☐ Related ☐ Not Related
FAOBJ=FEVER CETERM=FEVER	
FAORRES when FATESTCD=REL	
Investigator Assessment of Relationship to Study Procedure for Temperature	☐ Related ☐ Not Related
FAOBJ=FEVER	
FAORRES when FATESTCD=RELPR	
Was medication taken for pain or high temperature?	☐ Yes ☐ No
FAOBJ=MEDICATION FOR PAIN OR HIGH TEMPERATURE	
FAORRES when FATESTCD=OCCUR	
Reason Medication Taken	☐ Prevent Symptoms ☐ Treat Symptoms
FAREASOC in SUPPFA	

Diary - Temperature (Days 1-14) - 11

Day	Day 11	VSTPT	FATPT
Date	VSDTC		
Highest Daily Temperature	VSORRES when VSTESTCD=HIGHTEMP VSCOLSRT=MAXIMUM in SUPPVS (xxxxx.y)		
Temperature Units	☐ C ☐ F		
VSORRESU			
Location of Measurement	☐ Oral ☐ Axilla		
VSLOC			

VS (Vital Signs)**CE (Clinical Events)****FA (Findings About Events or Interventions)**

Investigator Assessment of Relationship to Investigational Vaccine for Temperature

FAOBJ=FEVER CETERM=FEVER

☐ Related☐ Not Related

FAORRES when FATESTCD=REL

Investigator Assessment of Relationship to Study Procedure for Temperature

FAOBJ=FEVER

☐ Related☐ Not Related

FAORRES when FATESTCD=RELPR

Was medication taken for pain or high temperature?

FAOBJ=MEDICATION FOR PAIN OR HIGH TEMPERATURE

☐ Yes☐ No

FAORRES when FATESTCD=OCCUR

Reason Medication Taken

☐ Prevent Symptoms

FAREASOC in SUPPFA

☐ Treat Symptoms**Diary - Temperature (Days 1-14) - 12**

Day

Day 12

VSTPT

FATPT

Date

VSDTC

Highest Daily Temperature

VSORRES when VSTESTCD=HIGHTEMP

VSCOLSRT=MAXIMUM in SUPPVS

(xxxxx.y)

Temperature Units

☐ C

VSORRESU

☐ F

Location of Measurement

VSLOC

☐ Oral☐ Axilla

Investigator Assessment of Relationship to Investigational Vaccine for Temperature

FAOBJ=FEVER CETERM=FEVER

☐ Related☐ Not Related

FAORRES when FATESTCD=REL

Investigator Assessment of Relationship to Study Procedure for Temperature

FAOBJ=FEVER

☐ Related☐ Not Related

FAORRES when FATESTCD=RELPR

VS (Vital Signs)**CE (Clinical Events)****FA (Findings About Events or Interventions)**

Was medication taken for pain or high temperature?

FAOBJ=MEDICATION FOR PAIN OR
HIGH TEMPERATURE

FAORRES when FATESTCD=OCCUR

Reason Medication Taken

FAREASOC in SUPPFA

☐ Yes☐ No☐ Prevent Symptoms☐ Treat Symptoms**Diary - Temperature (Days 1-14) - 13**

Day

Day 13

VSTPT

FATPT

Date

VSDTC

Highest Daily Temperature

VSORRES when VSTESTCD=HIGHTEMP

VSCOLSRT=MAXIMUM in SUPPVS

(xxxxx.y)

Temperature Units

☐ C

VSORRESU

☐ F

Location of Measurement

VSLOC

☐ Oral☐ AxillaInvestigator Assessment of Relationship to Investigational Vaccine
for Temperature

FAOBJ=FEVER CETERM=FEVER

FAORRES when FATESTCD=REL

☐ Related☐ Not RelatedInvestigator Assessment of Relationship to Study Procedure for
Temperature

FAOBJ=FEVER

FAORRES when FATESTCD=RELPR

☐ Related☐ Not Related

Was medication taken for pain or high temperature?

FAOBJ=MEDICATION FOR PAIN OR
HIGH TEMPERATURE

FAORRES when FATESTCD=OCCUR

Reason Medication Taken

FAREASOC in SUPPFA

☐ Yes☐ No☐ Prevent Symptoms☐ Treat Symptoms**Diary - Temperature (Days 1-14) - 14**

Day

Day 14

VSTPT

FATPT

VS (Vital Signs)**CE (Clinical Events)****FA (Findings About Events or Interventions)**

Date	VSDTC
Highest Daily Temperature	VSORRES when VSTESTCD=HIGHTEMP VSCOLSRT=MAXIMUM in SUPPVS (xxxxx.y)
Temperature Units	☐ C ☐ F
VSORRESU	
Location of Measurement	☐ Oral ☐ Axilla
VSLOC	
Investigator Assessment of Relationship to Investigational Vaccine for Temperature	☐ Related ☐ Not Related
FAOBJ=FEVER CETERM=FEVER	
FAORRES when FATESTCD=REL	
Investigator Assessment of Relationship to Study Procedure for Temperature	☐ Related ☐ Not Related
FAOBJ=FEVER	
FAORRES when FATESTCD=RELPR	
Was medication taken for pain or high temperature?	☐ Yes ☐ No
FAOBJ=MEDICATION FOR PAIN OR HIGH TEMPERATURE	
FAORRES when FATESTCD=OCCUR	
Reason Medication Taken	☐ Prevent Symptoms ☐ Treat Symptoms
FAREASOC in SUPPFA	

Diary - Temperature (Days 1-14)_1

Did fever ($\geq 38^{\circ}\text{C}$ or $\geq 100.4^{\circ}\text{F}$) continue beyond Day 14?	☐ Yes ☐ No
CEENTPT=Day 15	
CEENRTPT when CETERM=FEVER	

EC (Exposure as Collected)

DOSING INJECTION (EC_INJ)

Dosing Injection	
Scheduled/Performed ECMOOD	☐ Performed
Was the Treatment Administered? ECOCCUR	☐ Yes ☐ No
Reason Treatment Not Administered ECREASOC in SUPPEC	☐ Adverse Event ☐ Other
Reason Treatment Not Administered Other, Specify ECREASOC in SUPPEC	
Start Date/Time of Treatment	ECSTDTC : _____ 24 hour clock
Dose	ECDOSE (xx.y)
Dose Form	NOT SUBMITTED <i>Value calculated by the system</i>
Route of Administration	NOT SUBMITTED <i>Value calculated by the system</i>
Location of Dose Administration	NOT SUBMITTED <i>Value calculated by the system</i>
Laterality ECLAT	☐ Right ☐ Left
Action Taken With Study Treatment ECACN in SUPPEC	☐ Drug Withdrawn ☐ Dose Delayed

EC (Exposure as Collected)

Reason for Dose Delayed

ECDEL in SUPPEC

- ☐ Clinically Significant Active Infection/Body Temperature ≥ 38.0 C Within 3 Days of IMP Admin
- ☐ Receipt of Licensed Vaccine within 14/28 Days Prior to IMP Administration
- ☐ Receipt of a Coronavirus Vaccine Within 14 Days Prior to IMP Administration
- ☐ Receipt of Any Vaccine Authorized for Emergency Use Within 28 Days Prior to IMP Administration
- ☐ Known/Suspected Impairment/Alteration of Immune Function
- ☐ Use of Antipyretics and/or Analgesic Medications Within 24 Hours Prior to IMP Administration
- ☐ Other

Dose Delayed Other, Specify

ECDELOTH in SUPPEC

DS (Disposition)

END OF STUDY (DS_EOS)

End of Study	DSCAT=DISPOSITION EVENT	DSSCAT=END OF STUDY
Date of Completion/Decision to Discontinue from Study	DSSTDTC	
Did the subject prematurely discontinue from the study?	☐ Yes	NOT SUBMITTED
if No then DSTERM/DSDECOD=COMPLETED	☐ No	
Primary Reason Off Study	☐ Adverse Event	
	☐ Death	
DSDECOD	☐ Lost to Follow-up	
	☐ Study Terminated by Sponsor	
	☐ Withdrawal by Subject	
	☐ Other, specify:	
Specify Reason, If Applicable		
	DSTERM	

DS (Disposition)

END OF STUDY TREATMENT (DS_EOT)

End of Study Treatment		DSCAT=DISPOSITION EVENT	DSSCAT=END OF TREATMENT
Date of Completion/Decision to Discontinue Study Treatment	DSSTDTC		
Did the subject prematurely discontinue from study treatment?	☐ Yes	NOT SUBMITTED	
if No then DSTERM/DSDECOD=COMPLETED	☐ No		
Primary Reason Off Study Treatment	☐ Adverse Event		
DSDECOD	☐ Lost to Follow-up		
	☐ Death		
	☐ Pregnancy		
	☐ Protocol Deviation		
	☐ Study Terminated by Sponsor		
	☐ Withdrawal by Subject		
	☐ Used Prohibited Medication		
	☐ Other, specify:		
Specify Reason, If Applicable			
	DSTERM		

Breaking the Blind		DSCAT=OTHER EVENT
Has the subject's treatment been unblinded?	☐ Yes	if Yes then DSDECOD=TREATMENT UNBLINDED
	NOT SUBMITTED	☐ No
Date Blind Was Broken	DSSTDTC	
Reason Blind Was Broken		
	DSTERM	

NOT SUBMITTED

INCLUSION/EXCLUSION CRITERIA (IE)

Inclusion/Exclusion Criteria	
Did the subject meet all of the eligibility criteria?	☐ Yes
	☐ No

Inclusion/Exclusion Criteria Details - 1
--

IE (Inclusion/Exclusion Criteria Not Met)

Eligibility Criteria Not Met (Select all that apply)

IEORRES

f Inclusion Criteria then IEORES=N

f Exclusion Criteria then IEORES=Y

- ☐ Inclusion Criteria 01
- ☐ Inclusion Criteria 02
- ☐ Inclusion Criteria 03
- ☐ Inclusion Criteria 04
- ☐ Inclusion Criteria 05
- ☐ Exclusion Criteria 01
- ☐ Exclusion Criteria 02
- ☐ Exclusion Criteria 03
- ☐ Exclusion Criteria 04
- ☐ Exclusion Criteria 05
- ☐ Exclusion Criteria 06
- ☐ Exclusion Criteria 07
- ☐ Exclusion Criteria 08
- ☐ Exclusion Criteria 09
- ☐ Exclusion Criteria 10
- ☐ Exclusion Criteria 11
- ☐ Exclusion Criteria 12
- ☐ Exclusion Criteria 13
- ☐ Exclusion Criteria 14
- ☐ Exclusion Criteria 15
- ☐ Exclusion Criteria 16
- ☐ Exclusion Criteria 17
- ☐ Exclusion Criteria 18
- ☐ Exclusion Criteria 19
- ☐ Exclusion Criteria 20

IE (Inclusion/Exclusion Criteria Not Met)**IEORRES**

f Inclusion Criteria then IEORES=N

f Exclusion Criteria then IEORES=Y

☐ Exclusion Criteria 21☐ Exclusion Criteria 22☐ Exclusion Criteria 23☐ Exclusion Criteria 24☐ Exclusion Criteria 25

MH (Medical History)

MEDICAL HISTORY (MH)

Medical History	
Please Record: (1.) All significant lifetime medical history and (2.) All medical and surgical events from the last 5 years. (3.) Record abnormalities reported during the Screening physical examination which meet the definitions of a medical history event.	
Reported Term for Medical History	
	MHTERM
Start Date	MHSTDTC
End Date	MHENDTC
End Date Relative to first study vaccination	☐ Before
MHENRTPT	☐ Ongoing
:MHENTPT=First Vaccination	

CM (Concomitant/Prior Medications)

MEDICATION HISTORY (CM_HX)

Medication History	
Category for Medication	☒ CMCAT ☐ Medication History
Reported Name of Drug, Medication, or Therapy	
	CMTRT
Dose per Administration	CMDOSE/CMDOSTXT

CM (Concomitant/Prior Medications)

Dose Units

- ☐ %
- ☐ APPLICATION
- ☐ CAPSULE
- ☐ g
- ☐ gtt
- ☐ IU
- ☐ IU/mL
- ☐ mEq
- ☐ mg
- ☐ mL
- ☐ PUFF
- ☐ TABLET
- ☐ UNIT
- ☐ ug
- ☐ SPRAY
- ☐ Tbsp
- ☐ tsp
- ☐ mg/m2
- ☐ mg/kg
- ☐ mg/L

CMDOSU

CM (Concomitant/Prior Medications)

Dosing Frequency per Interval

CMDOSFRQ

- ☐ QD
- ☐ ONCE
- ☐ BID
- ☐ PRN
- ☐ Q12H
- ☐ Q24H
- ☐ Q8H
- ☐ QID
- ☐ QM
- ☐ QOD
- ☐ TID
- ☐ UNKNOWN
- ☐ 2 TIMES PER WEEK
- ☐ 3 TIMES PER MONTH
- ☐ 3 TIMES PER WEEK
- ☐ 4 TIMES PER WEEK
- ☐ CONTINUOUS
- ☐ EVERY 2 WEEKS
- ☐ EVERY 3 WEEKS
- ☐ EVERY 4 WEEKS
- ☐ EVERY WEEK
- ☐ INTERMITTENT
- ☐ Q4H
- ☐ Q6H
- ☐ QH

CM (Concomitant/Prior Medications)

CMDOSFRQ

☐ BIM

CM (Concomitant/Prior Medications)

Route of Administration

CMROUTE

- ☐ ORAL
- ☐ INTRAVENOUS
- ☐ SUBCUTANEOUS
- ☐ TOPICAL
- ☐ TRANSDERMAL
- ☐ RESPIRATORY (INHALATION)
- ☐ INTRAMUSCULAR
- ☐ NASAL
- ☐ RECTAL
- ☐ INTRAVENOUS BOLUS
- ☐ INTRAVENOUS DRIP
- ☐ AURICULAR (OTIC)
- ☐ BUCCAL
- ☐ CONJUNCTIVAL
- ☐ CUTANEOUS
- ☐ ENTERAL
- ☐ EPIDURAL
- ☐ INTRA-ARTICULAR
- ☐ INTRADERMAL
- ☐ INTRAOCULAR
- ☐ INTRAPERITONEAL
- ☐ INTRASINAL
- ☐ NASOGASTRIC
- ☐ OPHTHALMIC
- ☐ OROMUCOSAL

CM (Concomitant/Prior Medications)

CMROUTE	☐ OROPHARYNGEAL ☐ PARENTERAL ☐ PERCUTANEOUS ☐ SUBLINGUAL ☐ VAGINAL
Start Date of Medication	CMSTDTC
End Date of Medication	CMENDTC
Indication	CMINDC
Related Medical History (Primary):	NOT SUBMITTED
Related Medical History (#2, if applicable):	NOT SUBMITTED
Related Medical History (#3, if applicable):	NOT SUBMITTED

FA (Findings About Events or Interventions)**CE (Clinical Events)**POST VACCINATION GENERAL SYMPTOMS (6 YEARS OLD OR MORE)
(CE_GEN)

Post Vaccination General Symptoms (6 Years Old Or More) - 1	
Planned Time Point Name	FATPT 30 Minutes Post Investigational Vaccination
Was assessment performed at the planned time point?	☐ Yes NOT SUBMITTED
if No then FASTAT=NOT DONE when FATESTCD=OCCUR	☐ No
Reason Not Done	
	FAREASND
Date	FADTC
Time (24 hr clock)	FADTC _____ 24 hour clock
Was the temperature $\geq 38^{\circ}\text{C}$ ($\geq 100.4^{\circ}\text{F}$)?	☐ Yes
FAOBJ=FEVER	☐ No
FAORRES when FATESTCD=OCCUR	
Temperature	FAORRES when FATESTCD=TEMP (xxxxxx.y)
Temperature Unit of Measurement	☐ C
FAORRESU	☐ F
Location of Measurement	☐ Oral
FALOC	☐ Axilla
CELOC when CETERM=TEMPERATURE	
Investigator Assessment of Relationship to Investigational Vaccine for Temperature	☐ Related
FAORRES when FATESTCD=REL	☐ Not Related
Investigator Assessment of Relationship to Study Procedure for Temperature	☐ Related
FAORRES when FATESTCD=RELPR	☐ Not Related

FA (Findings About Events or Interventions)**CE (Clinical Events)**

Headache

FAOBJ=HEADACHE

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=HEADACHE

- ☐ None
- ☐ Mild
- ☐ Moderate
- ☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Headache

FAORRES when FATESTCD=REL

- ☐ Related
- ☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Headache

FAORRES when FATESTCD=RELPR

- ☐ Related
- ☐ Not Related

Asthenia (Weakness)

FAOBJ=ASTHENIA

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=ASTHENIA

- ☐ None
- ☐ Mild
- ☐ Moderate
- ☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Asthenia (Weakness)

FAORRES when FATESTCD=REL

- ☐ Related
- ☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Asthenia (Weakness)

FAORRES when FATESTCD=RELPR

- ☐ Related
- ☐ Not Related

Malaise (Generally Unwell)

FAOBJ=MALAISE

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=MALAISE

- ☐ None
- ☐ Mild
- ☐ Moderate
- ☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Malaise (Generally Unwell)

FAORRES when FATESTCD=REL

- ☐ Related
- ☐ Not Related

FA (Findings About Events or Interventions)**CE (Clinical Events)**Investigator Assessment of Relationship to Study Procedure for
Malaise (Generally Unwell)

FAORRES when FATESTCD=RELPR

☐ Related☐ Not Related

Muscle Pain (Myalgia)

FAOBJ=MYALGIA

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=MYALGIA

☐ None☐ Mild☐ Moderate☐ SevereInvestigator Assessment of Relationship to Investigational Vaccine
for Muscle Pain (Myalgia)

FAORRES when FATESTCD=REL

☐ Related☐ Not RelatedInvestigator Assessment of Relationship to Study Procedure for
Muscle Pain (Myalgia)

FAORRES when FATESTCD=RELPR

☐ Related☐ Not Related

FA (Findings About Events or Interventions)**CE (Clinical Events)**POST VACCINATION GENERAL SYMPTOMS (LESS THAN 6 YEARS OLD)
(CE_GEN_1)

Post Vaccination General Symptoms (Less Than 6 Years Old) - 1	
Planned Time Point Name	FATPT 30 Minutes Post Investigational Vaccination
Was assessment performed at the planned time point?	☐ Yes NOT SUBMITTED
if No then FASTAT=NOT DONE when FATESTCD=OCCUR	☐ No
Reason Not Done	
	FAREASND
Date	FADTC
Time (24 hr clock)	FADTC _____ 24 hour clock
Was the temperature $\geq 38^{\circ}\text{C}$ ($\geq 100.4^{\circ}\text{F}$)?	☐ Yes
FAOBJ=FEVER	☐ No
FAORRES when FATESTCD=OCCUR	
Temperature	FAORRES when FATESTCD=TEMP (xxxxxx.y)
Temperature Unit of Measurement	☐ C
FAORRESU	☐ F
Location of Measurement	☐ Oral
FALOC	☐ Axilla
CELOC when CETERM=TEMPERATURE	
Investigator Assessment of Relationship to Investigational Vaccine for Temperature	☐ Related
FAORRES when FATESTCD=REL	☐ Not Related
Investigator Assessment of Relationship to Study Procedure for Temperature	☐ Related
FAORRES when FATESTCD=RELPR	☐ Not Related

FA (Findings About Events or Interventions)**CE (Clinical Events)**

Irritability/Fussiness

FAOBJ=IRRITABILITY/FUSSINESS

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=IRRITABILITY/FUSSINESS

- ☐ Behavior as usual
- ☐ Mild
- ☐ Moderate
- ☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Irritability/Fussiness

FAORRES when FATESTCD=REL

- ☐ Related
- ☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Irritability/Fussiness

FAORRES when FATESTCD=RELPR

- ☐ Related
- ☐ Not Related

Drowsiness

FAOBJ=DROWSINESS

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=DROWSINESS

- ☐ Behavior as usual
- ☐ Mild
- ☐ Moderate
- ☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Drowsiness

FAORRES when FATESTCD=REL

- ☐ Related
- ☐ Not Related

Investigator Assessment of Relationship to Study Procedure for Drowsiness

FAORRES when FATESTCD=RELPR

- ☐ Related
- ☐ Not Related

Loss of Appetite

FAOBJ=LOSS OF APPETITE

FAORRES when FATESTCD=OCCUR

FAORRES when FATESTCD=SEV

CETERM=LOSS OF APPETITE

- ☐ Appetite as usual
- ☐ Mild
- ☐ Moderate
- ☐ Severe

Investigator Assessment of Relationship to Investigational Vaccine for Loss of Appetite

FAORRES when FATESTCD=REL

- ☐ Related
- ☐ Not Related

FA (Findings About Events or Interventions)Investigator Assessment of Relationship to Study Procedure for
Loss of Appetite☐ Related**FAORRES when FATESTCD=RELPR**☐ Not Related

FA (Findings About Events or Interventions)**CE (Clinical Events)**

POST VACCINATION REACTIONS AT INJECTION SITE (6 YEARS OLD OR MORE) (CE_INJ)

Post Vaccination Reactions at Injection Site (6 Years Old Or More) - 1	
Planned Time Point Name	FATPT 30 Minutes Post Investigational Vaccination
Was assessment performed at the planned time point?	☐ Yes NOT SUBMITTED
if No then FASTAT=NOT DONE when FATESTCD=OCCUR	☐ No
Reason Not Done	
	FAREASND
Date	FADTC
Time (24 hr clock)	FADTC 24 hour clock
Pain	☐ None
FAOBJ=PAIN	☐ Mild
FAORRES when FATESTCD=OCCUR	☐ Moderate
FAORRES when FATESTCD=SEV	☐ Severe
CETERM=PAIN	
Erythema	☐ <25 mm
FAOBJ=ERYTHEMA	☐ Mild
FAORRES when FATESTCD=OCCUR	☐ Moderate
FAORRES when FATESTCD=SEV	☐ Severe
CETERM=ERYTHEMA	
Erythema Longest Diameter	FAORRES when FATESTCD=LDIAM (xxx.y)
Swelling	☐ <25 mm
FAOBJ=SWELLING	☐ Mild
FAORRES when FATESTCD=OCCUR	☐ Moderate
FAORRES when FATESTCD=SEV	☐ Severe
CETERM=SWELLING	
Swelling Longest Diameter	FAORRES when FATESTCD=LDIAM (xxx.y)

FA (Findings About Events or Interventions)**CE (Clinical Events)**

POST VACCINATION REACTIONS AT INJECTION SITE (LESS THAN 6 YEARS OLD) (CE_INJ_1)

Post Vaccination Reactions at Injection Site (Less Than 6 Years Old) - 1	
Planned Time Point Name	FATPT 30 Minutes Post Investigational Vaccination
Was assessment performed at the planned time point?	☐ Yes NOT SUBMITTED ☐ No
if No then FASTAT=NOT DONE when FATESTCD=OCCUR	
Reason Not Done	
	FAREASND
Date	FADTC
Time (24 hr clock)	FADTC _____ 24 hour clock
Pain	☐ None ☐ Mild ☐ Moderate ☐ Severe
FAOBJ=PAIN	
FAORRES when FATESTCD=OCCUR	
FAORRES when FATESTCD=SEV	
CETERM=PAIN	
Erythema	☐ <10 mm ☐ Mild ☐ Moderate ☐ Severe
FAOBJ=ERYTHEMA	
FAORRES when FATESTCD=OCCUR	
FAORRES when FATESTCD=SEV	
CETERM=ERYTHEMA	
Erythema Longest Diameter	FAORRES when FATESTCD=LDIAM (xxx.y)
Swelling	☐ <10 mm ☐ Mild ☐ Moderate ☐ Severe
FAOBJ=SWELLING	
FAORRES when FATESTCD=OCCUR	
FAORRES when FATESTCD=SEV	
CETERM=SWELLING	
Swelling Longest Diameter	FAORRES when FATESTCD=LDIAM (xxx.y)

LB (Laboratory Test Results)

PREGNANCY TEST (PG)

Pregnancy Test - 1	
Check if the Pregnancy Test was Done/ Not Done	☐ Done NOT SUBMITTED
if Not Done then LBSTAT when LBTESTCD=HCG	☐ Not Done
Lab Test Name LBTESTCD=HCG	Choriogonadotropin Beta
Specimen Type LBSPEC	☐ Urine ☐ Serum
Sample Collection Date	LBDTC
Pregnancy Test Result LBORRES	☐ Positive (if Positive, EXCLUDE) ☐ Negative

CM (Concomitant/Prior Medications)

PRIOR/CONCOMITANT LICENSED VACCINE ADMINISTRATION (VAC)

Prior/Concomitant Licensed Vaccine Administration	
Date of Vaccine	CMSTDTC
If unknown, select if Start Date was BEFORE or AFTER first study Vaccine	☐ Before
CMSTRTPPT	☐ After
CMSTTPT=First Vaccination	

CM (Concomitant/Prior Medications)

Vaccination Type

CMSCAT

- ☐ COVID-19
- ☐ Dengue
- ☐ Diphtheria
- ☐ Haemophilus Influenzae Type B Infection
- ☐ Hepatitis A
- ☐ Hepatitis B
- ☐ Human Papillomavirus (HPV)
- ☐ Influenza
- ☐ Japanese Encephalitis
- ☐ Measles
- ☐ Meningococcal
- ☐ Mumps
- ☐ Pertussis
- ☐ Pneumococcal Disease
- ☐ Polio
- ☐ Rotavirus
- ☐ Rubella
- ☐ Tetanus
- ☐ Tick-Borne Encephalitis
- ☐ Tuberculosis
- ☐ Varicella
- ☐ Yellow Fever
- ☐ Other

CM (Concomitant/Prior Medications)

Vaccination Type Other, specify

CMSCAT

CM (Concomitant/Prior Medications)

Vaccination Name

CMTRT

- ☐ acP
- ☐ BCG
- ☐ D
- ☐ DengVaxia
- ☐ DPT
- ☐ DPT-Hep B-Hib
- ☐ DT
- ☐ DTaP
- ☐ DTaP-Hep B-Hib
- ☐ DTwP
- ☐ Flu
- ☐ HepA
- ☐ HepB
- ☐ Hib
- ☐ IPV
- ☐ JE Inactivated
- ☐ JE Live Attenuated
- ☐ JE Live Recombinant
- ☐ LAIV
- ☐ MMR
- ☐ MMRV
- ☐ OPV
- ☐ PCV
- ☐ QIV
- ☐ Rota

CM (Concomitant/Prior Medications)**CMTRT**

- ☐ RV
- ☐ TBE
- ☐ Td
- ☐ TDaP-Hib
- ☐ TDwP-Hib
- ☐ TIV
- ☐ TT
- ☐ VAR
- ☐ YF
- ☐ YF Live Attenuated
- ☐ Other

Vaccination Name Other, specify

CMTRT

Manufacturer

TRTMAN in SUPPCM

Is the vaccine supported by vaccination card or any other documentation?

VACDOC in SUPPCM

- ☐ Yes
- ☐ No

Source of Vaccination history

VACHISTR in SUPPCM

- ☐ Vaccine Registry
- ☐ Doctor Record
- ☐ Parent Card

DS (Disposition)

RECONSENT DISPOSITION (DS_RC)

Re-consent	DSCAT=PROTOCOL MILESTONE DSDECOD/DSTERM=RECONSENT OBTAINED	
Date of Re-consent	DSSTDTC	
Protocol Version	PROTVRSN in SUPPDS ☐ Original Protocol ☐ Amendment 1 ☐ Amendment 2 ☐ Amendment 3 ☐ Amendment 4 ☐ Amendment 5 ☐ Amendment 6 ☐ Amendment 7 ☐ Amendment 8 ☐ Amendment 9 ☐ Amendment 10	

RP (Reproductive System Findings)

REPRODUCTIVE SYSTEM FINDINGS (RP)

Reproductive System Findings	
Date of Reproductive System Finding	RPDTC
Female Reproductive System Status	☐ Childbearing Potential ☐ Postmenopausal ☐ Premenarche ☐ Surgically Sterile ☐ Other Female Reproductive System State
RPTSTCD	

DS (Disposition)

SCREENING DISPOSITION (DS_SCR)

Screening Disposition	
Did the subject enroll into the study?	☐ Yes
DSCAT=PROTOCOL MILESTONE	
if Y then DSDECOD/DSTERM=ENTERED INTO TRIAL	
Did the subject experience any serious pretreatment events?	☐ No
DSCAT=DISPOSITION EVENT	
if Y then DSDECOD/DSTERM=COMPLETED	
if N then DSSCAT=ENROLLMENT	
NOT SUBMITTED	☐ Yes
	☐ No
Date of Successful/Failed Enrollment	DSSTDTC
Reason Not Enrolled	☐ Adverse Event
	☐ Lost to Follow-up
DSDECOD/DSTERM	☐ Met Eligibility Criteria But Not Needed
DSCAT=DISPOSITION EVENT	☐ Pregnancy
DSSCAT=ENROLLMENT	☐ Screen Failure (Did Not Meet Eligibility Criteria)
	☐ Study Terminated by Sponsor
	☐ Withdrawal by Subject
	☐ Other, specify
Specify Reason, If Applicable	
	DSTERM

VS (Vital Signs)

VITAL SIGNS (VS_ALT)

Vital Signs		
Indicate if Vital Signs Assessment was Performed		☐ Yes NOT SUBMITTED
if No then VSSTAT=NOT DONE when VSTESTCD=VSALL		☐ No
Reason Vital Signs Assessment was Not Done		
	VSREASND	
Date Performed	VSDTC	
Height	VSORRES when VSTESTCD=HEIGHT	(xxxx.y)
Weight	VSORRES when VSTESTCD=WEIGHT	(xxxx.y)
Body Mass Index	VSORRES when VSTESTCD=BMI	(xxxx.y)
Temperature	VSORRES when VSTESTCD=TEMP	(xxxx.y)
Temperature Unit of Measurement		☐ C
VSORRESU when VSTESTCD=TEMP		☐ F
Location of Measurement		☐ Oral
VSLOC when VSTESTCD=TEMP		☐ Axilla
Systolic Blood Pressure	VSORRES when VSTESTCD=SYSBP	
Diastolic Blood Pressure	VSORRES when VSTESTCD=DIABP	
Pulse Rate	VSORRES when VSTESTCD=PULSE	

VS (Vital Signs)

VITAL SIGNS ONLY (VS_ALT_1)

Vital Signs	
Indicate if Vital Signs Assessment was Performed	☐ Yes ☐ No
if No then VSSTAT=NOT DONE when VSTESTCD=VSALL	
Reason Vital Signs Assessment was Not Done	
VSREASND	
Date Performed	VSDTC
Temperature	VSORRES when VSTESTCD=TEMP (xxxx.y)
Temperature Unit of Measurement	☐ C ☐ F
VSORRESU when VSTESTCD=TEMP	
Location of Measurement	☐ Oral ☐ Axilla
VSLOC when VSTESTCD=TEMP	
Systolic Blood Pressure	VSORRES when VSTESTCD=SYSBP
Diastolic Blood Pressure	VSORRES when VSTESTCD=DIABP
Pulse Rate	VSORRES when VSTESTCD=PULSE

VS (Vital Signs)

VITAL SIGNS_DAY 90 (VS_ALT_2)

Vital Signs	
Indicate if Vital Signs Assessment was Performed	☐ Yes NOT SUBMITTED
if No then VSSTAT=NOT DONE when VSTESTCD=VSALL	☐ No
Reason Vital Signs Assessment was Not Done	
	VSREASND
Date Performed	VSDTC
Weight	VSORRES when VSTESTCD=WEIGHT (xxxx.y)
Body Mass Index	VSORRES when VSTESTCD=BMI (xxxx.y)
Temperature	VSORRES when VSTESTCD=TEMP (xxxx.y)
Temperature Unit of Measurement	☐ C VSORRESU when VSTESTCD=TEMP ☐ F
Location of Measurement	☐ Oral VSLOC when VSTESTCD=TEMP ☐ Axilla
Systolic Blood Pressure	VSORRES when VSTESTCD=SYSBP
Diastolic Blood Pressure	VSORRES when VSTESTCD=DIABP
Pulse Rate	VSORRES when VSTESTCD=PULSE