



GE VERNOVA

ADMS

16.25.1

Enterprise OMS Programmer Guide

Copyright

Copyright 2026, GE Vernova and/or its affiliates ("GE Vernova"). All Rights Reserved.

GE and the GE Monogram are trademarks of General Electric Company used under trademark license.

This document is the confidential and proprietary information of GE Vernova and may not be reproduced, transmitted, stored, or copied in whole or in part, or used to furnish information to others, without the prior written permission of GE Vernova.

Change History

Date	Change Description
Jun 7, 2023	ADMS 3.16: • Rebranded title page to ADMS as EOMS is part of ADMS. • Editorial and formatting updates
Oct 20, 2023	ADMS 16.1.0: • The product version numbering has changed. The prefix '3' is no longer included in the version numbering for ADMS.
Mar 19, 2024	ADMS 16.7.0: • Updated document format and styling.
Sep 25, 2024	ADMS 16.12.0: • Updated section API Schema.

Contents

1. Introduction	4
1.1. API Overview	4
2. Enterprise OMS API	5
2.1. REST Services	5
2.2. API Schema	7

1. Introduction

The Enterprise OMS API supports creating and managing orders for the detailed management of work on an electrical network. The Work Model Event Handler uses the Enterprise OMS API. The Enterprise OMS API is implemented using REST.

1.1. API Overview

General principles:

- GET is used to get a resource, if it exists.
- POST is used to create a new resource.

Caution

It is recommended that you do not use POST methods to update existing resources. Instead, use PATCH methods for updating an existing resource.

- PUT is used to update an existing resource.
- PATCH is used to update an existing resource with partial data.
- POST is used to add elements to a collection.
- PUT is used to replace existing elements in a collection.
- Resources are managed by an internal ID, which is generated by the service.
- To find a resource by another field, the field name is used as a query parameter (for example, ?userName=<username>).

Refer to the following links for information about standard HTTPS status codes and descriptions:

<https://restfulapi.net/http-status-codes/>

Or:

<https://developer.mozilla.org/en-US/docs/Web/HTTP/Status>

2. Enterprise OMS API

2.1. REST Services

The Work Model Event Handler service supports the following REST service messages to manage order data.

Table 1. REST Service Messages Supported by Work Model Event Handler

Name	Protocol	Method	Type	Description
Orders				
/oms/api/v1/incidents/{id}/workorders	REST	GET	Input	Returns all orders associated with the specified incident.
/oms/api/v1/orders/{id}/tasks	REST	GET	Input	Returns all tasks associated with the specified order.
/oms/api/v1/orders/{id}/crews	REST	GET	Input	Gets all crews associated with the specified order.
/oms/api/v1/orders/{id}/crews	REST	PUT	Input	Sets or replaces all crews for the specified order.
/oms/api/v1/orders/{id}/crews	REST	PATCH	Input	Updates crews for the specified order.
/oms/api/v1/orders/{id}/crews	REST	DELETE	Input	Removes all crews for the specified order.
/oms/api/v1/orders/{id}/crews/{crewId}	REST	PUT	Input	Sets or replaces a crew for the specified order.
/oms/api/v1/orders/{id}/crews/{crewId}	REST	DELETE	Input	Deletes a crew for the specified order. (Deprecated message.)
/oms/api/v1/orders/{id}	REST	GET	Input	Gets the specified order.
/oms/api/v1/orders/{id}	REST	PUT	Input	Sets or replaces the specified order.
/oms/api/v1/orders/{id}	REST	PATCH	Input	Updates the specified order.
/oms/api/v1/orders/{id}	REST	DELETE	Input	Removes the specified order.
/oms/api/v1/orders	REST	GET	Input	Gets all orders.
/oms/api/v1/orders	REST	POST	Input	Creates an order.
/oms/api/v1/orders/{orderId}/followup	REST	POST	Input	Creates a follow-up order.
/oms/api/v1/orders/{orderId}/mergeOrders	REST	POST	Input	Merges a list of orders into the selected order.
/oms/api/v1/orders/{orderId}/related	REST	GET	Input	Gets all related orders for an order.
/oms/api/v1/orders/{orderId}/status	REST	PUT	Input	Replaces the order status. Use the forceComplete flag to update the order status regardless of the dependent order status.
/oms/api/v1/orders/{orderId}/canClose	REST	GET	Input	Get the validation warning and errors for an order.
/oms/api/v1/orders/{orderId}/crews/{crewId}/status	REST	PUT	Input	Replaces the order crew status.
Order Custom Fields				

Name	Protocol	Method	Type	Description
/oms/api/v1/orders/customfields	REST	GET	Input	Gets all order custom field definitions.
/oms/api/v1/orders/customfields	REST	PUT	Input	Replaces order custom field definitions.
Order Types				
/oms/api/v1/ordertypes	REST	GET	Input	Gets all order types.
/oms/api/v1/ordertypes	REST	POST	Input	Creates an order type.
/oms/api/v1/ordertypes/{idOrName}	REST	GET	Input	Gets an order type by ID or name.
/oms/api/v1/ordertypes/{idOrName}	REST	PUT	Input	Updates an order type by ID or name.
/oms/api/v1/ordertypes/{idOrName}	REST	DELETE	Input	Removes an order type by ID or name.
/oms/api/v1/ordertypes/{idOrName}/tasktypes	REST	GET	Input	Gets all task types for an order type by ID or name.
/oms/api/v1/ordertypes/{idOrName}/tasktypes	REST	PUT	Input	Replaces task types for an order type by ID or name.
/oms/api/v1/ordertypes/{idOrName}/tasktypes	REST	POST	Input	Adds a task type for an order type by ID or name.
/oms/api/v1/ordertypes/{idOrName}/tasktypes/{taskIdOrName}	REST	POST	Input	Removes a task type for an order type by ID or name.
Crews				
/oms/api/v1/crews/assignment	REST	POST	Input	Assigns crews to an order. Note that this request removes all previously assigned crews, if any.
/oms/api/v1/crews/assignment	REST	PATCH	Input	Updates the list of crews that are assigned to an order. This request adds any of the new crews to the order and does not remove crews.
/oms/api/v1/crews/unassign	REST	POST	Input	Unassigns crews from an order.
/oms/api/v1/crews/release	REST	POST	Input	Unassigns all assigned and dispatched crews and releases crews from an order.
Tasks				
/oms/api/v1/tasks	REST	GET	Input	Gets all order tasks.
/oms/api/v1/tasks	REST	POST	Input	Creates an order task.
/oms/api/v1/tasks?createGoBackTask=1				When createGoBackTask=1, creates an order task and also creates a go-back (return-to-normal) task. Applies to Open and Close tasks only.
/oms/api/v1/tasks/{taskId}	REST	GET	Input	Gets the specified task.
/oms/api/v1/tasks/{taskId}	REST	PUT	Input	Sets or replaces the specified task.
/oms/api/v1/tasks/{taskId}	REST	DELETE	Input	Deletes the specified task.
/oms/api/v1/tasks/{taskId}/status/next	REST	GET	Input	Gets the list of available next statuses in the workflow based on the current status.
/oms/api/v1/tasks/{taskId}/status	REST	PUT	Input	Updates status for the specified task.

Name	Protocol	Method	Type	Description
Task Types				
/oms/api/v1/tasksTypes	REST	GET	Input	Gets all task types.
/oms/api/v1/tasksTypes	REST	POST	Input	Creates a task type.
/oms/api/v1/tasksTypes/{idOrName }	REST	GET	Input	Gets task types by name.
/oms/api/v1/tasksTypes/{idOrName }	REST	PUT	Input	Updates a task type.
/oms/api/v1/tasksTypes/{id}	REST	DELETE	Input	Deletes a task type.
/oms/api/v1/tasksTypes/{idOrName}/results	REST	GET	Input	Gets task results for the specified task type.
/oms/api/v1/tasksTypes/{idOrName}/results	REST	POST	Input	Creates task results for the specified task type.
/oms/api/v1/tasksTypes/{idOrName}/results/	REST	PUT	Input	Replaces task results for the specified task type.
/oms/api/v1/tasksTypes/{idOrNameTaskType}/results/{idOrNameResult}	REST	DELETE	Input	Deletes the specified task result.
Settings				
/oms/api/v1/settings/{settingId}	REST	GET	Input	Gets a setting value.
/oms/api/v1/settings/{settingId}	REST	PUT	Input	Sets a setting value.
Links				
/oms/api/v1/links?filter={filter}	REST	GET	Input	Returns a list of links between Enterprise OMS objects.
/oms/api/v1/links	REST	POST	Input	Creates a link between Enterprise OMS objects.
/oms/api/v1/links/{linkId}	REST	GET	Input	Returns a link by primary key.
/oms/api/v1/links/{linkId}	REST	DELETE	Input	Removes a link by primary key.

The Work Model Event Handler service uses the Enterprise OMS API schema. For more details, see [API Schema](#).

Note

For order custom fields of type Timestamp, values must be provided in UTC format. This ensures consistent storage and behavior in the database.

2.2. API Schema

The Enterprise OMS API schema is defined by the swagger.yml file, as shown below. To view Enterprise OMS API details, you can open this file in the Swagger Editor at <https://editor.swagger.io/>.

```

openapi: 3.0.1
info:
  title: WorkModelClient
  description: The Work Model REST API
  version: 1.1.0
servers:
  - url: http://localhost:8080/
tags:
  - name: Tasks
    description: Work Model Tasks
  - name: Orders
    description: Work Model Orders
  - name: Crews
    description: Work Model Crews
  - name: Order Types
    description: Work Model Order Types
  - name: Task Types
    description: Work Model Task Types
  - name: Settings
    description: Work Model Settings
paths:
  /oms/api/v1/incidents/{id}/workorders:
    get:
      tags:
        - Orders
      summary: Return the work orders associated with an incident.
      description: Return the work orders associated with an incident.
      operationId: getIncidentWorkOrders
      parameters:
        - name: id
          in: path
          required: true
          schema:
            type: string
      responses:
        '200':
          description: Work Orders
          content:
            application/json:
              schema:
                type: array
                items:
                  $ref: '#/components/schemas/WorkModel.WorkOrder'
  /oms/api/v1/orders/{taskId}/tasks:
    get:
      tags:
        - Orders
      summary: Return all Tasks on an Order
      description: Return all the associated Tasks for a given Order
      operationId: getTasksForWorkOrder
      parameters:
        - name: taskId
          in: path

```

```

      required: true
      schema:
        type: string
    responses:
      '200':
        description: Success
        content:
          application/json:
            schema:
              type: array
              items:
                $ref: '#/components/schemas/WorkModel.Task'
/oms/api/v1/orders/{id}/crews:
get:
  tags:
    - Orders
  summary: Return all Crews on an Order
  description: Return the associated Crews
  operationId: getCrewsForWorkOrder
  parameters:
    - name: id
      in: path
      required: true
      schema:
        type: string
  responses:
    '200':
      description: Success
      content:
        application/json:
          schema:
            type: array
            example:
              - id: crew_1
                lead: true
              - id: crew_2
                lead: false
            items:
              $ref: '#/components/schemas/WorkModel.Crew'
put:
  tags:
    - Orders
  summary: Set or Replace all Crews on an Order
  description: Set Crews on Order
  operationId: replaceWorkOrderCrews
  parameters:
    - name: id
      in: path
      required: true
      schema:
        type: string
  requestBody:
    description: Crews to set

```

```

    content:
      application/json:
        schema:
          type: array
          example:
            - id: crew_1
              lead: true
            - id: crew_2
              lead: false
          items:
            $ref: '#/components/schemas/WorkModel.Crew'
      required: true
    responses:
      '200':
        description: Success
        content:
          application/json:
            schema:
              type: array
              example:
                - id: crew_1
                  lead: true
                - id: crew_2
                  lead: false
              items:
                $ref: '#/components/schemas/WorkModel.Crew'
      '404':
        description: Order Not Found
        content: {}
    x-codegen-request-body-name: crewList
  delete:
    tags:
      - Orders
    summary: Remove all of the Crews on an Order
    description: Remove all of the Crews on an Order
    operationId: deleteAllWorkOrderCrews
    parameters:
      - name: id
        in: path
        required: true
        schema:
          type: string
    responses:
      '200':
        description: Success
        content: {}
  patch:
    tags:
      - Orders
    summary: Update Crews on an Order
    description: Update Crews on Order
    operationId: updateWorkOrderCrews
    parameters:

```

```

    - name: id
      in: path
      required: true
      schema:
        type: string
  requestBody:
    description: Crews to set
    content:
      application/json:
        schema:
          type: array
          items:
            $ref: '#/components/schemas/WorkModel.Crew'
      required: true
  responses:
    '200':
      description: Success
      content:
        application/json:
          schema:
            type: array
            items:
              $ref: '#/components/schemas/WorkModel.Crew'
  x-codegen-request-body-name: crewList
/oms/api/v1/orders/{id}/crews/{crewId}:
put:
  tags:
    - Orders
  summary: Update a single active crew on an Order
  description: Update an active crew assigned to an Order
  operationId: updateWorkOrderCrew
  parameters:
    - name: id
      in: path
      required: true
      schema:
        type: string
    - name: crewId
      in: path
      required: true
      schema:
        type: string
  requestBody:
    content:
      application/json:
        schema:
          $ref: '#/components/schemas/WorkModel.Crew'
      required: true
  responses:
    '200':
      description: Success
      content:
        application/json:

```

```

        schema:
          $ref: '#/components/schemas/WorkModel.Crew'
      x-codegen-request-body-name: crew
delete:
  tags:
    - Orders
  summary: Remove a Assigned or Dispatched crew from an Order
  description: Remove a Assigned or Dispatched crew from an Order
  operationId: deleteWorkOrderCrew
  parameters:
    - name: id
      in: path
      required: true
      schema:
        type: string
    - name: crewId
      in: path
      required: true
      schema:
        type: string
  responses:
    '200':
      description: Success
      content: {}
    '404':
      description: Work Order or Crew not found.
      content: {}
/oms/api/v1/orders/{id}:
get:
  tags:
    - Orders
  summary: Return a Work Order
  description: Return a Work Order
  operationId: getWorkOrder
  parameters:
    - name: id
      in: path
      required: true
      schema:
        type: string
  responses:
    '200':
      description: Work Order Response
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/WorkModel.WorkOrder'
put:
  tags:
    - Orders
  description: Replace a Work Order
  operationId: replaceWorkOrder
  parameters:

```

```

    - name: id
      in: path
      required: true
      schema:
        type: string
  requestBody:
    description: Work Order to create
    content:
      application/json:
        schema:
          $ref: '#/components/schemas/WorkModel.WorkOrder'
        required: true
  responses:
    '200':
      description: The replaced Work Order.
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/WorkModel.WorkOrder'
  x-codegen-request-body-name: workOrder
delete:
  tags:
    - Orders
  summary: Remove a Work Order
  description: Remove a Work Order.
  operationId: deleteWorkOrderById
  parameters:
    - name: id
      in: path
      required: true
      schema:
        type: string
  responses:
    '200':
      description: Deleted Work Order.
      content: {}
    '404':
      description: Work Order not found.
      content: {}
patch:
  tags:
    - Orders
  description: Update a Work Order
  operationId: updateWorkOrder
  parameters:
    - name: id
      in: path
      required: true
      schema:
        type: string
  requestBody:
    description: Work Order to create
    content:

```

```

    application/json:
      schema:
        $ref: '#/components/schemas/WorkModel.WorkOrder'
    required: true
  responses:
    '200':
      description: The updated Work Order.
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/WorkModel.WorkOrder'
  x-codegen-request-body-name: workOrder
/oms/api/v1/orders:
  get:
    tags:
      - Orders
    summary: Return a page of Work Orders
    description: Return a page of Work Orders
    operationId: getPagedWorkOrders
    parameters:
      - name: page
        in: query
        required: true
        schema:
          type: integer
      - name: size
        in: query
        required: true
        schema:
          type: integer
      - name: filter
        in: query
        schema:
          type: string
    responses:
      '200':
        description: Work Order Response
        content:
          application/json:
            schema:
              $ref: '#/components/schemas/WorkModel.WorkOrderPage'
  post:
    tags:
      - Orders
    description: Create an Order
    operationId: createOrder
    requestBody:
      description: Order to create
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/WorkModel.OrderWithMetadata'
    required: true

```

```

responses:
  '200':
    description: The created Order with ID
    content:
      application/json:
        schema:
          $ref: '#/components/schemas/WorkModel.WorkOrder'
    x-codegen-request-body-name: Order
/oms/api/v1/orders/{orderId}/followup:
post:
  tags:
    - Orders
  description: Create a Follow-up Order
  operationId: createFollowUpOrder
  parameters:
    - name: orderId
      in: path
      description: Order ID
      required: true
      schema:
        type: string
  requestBody:
    description: Follow-up Order to create
    content:
      application/json:
        schema:
          $ref: '#/components/schemas/WorkModel.OrderWithMetadata'
    required: true
  responses:
    '200':
      description: The created Follow-up Order with ID
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/WorkModel.WorkOrder'
    x-codegen-request-body-name: Order
/oms/api/v1/orders/{orderId}/mergeOrders:
post:
  tags:
    - Orders
  summary: Merges a list of orders to a selected order.
  description: Merges Orders.
  operationId: mergeOrders
  parameters:
    - name: orderId
      in: path
      required: true
      schema:
        type: string
  requestBody:
    description: Order list to merge
    content:
      application/json:

```

```

        schema:
          type: array
          items:
            type: string
        required: true
      responses:
        '200':
          description: Success
          content: {}
        '422':
          description: Cannot merge orders associated with the same incident
          content: {}
      x-codegen-request-body-name: DownstreamOrders
    /oms/api/v1/orders/{orderId}/related:
      get:
        tags:
          - Orders
        summary: Return all Related orders of an Order
        description: Return all the associated Related orders for a given Order
        operationId: getRelatedWorkOrders
        parameters:
          - name: orderId
            in: path
            required: true
            schema:
              type: string
        responses:
          '200':
            description: Success
            content:
              application/json:
                schema:
                  type: array
                  items:
                    $ref: '#/components/schemas/WorkModel.WorkOrder'
    /oms/api/v1/orders/{orderId}/status:
      put:
        tags:
          - Orders
        summary: Update Order Status
        description: Transition an Order through it's Lifecycle by updating the Status
        operationId: setWorkOrderStatus
        parameters:
          - name: orderId
            in: path
            description: Order ID
            required: true
            schema:
              type: string
          - name: forceComplete
            in: query
            description: Flag to ignore related order dependency checks
            schema:

```

```

        type: boolean
requestBody:
  description: The new Order status
  content:
    application/json:
      schema:
        $ref: '#/components/schemas/WorkModel.WorkOrderStatus'
  required: true
responses:
  '200':
    description: Success
    content: {}
  x-codegen-request-body-name: orderStatus
/oms/api/v1/orders/{orderId}/canClose:
get:
  tags:
    - Orders
  summary: Validate Order Close Status
  description: Get an Errors or warnings from both the incident and order.
  operationId: getWorkOrderCanClose
  parameters:
    - name: orderId
      in: path
      description: Order ID
      required: true
      schema:
        type: string
  responses:
    '200':
      description: Success
      content: {}
/oms/api/v1/orders/{orderId}/crews/{crewId}/status:
put:
  tags:
    - Orders
  summary: Update crew status for an Order
  description: >-
    Update the crew status for an order. Valid status values are "Assigned",
    "Dispatched", "En Route", "Arrived", and "Released".
  operationId: updateCrewsStatus
  parameters:
    - name: orderId
      in: path
      description: Order ID
      required: true
      schema:
        type: string
    - name: crewId
      in: path
      description: Crew ID
      required: true
      schema:
        type: string

```

```

requestBody:
  description: The new Work ORder status
  content:
    application/json:
      schema:
        $ref: '#/components/schemas/WorkModel.CrewStatus'
  required: true
responses:
  '200':
    description: Success
    content: {}
  '404':
    description: Failed to find the order or crew
    content: {}
  '422':
    description: Failed to change the crew status
    content: {}
x-codegen-request-body-name: crewStatus
/oms/api/v1/crews/assignment:
post:
  tags:
    - Crews
  summary: Assign Crews to an Order
  description: >-
    Assign Crews to an Order. This is a destructive update which will result
    in all of the Crews being removed from the Order first, and then all the
    Crews in this list will be assigned. If the crews only need to be
    updated, see assignCrewsUpdate.
  operationId: assignCrews
  requestBody:
    description: Crews to set
    content:
      application/json:
        schema:
          $ref: '#/components/schemas/WorkModel.CrewAssignment'
    required: true
  responses:
    '200':
      description: Success
      content:
        application/json:
          schema:
            type: array
            items:
              $ref: '#/components/schemas/WorkModel.Crew'
  x-codegen-request-body-name: crewList
patch:
  tags:
    - Crews
  summary: Update Assignment of Crews on an Order
  description: >-
    Update the crews assignment on an order. Crews that are not in the list
    will not be removed. However, any new Crews in the list will be added.

```

```

    This is meant to be a non-destructive update.
  operationId: assignCrewsUpdate
  requestBody:
    description: Crews to set
    content:
      application/json:
        schema:
          $ref: '#/components/schemas/WorkModel.CrewAssignment'
    required: true
  responses:
    '200':
      description: Success
      content:
        application/json:
          schema:
            type: array
            items:
              $ref: '#/components/schemas/WorkModel.Crew'
  x-codegen-request-body-name: crewList
/oms/api/v1/crews/unassign:
  post:
    tags:
      - Crews
    summary: UnAssign Crews from an Order
    description: >-
      UnAssign Crews from an Order. This an update which will result in all of
      the Assign or dispatched crews from the input list of Crews. Crews in
      this list that are not removed will be returned in a list of crew. Enroute
      or arrived crews will be released.
    operationId: unassignCrew
    requestBody:
      description: Crews to set
      content:
        application/json:
          schema:
            type: array
            items:
              $ref: '#/components/schemas/WorkModel.Crew'
      required: true
    responses:
      '200':
        description: Success
        content:
          application/json:
            schema:
              type: array
              items:
                $ref: '#/components/schemas/WorkModel.Crew'
      '422':
        description: Unprocessable Entry
        content:
          application/json:
            schema:

```

```

        type: array
        items:
          $ref: '#/components/schemas/WorkModel.Crew'
      x-codegen-request-body-name: crewList
/oms/api/v1/crews/release:
  post:
    tags:
      - Crews
    summary: Release Crews from an Order
    description: Unassign Assigned/Dispatched crew otherwise Release Crews from Order.
    operationId: releaseCrew
    requestBody:
      description: Crew assignment with order id to release crew
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/WorkModel.CrewAssignment'
          required: true
    responses:
      '200':
        description: Success
        content: {}
      x-codegen-request-body-name: crewAssignment
/oms/api/v1/tasks:
  get:
    tags:
      - Tasks
    summary: Returns All Tasks
    description: Return All Tasks
    operationId: getTasks
    responses:
      '200':
        description: Task Response
        content:
          application/json:
            schema:
              type: array
              items:
                $ref: '#/components/schemas/WorkModel.Task'
  post:
    tags:
      - Tasks
    description: Create a Task
    operationId: addTask
    parameters:
      - name: createGoBackTask
        in: query
        schema:
          type: boolean
    requestBody:
      description: Task to create
      content:
        application/json:

```

```

        schema:
          $ref: '#/components/schemas/WorkModel.Task'
      required: true
    responses:
      '200':
        description: The created Task with ID
        content:
          application/json:
            schema:
              $ref: '#/components/schemas/WorkModel.Task'
    x-codegen-request-body-name: inputTask
/oms/api/v1/tasks/{taskId}:
get:
  tags:
    - Tasks
  summary: Return a Task by Task Id
  description: Return a Task by its Task Id
  operationId: getTaskById
  parameters:
    - name: taskId
      in: path
      required: true
      schema:
        type: string
  responses:
    '200':
      description: Success
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/WorkModel.Task'
put:
  tags:
    - Tasks
  description: Replace a Task
  operationId: replaceTaskById
  parameters:
    - name: taskId
      in: path
      required: true
      schema:
        type: string
  requestBody:
    description: Task to create
    content:
      application/json:
        schema:
          $ref: '#/components/schemas/WorkModel.Task'
    required: true
  responses:
    '200':
      description: The replaced Task.
      content:

```

```

        application/json:
          schema:
            $ref: '#/components/schemas/WorkModel.Task'
      x-codegen-request-body-name: task
    delete:
      tags:
        - Tasks
      summary: Remove a Task
      description: Remove a Task.
      operationId: deleteTaskById
      parameters:
        - name: taskId
          in: path
          required: true
          schema:
            type: string
      responses:
        '200':
          description: Deleted Task.
          content: {}
        '404':
          description: Task not found.
          content: {}
/oms/api/v1/tasks/statuses/{status}/next:
  get:
    tags:
      - Tasks
    summary: Return a list of TaskStatus based on current status
    description: Return a list of statuses based on current status
    operationId: getNextStatus
    parameters:
      - name: status
        in: path
        required: true
        schema:
          type: string
    responses:
      '200':
        description: nextStatus Response
        content:
          application/json:
            schema:
              type: array
              items:
                type: string
/oms/api/v1/tasks/{taskId}/status:
  put:
    tags:
      - Tasks
    summary: Update a Task Status
    description: Update a Task Status
    operationId: updateTaskStatus
    parameters:

```

```

    - name: taskId
      in: path
      description: Task Id
      required: true
      schema:
        type: string
  requestBody:
    description: The new Task Status
    content:
      application/json:
        schema:
          $ref: '#/components/schemas/WorkModel.TaskStatusInput'
    required: true
  responses:
    '200':
      description: Success
      content: {}
  x-codegen-request-body-name: taskStatus
/oms/api/v1/ordertypes:
  get:
    tags:
      - Order Types
    summary: Return all Order Types
    description: All Order Types
    operationId: getOrderTypes
    responses:
      '200':
        description: Success
        content:
          application/json:
            schema:
              type: array
              items:
                $ref: '#/components/schemas/WorkModel.OrderType'
  post:
    tags:
      - Order Types
    summary: Create an Order Type
    description: Create a new Order Type
    operationId: createOrderType
    requestBody:
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/WorkModel.OrderType'
      required: true
    responses:
      '200':
        description: Success
        content:
          application/json:
            schema:
              $ref: '#/components/schemas/WorkModel.OrderType'

```

```

    x-codegen-request-body-name: orderType
/oms/api/v1/ordertypes/{idOrName}:
get:
  tags:
    - Order Types
  summary: Returns Order Type By ID or Name
  description: Return Order Type By ID or Name
  operationId: getOrderType
  parameters:
    - name: idOrName
      in: path
      description: ID or Name of Order Type
      required: true
      schema:
        type: string
  responses:
    '200':
      description: Success
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/WorkModel.OrderTypeWithTaskTypes'
put:
  tags:
    - Order Types
  summary: Update an existing Order Type by ID or Name
  description: Update an Order Type
  operationId: updateOrderType
  parameters:
    - name: idOrName
      in: path
      description: ID or Name of Order Type
      required: true
      schema:
        type: string
  requestBody:
    description: Updated Order Type
    content:
      application/json:
        schema:
          $ref: '#/components/schemas/WorkModel.OrderTypeWithTaskTypes'
    required: true
  responses:
    '200':
      description: Successfully updated Order Type.
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/WorkModel.OrderTypeWithTaskTypes'
    x-codegen-request-body-name: taskType
delete:
  tags:
    - Order Types

```

```

summary: Remove an Order Type by ID
description: Remove an Order Type by it's ID. This does not support by Name.
operationId: deleteOrderType
parameters:
  - name: idOrName
    in: path
    description: This does not support by Order Name.
    required: true
    schema:
      type: string
responses:
  '204':
    description: Successfully removed the Order Type.
    content: {}
  '404':
    description: Order Type was not found.
    content: {}
/oms/api/v1/ordertypes/{idOrName}/tasktypes:
get:
  tags:
    - Order Types
  summary: Returns all Tasks Types for an Order Type
  description: Return all Tasks Types for an Order Type referenced by it's ID or Name.
  operationId: getTaskTypesForOrderType
  parameters:
    - name: idOrName
      in: path
      description: The Order Type ID or Name
      required: true
      schema:
        type: string
  responses:
    '200':
      description: The Task Types for the Order Type
      content:
        application/json:
          schema:
            type: array
            items:
              $ref: '#/components/schemas/WorkModel.TaskType'
put:
  tags:
    - Order Types
  summary: Replace all of the Task Types on an Order Type.
  description: >-
    Replace all of the Task Types on an Order Type. The Order Type can be
    referenced by ID or Name. The Task Types that are being assigned to the
    Order Type must already exist.
  operationId: setTaskTypesForOrderType
  parameters:
    - name: idOrName
      in: path
      description: The Order Type ID or Name

```

```

      required: true
      schema:
        type: string
    requestBody:
      description: List of Task Types
      content:
        application/json:
          schema:
            type: array
            items:
              $ref: '#/components/schemas/WorkModel.TaskType'
      required: true
    responses:
      '200':
        description: The Task Types for the Order Type
        content:
          application/json:
            schema:
              type: array
              items:
                $ref: '#/components/schemas/WorkModel.TaskType'
    x-codegen-request-body-name: taskTypes
  post:
    tags:
      - Order Types
    summary: Add a Task Type to an Order Type.
    description: >-
      Add a Task Type to the Order Type. The Task Type can be added by either
      its ID or its name. But not both. If the ID is specified then it must
      exist. If the name does not exist it will be added.
    operationId: addTaskTypeToOrderType
    parameters:
      - name: idOrName
        in: path
        description: The Order Type ID or Name
        required: true
        schema:
          type: string
    requestBody:
      description: Task Type to Add
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/WorkModel.TaskType'
      required: true
    responses:
      '200':
        description: The Task Types for the Order Type
        content:
          application/json:
            schema:
              type: array
              items:

```

```

    $ref: '#/components/schemas/WorkModel.TaskType'
  '400':
    description: The Task Type by ID could not be found
    content: {}
  '404':
    description: The Order Type is not found
    content: {}
  '409':
    description: The Task Type is already associated with the OrderType
    content: {}
  x-codegen-request-body-name: taskType
/oms/api/v1/ordertypes/{idOrName}/tasktypes/{taskIdOrName}:
delete:
  tags:
    - Order Types
  summary: Remove a Task Type from an Order Type.
  description: >-
    Remove a Task Type association from the Order Type. Both ID and Name can
    be used for both parameters. Each parameter can be a different
    combination of ID or Name.
  operationId: removeTaskTypeFromOrderType
  parameters:
    - name: idOrName
      in: path
      description: ID or Name of the Order Type
      required: true
      schema:
        type: string
    - name: taskIdOrName
      in: path
      description: ID or Name of the Task Type
      required: true
      schema:
        type: string
  responses:
    '204':
      description: Success
      content: {}
/oms/api/v1/tasktypes:
get:
  tags:
    - Task Types
  summary: Returns all Tasks Types
  description: Return all Tasks Types
  operationId: getTasksTypes
  responses:
    '200':
      description: TaskType Response
      content:
        application/json:
          schema:
            type: array
            items:

```

```

        $ref: '#/components/schemas/WorkModel.TaskType'
post:
  tags:
    - Task Types
  summary: Create a Task Type with optional Results list.
  description: Create a Task Type
  operationId: addTasksTypes
  requestBody:
    description: Task Type to create
    content:
      application/json:
        schema:
          $ref: '#/components/schemas/WorkModel.TaskTypeWithResults'
    required: true
  responses:
    '200':
      description: The created TaskType
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/WorkModel.TaskTypeWithResults'
  x-codegen-request-body-name: taskType
/oms/api/v1/tasktypes/{taskType}:
get:
  tags:
    - Task Types
  summary: Returns Tasks Type By ID or Name
  description: Returns Tasks Type By ID or Name
  operationId: getTaskType
  parameters:
    - name: taskType
      in: path
      description: Task Type
      required: true
      schema:
        type: string
  responses:
    '200':
      description: Success
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/WorkModel.TaskTypeWithResults'
put:
  tags:
    - Task Types
  summary: Replace existing Task Type
  description: >-
    Update an existing Task Type. This will completely replace the Task Type
    and must contain all of the data required.
  operationId: updateTaskType
  parameters:
    - name: taskType

```

```

      in: path
      required: true
      schema:
        type: string
    requestBody:
      description: TaskType to update
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/WorkModel.TaskTypeWithResults'
      required: true
    responses:
      '200':
        description: The updated TaskType.
        content:
          application/json:
            schema:
              $ref: '#/components/schemas/WorkModel.TaskTypeWithResults'
    x-codegen-request-body-name: inputTaskType
  delete:
    tags:
      - Task Types
    summary: Remove a TaskType
    description: Remove a TaskType.
    operationId: deleteTaskType
    parameters:
      - name: taskType
        in: path
        required: true
        schema:
          type: string
    responses:
      '200':
        description: Deleted TaskType.
        content: {}
      '404':
        description: TaskType not found.
        content: {}
/oms/api/v1/tasktypes/{idOrName}/results:
  get:
    tags:
      - Task Types
    summary: Returns all Tasks Results for a Task Type
    description: Return all Tasks Results for a Task Type
    operationId: getResultsByTaskType
    parameters:
      - name: idOrName
        in: path
        required: true
        schema:
          type: string
    responses:
      '200':

```

```

    description: TaskResults for a Task Type
    content:
      application/json:
        schema:
          $ref: '#/components/schemas/WorkModel.TaskResults'
  put:
    tags:
      - Task Types
    summary: Replace all of the possible results for a Task Type
    description: Replace Task Type Results
    operationId: setResultsByTaskType
    parameters:
      - name: idOrName
        in: path
        required: true
        schema:
          type: string
    requestBody:
      description: List of Task Type Results
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/WorkModel.TaskResults'
      required: true
    responses:
      '200':
        description: All the Task Type Results
        content:
          application/json:
            schema:
              $ref: '#/components/schemas/WorkModel.TaskResults'
    x-codegen-request-body-name: results
  post:
    tags:
      - Task Types
    summary: Add a new Result to the Task Type
    description: Add Result
    operationId: addTaskResult
    parameters:
      - name: idOrName
        in: path
        required: true
        schema:
          type: string
    requestBody:
      description: Task Result to create
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/WorkModel.TaskResult'
      required: true
    responses:
      '200':

```

```

    description: All the Task Type Results
    content:
      application/json:
        schema:
          $ref: '#/components/schemas/WorkModel.TaskResults'
    x-codegen-request-body-name: inputTaskResult
/oms/api/v1/tasktypes/{idOrName}/results/{result}:
delete:
  tags:
    - Task Types
  summary: Remove a Result from the Task Type
  description: Remove a Result.
  operationId: deleteTaskResult
  parameters:
    - name: idOrName
      in: path
      required: true
      schema:
        type: string
    - name: result
      in: path
      required: true
      schema:
        type: string
  responses:
    '204':
      description: Successfully removed the result.
      content: {}
    '404':
      description: Task Type or Result not found.
      content: {}
/oms/api/v1/settings/{settingId}:
get:
  tags:
    - Settings
  summary: Return a setting's value
  description: Return a setting's value from the Work Model
  operationId: getSettingValue
  parameters:
    - name: settingId
      in: path
      required: true
      schema:
        type: string
  responses:
    '200':
      description: Success
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/WorkModel.SettingValue'
put:
  tags:

```

```

    - Settings
    summary: Set a Work Model setting value
    description: Set a Work Model setting value
    operationId: updateSettingValue
    parameters:
      - name: settingId
        in: path
        required: true
        schema:
          type: string
    requestBody:
      description: The new setting value to update
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/WorkModel.SettingValue'
          required: true
    responses:
      '200':
        description: Success
        content: {}
    x-codegen-request-body-name: inputSettingValue
/oms/api/v1/orders/customfields:
get:
  tags:
    - Order Custom Fields
  summary: Return a list of all the Order Custom Field Definitions
  description: Return the Order Custom Field Definitions from the Work Model
  operationId: getOrderCustomFieldDefinitions
  responses:
    '200':
      description: OrderCustomFields Response
      content:
        application/json:
          schema:
            type: array
            items:
              $ref: '#/components/schemas/WorkModel.OrderCustomFieldDefinition'
put:
  tags:
    - Order Custom Fields
  summary: Set all Order Custom Field Definitions
  description: Set all Order Custom Field Definitions in the Work Model
  operationId: replaceOrderCustomFieldDefinitions
  requestBody:
    description: The new list of Order Custom Field Definitions to update
    content:
      application/json:
        schema:
          type: array
          items:
            $ref: '#/components/schemas/WorkModel.OrderCustomFieldDefinition'
    required: true

```

```

    responses:
      '200':
        description: Success
        content:
          application/json:
            schema:
              type: array
              items:
                $ref: '#/components/schemas/WorkModel.OrderCustomFieldDefinition'
    x-codegen-request-body-name: customFieldList
/oms/api/v1/links:
get:
  tags:
    - Links
  summary: Return a list of links between OMS Enterprise Objects
  description: A uni directional relationship between two OMS Enterprise objects
  operationId: getLinks
  parameters:
    - name: filter
      in: query
      schema:
        type: string
  responses:
    '200':
      description: Success
      content:
        application/json:
          schema:
            type: array
            items:
              $ref: '#/components/schemas/WorkModel.Link'
post:
  tags:
    - Links
  summary: Create a link between OMS Enterprise Objects
  description: A uni directional relationship between two OMS Enterprise objects
  operationId: createLink
  requestBody:
    description: The link
    content:
      application/json:
        schema:
          $ref: '#/components/schemas/WorkModel.Link'
    required: true
  responses:
    '200':
      description: Success
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/WorkModel.Link'
    x-codegen-request-body-name: link
/oms/api/v1/links/{linkId}:

```

```

get:
  tags:
    - Links
  summary: Return a link using it's primary key
  description: A uni directional relationship between two OMS Enterprise objects
  operationId: getLinkById
  parameters:
    - name: linkId
      in: path
      required: true
      schema:
        type: string
  responses:
    '200':
      description: Success
      content:
        application/json:
          schema:
            $ref: '#/components/schemas/WorkModel.Link'
delete:
  tags:
    - Links
  summary: Remove a link using it's primary key
  description: A uni directional relationship between two OMS Enterprise objects
  operationId: removeLinkById
  parameters:
    - name: linkId
      in: path
      required: true
      schema:
        type: string
  responses:
    '200':
      description: Success
      content: {}
components:
  schemas:
    WorkModel.Link:
      type: object
      properties:
        id:
          type: string
          nullable: true
        source:
          type: string
          nullable: true
        linkType:
          type: string
          nullable: true
        destination:
          type: string
          nullable: true
    WorkModel.WorkOrderPage:

```

```

type: object
properties:
  totalElements:
    type: integer
    nullable: true
  totalPages:
    type: integer
    nullable: true
  page:
    type: integer
    nullable: true
  count:
    type: integer
    nullable: true
  content:
    $ref: '#/components/schemas/WorkModel.WorkOrders'
WorkModel.WorkOrderStatus:
type: object
properties:
  value:
    type: string
    nullable: true
example:
  value: NEW
xml:
  name: orderStatus
WorkModel.WorkOrders:
type: array
items:
  $ref: '#/components/schemas/WorkModel.WorkOrder'
WorkModel.WorkOrder:
type: object
properties:
  orderId:
    type: string
    nullable: true
  orderName:
    type: string
    nullable: true
  orderType:
    type: string
    nullable: true
  orderStatus:
    type: string
    nullable: true
  projectId:
    type: string
    nullable: true
  incidentId:
    type: string
    nullable: true
  MergeOrderId:
    type: string

```

```
    nullable: true
  parentId:
    type: string
    nullable: true
  groupId:
    type: string
    nullable: true
  groupSeq:
    type: integer
    nullable: true
  dailySeq:
    type: integer
    nullable: true
  yearlySeq:
    type: integer
    nullable: true
  description:
    type: string
    nullable: true
  deviceId:
    type: string
    nullable: true
  serviceCenter:
    type: string
    nullable: true
  ownerId:
    type: string
    nullable: true
  organization:
    type: string
    nullable: true
  crewId:
    type: string
    nullable: true
  createTime:
    type: string
    format: date-time
    nullable: true
  createdBy:
    type: string
    nullable: true
  assignTime:
    type: string
    format: date-time
    nullable: true
  dispatchTime:
    type: string
    format: date-time
    nullable: true
  enrouteTime:
    type: string
    format: date-time
    nullable: true
```

```
arrivalTime:
  type: string
  format: date-time
  nullable: true
releaseTime:
  type: string
  format: date-time
  nullable: true
updatedAt:
  type: string
  format: date-time
  nullable: true
priority:
  type: integer
  nullable: true
summaryCrewStatus:
  type: string
  nullable: true
crewShiftStatus:
  type: string
  nullable: true
crewAvailabilityStatus:
  type: string
  nullable: true
crewMobileCommunicationStatus:
  type: string
  nullable: true
summaryTaskStatus:
  type: string
  nullable: true
locationDescription:
  type: string
  nullable: true
deleted:
  type: boolean
  nullable: true
deleteTime:
  type: string
  format: date-time
  nullable: true
fieldCompleteTime:
  type: string
  format: date-time
  nullable: true
cancelledTime:
  type: string
  format: date-time
  nullable: true
closedTime:
  type: string
  format: date-time
  nullable: true
suspendedTime:
```

```

    type: string
    format: date-time
    nullable: true
  suspendedReason:
    type: string
    nullable: true
  leadCrewHasCompletedWork:
    type: boolean
    nullable: true
  crews:
    type: array
    nullable: true
    xml:
      name: crews
      wrapped: true
    items:
      $ref: '#/components/schemas/WorkModel.Crew'
  customFields:
    type: array
    nullable: true
    xml:
      name: customFields
      wrapped: true
    items:
      $ref: '#/components/schemas/WorkModel.OrderCustomField'
  xml:
    name: order
WorkModel.OrderWithMetadata:
  type: object
  properties:
    order:
      $ref: '#/components/schemas/WorkModel.WorkOrder'
    metadata:
      type: object
      nullable: true
      additionalProperties:
        type: object
        properties: {}
  xml:
    name: orderWithMetadata
WorkModel.Crew:
  type: object
  properties:
    id:
      type: string
      nullable: true
    orderId:
      type: string
      nullable: true
    crewId:
      type: string
      nullable: true
    crewName:

```

```

    type: string
    nullable: true
  lead:
    type: boolean
    nullable: true
  hasCompletedWork:
    type: boolean
    nullable: true
  status:
    type: string
    nullable: true
  mobileCommunicationStatus:
    type: string
    nullable: true
  crewShiftStatus:
    type: string
    nullable: true
  crewAvailabilityStatus:
    type: string
    nullable: true
  assignTime:
    type: string
    format: date-time
    nullable: true
  dispatchTime:
    type: string
    format: date-time
    nullable: true
  enrouteTime:
    type: string
    format: date-time
    nullable: true
  arrivalTime:
    type: string
    format: date-time
    nullable: true
  releaseTime:
    type: string
    format: date-time
    nullable: true
  example:
    crewId: FI1520
    lead: true
    hasCompletedWork: false
    status: ONSITE
    assignTime: yyyy-MM-dd HH:mm:ss.SSSZ
    dispatchTime: 2019-12-03T16:23:24.405Z
    enrouteTime: 2019-12-03T16:23:24.405Z
    arrivalTime: 2019-12-03T16:23:24.405Z
    releaseTime: 2019-12-03T16:23:24.405Z
  xml:
    name: crew
  WorkModel.CrewStatus:

```

```

    type: object
    properties:
      value:
        type: string
        nullable: true
    example:
      value: ASSIGNED
    xml:
      name: crewStatus
WorkModel.CrewAssignment:
  type: object
  properties:
    orderId:
      type: string
      nullable: true
    crews:
      type: array
      items:
        $ref: '#/components/schemas/WorkModel.CrewDefinition'
    xml:
      name: crew-assignment
WorkModel.CrewDefinition:
  type: object
  properties:
    crewId:
      type: string
      nullable: true
    crewName:
      type: string
      nullable: true
    lead:
      type: boolean
      nullable: true
    xml:
      name: crew-definition
WorkModel.Outage:
  type: object
  properties:
    incidentId:
      type: string
      nullable: true
    incidentName:
      type: string
      nullable: true
    locationId:
      type: string
      nullable: true
    deviceId:
      type: string
      nullable: true
    serviceCenter:
      type: string
      nullable: true

```

```

    createTime:
      type: string
      nullable: true
      format: date-time
    createdBy:
      type: string
      nullable: true
    priority:
      type: integer
      nullable: true
    xml:
      name: outage
WorkModel.Task:
  type: object
  properties:
    taskId:
      type: string
      nullable: true
    taskType:
      type: string
      nullable: true
    taskStatus:
      type: string
      nullable: true
    crewId:
      type: string
      nullable: true
    crewAssignmentId:
      type: string
      nullable: true
    orderId:
      type: string
      nullable: true
    affectedCustomerCount:
      type: integer
      nullable: true
    restoredCustomerCount:
      type: integer
      nullable: true
    locationX:
      type: number
      nullable: true
    locationY:
      type: number
      nullable: true
    locationDescription:
      type: string
      nullable: true
    dispatcherComments:
      type: string
      nullable: true
    crewComments:
      type: string

```

```

    nullable: true
  taskResultName:
    type: string
    nullable: true
  completionTime:
    type: string
    format: date-time
    nullable: true
  createTime:
    type: string
    format: date-time
    nullable: true
  deviceOperation:
    nullable: true
    type: object
  properties:
    stepNum:
      type: integer
      nullable: true
    deviceId:
      type: string
      nullable: true
    stationName:
      type: string
      nullable: true
    deviceType:
      type: string
      nullable: true
    deviceTypeCode:
      type: string
      nullable: true
    switchType:
      type: string
      nullable: true
    switchTypeCode:
      type: string
      nullable: true
    phase:
      type: string
      nullable: true
    originalPhase:
      type: string
      nullable: true
    deviceIsScada:
      type: boolean
      nullable: true
  WorkModel.TaskStatus:
    type: object
  properties:
    value:
      type: string
      nullable: true
  example:

```

```

    value: NEW
WorkModel.TaskStatusInput:
  type: object
  properties:
    status:
      type: string
      nullable: true
    completionTime:
      type: string
      nullable: true
    result:
      type: string
      nullable: true
    userId:
      type: string
      nullable: true
    downstreamOrders:
      nullable: true
      type: array
      items:
        type: string
    excludedOrders:
      nullable: true
      type: array
      items:
        type: string
    phases:
      type: string
      nullable: true
WorkModel.OrderType:
  type: object
  properties:
    id:
      type: string
      nullable: true
    name:
      type: string
      nullable: true
  example:
    id: 7176589b-a3ca-472f-bf00-c253c351ddcc
    name: RESTORATION
WorkModel.OrderTypeWithTaskTypes:
  type: object
  properties:
    id:
      type: string
      nullable: true
    name:
      type: string
      nullable: true
    taskTypes:
      type: array
      items:

```

```

    $ref: '#/components/schemas/WorkModel.TaskType'
example:
  id: 7176589b-a3ca-472f-bf00-c253c351ddcc
  name: RESTORATION
  taskTypes:
    - id: 7176589b-a3ca-472f-bf00-c253c351ddcc
      name: INVESTIGATE
      userCreatable: true
    - id: 3471589e-a3ca-472f-bf00-c253c351ddcc
      name: CUSTOM_TYPE
      userCreatable: true
WorkModel.TaskType:
  type: object
  properties:
    id:
      type: string
      nullable: true
    name:
      type: string
      nullable: true
    userCreatable:
      type: boolean
      nullable: true
example:
  id: 7176589b-a3ca-472f-bf00-c253c351ddcc
  name: REPAIR
  userCreatable: false
WorkModel.TaskTypeWithResults:
  type: object
  properties:
    id:
      type: string
      nullable: true
    name:
      type: string
      nullable: true
    userCreatable:
      type: boolean
      nullable: true
    results:
      $ref: '#/components/schemas/WorkModel.TaskResults'
example:
  id: 7176589b-a3ca-472f-bf00-c253c351ddcc
  name: REPAIR
  userCreatable: false
  results:
    - OPENED
    - CLOSED
WorkModel.TaskResult:
  type: object
  properties:
    name:
      type: string

```

```

        nullable: true
    example:
        name: CLOSE
WorkModel.TaskResults:
    type: array
    example:
        - OPENED
        - CLOSED
        - DONE
    items:
        type: string
WorkModel.SettingValue:
    type: object
    properties:
        value:
            nullable: true
            type: string
    example:
        value: NEW
WorkModel.Error:
    type: object
    properties:
        timestamp:
            type: string
            format: date-time
            nullable: true
        path:
            type: string
            nullable: true
        status:
            type: integer
            nullable: true
        error:
            type: string
            nullable: true
        message:
            type: string
            nullable: true
        metadata:
            nullable: true
            type: object
            additionalProperties:
                type: string
WorkModel.OrderCustomField:
    type: object
    properties:
        id:
            type: string
            nullable: true
        orderId:
            type: string
            nullable: true
        fieldName:

```

```

    type: string
    nullable: true
  fieldValue:
    type: string
    nullable: true
  example:
    id: 7176589b-a3ca-472f-bf00-c253c351ddcc
    Orderid: 3056519c-b4ca-472f-bf00-c253c35142bc
    fieldName: SafteyCheck
    fieldValue: 'true'
WorkModel.OrderCustomFieldDefinition:
  type: object
  properties:
    fieldName:
      type: string
      nullable: true
    fieldType:
      type: string
      nullable: true
    codedType:
      type: string
      nullable: true
    displayText:
      type: string
      nullable: true
    locationTag:
      type: string
      nullable: true
    applicationType:
      type: string
      nullable: true
    isMandatory:
      type: boolean
      nullable: true
    isReadOnly:
      type: boolean
      nullable: true
  example:
    fieldName: SafteyCheck
    fieldType: CheckBox
    codedType: ''
    displayText: Is Safety Check Needed
    locationTag: ''
    applicationType: ''
    isMandatory: false
    isReadOnly: false

```