



GE VERNOVA

ADMS

16.25.1

OMS Process Automation User Guide

Copyright

Copyright 2026, GE Vernova and/or its affiliates ("GE Vernova"). All Rights Reserved.

GE and the GE Monogram are trademarks of General Electric Company used under trademark license.

This document is the confidential and proprietary information of GE Vernova and may not be reproduced, transmitted, stored, or copied in whole or in part, or used to furnish information to others, without the prior written permission of GE Vernova.

Change History

Date	Change Description
May 31, 2023	ADMS 3.16: • Updated Auto Transfer Tab. • Editorial and formatting updates.
Aug 23, 2023	ADMS 3.16.0.2: • Updated Configuration Parameters Tab.
Oct 20, 2023	ADMS 16.1.0: • Updated Auto-Assign Tab. • Updated Configuration Parameters Tab. • Added Automatic Crew Assignment Based on Affected Customer Count and Incident Max Count. • The product version numbering has changed. The prefix '3' is no longer included in the version numbering for ADMS.
Nov 10, 2023	ADMS 16.2.0: • Updated Auto-Assign Tab. • Updated Configuration Parameters Tab. • Added Dispatching a Crew to an Incident (SOMS). • Added Dispatching a Crew to an Incident (EOMS). • Added Automatic Crew Assignment for Non-stable Predicted Outages.
Jan 17, 2024	ADMS 16.4.0: • Updated Auto-Assign Tab. • Added Processing Orders.
Feb 21, 2024	ADMS 16.5.0: • Updated Auto-Assign Tab. • Added Automatic Crew Assignment - Reprocess Orders When Time Range or Date Range Does Not Match. • Added Automatic Crew Assignment - Reprocess Orders When Crew status Does Not Match. • Added Automatic Crew Assignment based on Organization Type and Organization (EOMS).
Apr 1, 2024	ADMS 16.7.0: • Updated document format and styling.

Date	Change Description
Jul 2, 2024	ADMS 16.10.0: • Updated Auto-Assign Tab. • Updated Auto Transfer Tab. • Updated Processing Orders. • Added Automatic Assignment Follows Transfer Organization.
Sep 24, 2024	ADMS 16.12.0: • Added section Automatic Assignment of Crew Based on Truck Zones.

Contents

1. Introduction	6
2. Process Automation Configuration Editor	7
2.1. Starting the Process Automation Configuration Editor	7
2.2. File Menu Options	7
2.3. Auto-Assign Tab	8
2.4. Auto Transfer Tab	11
2.5. Configuration Parameters Tab	14
3. Process Automation Application	17
3.1. Installing the Process Automation Prerequisites	17
3.2. Installing the Process Automation Application	17
3.3. Starting the Process Automation Application	17
3.4. Processing Orders	18
3.4.1. Evaluate Conditions for Auto-Assign Process Automation Application (SOMS)	18
3.4.2. Evaluate Conditions for Auto-Assign Process Automation Application (EOMS)	18
3.4.3. Evaluate Conditions for Auto-Transfer Process Automation Application (EOMS)	19
3.4.4. Auto Assign follows Auto-Transfer (EOMS)	19
3.5. Use Case Examples	19
3.5.1. Crew Auto-Assignment	19
3.5.1.1. Assigning a Crew to an Incident (SOMS)	19
3.5.1.2. Dispatching a Crew to an Incident (SOMS)	21
3.5.1.3. Requesting Crew Assignment from WFM (SOMS)	23
3.5.1.4. Assigning a Crew to an Incident (EOMS)	25
3.5.1.5. Dispatching a Crew to an Incident (EOMS)	27
3.5.1.6. Requesting Crew Assignment from WFM (EOMS)	30
3.5.1.7. Automatic Crew Assignment Based on Affected Customer Count and Incident Max Count	32
3.5.1.8. Automatic Crew Assignment for Non-stable Predicted Outages	34
3.5.1.9. Automatic Crew Assignment - Reprocess Orders When Time Range or Date Range Does Not Match	36
3.5.1.10. Automatic Crew Assignment - Reprocess Orders When Crew status Does Not Match	38
3.5.1.11. Automatic Crew Assignment based on Organization Type and Organization (EOMS)	40
3.5.1.12. Auto Assign orders that are In Progress	43
3.5.2. Automatic Transfer Organization	44
3.5.2.1. Automatic Organization Transferring using Auto-Select (EOMS)	44
3.5.2.2. Automatic Organization Transferring (EOMS)	45
3.5.2.3. Preventing automatic Organization Transferring (EOMS)	48
3.5.3. Automatic Assignment Follows Transfer Organization	49
3.5.3.1. Automatic Assignment using Organization rule transfers order first to an	

Organization value (EOMS)	49
3.5.3.2. Automatic Assignment using Organization rule transfers order first to an Auto-select Organization value (EOMS)	51
3.5.3.3. Automatic Assignment of Crew Based on Truck Zones	54

1. Introduction

During times of intense activity, routine work may remain unassigned for hours while available control center personnel are consumed with high-visibility, high impact outages. The ability to automatically assign routine work that fits typical outage profiles to appropriate crews without dispatcher intervention can significantly improve the restoration process.

The Process Automation application is designed for the initial crew assignment and dispatch for routine work, such as single customer outages, lateral outages, and distribution transformer outages that involve one crew. The application can also automatically transfer orders to the required organization.

The Process Automation Configuration Editor tool defines a set of assignment, dispatching, and transfer rules based on a variety of parameters, such as incident type, order type, device of record type, and system mode. The auto assignment rule action specifies whether the Process Automation application requests crew assignment from the WFM or attempts to find a suitable crew and make an assignment automatically. The auto transfer rule action specifies the organization type and name to transfer the order to.

2. Process Automation Configuration Editor

The Process Automation Configuration Editor defines incident and order assignment, dispatch, and transfer rules for the Process Automation application.




Figure 1. Process Automation Configuration Editor

2.1. Starting the Process Automation Configuration Editor

The Process Automation Configuration Editor installs with the Tools kit.

To start the Process Automation Configuration Editor, from the Microsoft Windows Start menu, go to **All Programs > Eterra > Distribution > Tools > Configuration Tools > Process Automation Configuration Editor**.

2.2. File Menu Options

In the Process Automation Configuration Editor window, the File menu includes the following commands:

- **Open:** Opens an alternate or existing ProcessAutoConfig.xml configuration file (by default,

stored in %IDMS_ROOT%\config\ProcessAutomation).

- **Save:** Saves changes to the currently open configuration file.
- **Save As:** Saves all changes to another configuration file.

The Process Automation Configuration Editor allows saving the configuration file under different names. However, when the Process Automation Configuration Editor starts, it automatically opens the default configuration file (ProcessAutoConfig.xml). The default file name is defined in the Process Automation Configuration Editor shortcut.

- **Exit:** Closes the application.

2.3. Auto-Assign Tab

Use the Auto-Assign tab to define rules to automatically assign or dispatch an incident or order based on different conditions.




Figure 2. Process Automation Configuration Editor - Auto-Assign Tab

When an incident or order is created, the Process Automation application evaluates the incident or order properties. If a rule matches the incident or order properties, the Process Automation application executes the action that is defined for the matching rule.

i Note

Even when two or more rules match, the Process Automation application applies only the first matching entry. Therefore, it is necessary to carefully sort the rule entries (from specific to

general) to get the desired behavior.

The Auto-Assign table includes the following fields:

- **Company:** Company the device of record of the incident or order belongs to.
- **State:** State the device of record of the incident or order belongs to.
- **County:** County the device of record of the incident or order belongs to.
- **City:** City the device of record of the incident or order belongs to.
- **Server Center:** Service center the device of record of the incident or order belongs to. The service center is used to find crews from a CrewArea. For example, if an outage is in a service center, allow auto-dispatch on any crew that belongs to any crew area that is associated with that service center.
- **Time Range:** Time range as defined on the Time Period tab in the OMS Server Configuration Editor. This matches the time when the incident was created. For more information, refer to the *OMS Server Configuration Editor User Guide*.
- **Date Range:** Date range as defined on the Time Period tab in the OMS Server Configuration Editor. This matches the date when the incident was created.
- **Order Type:** Order type, such as Restoration or Investigation. Order types are defined using the `WorkModelOrderType` coded translation item. For more information about the coded translation configuration, refer to the *Coded Translation Editor User Guide*. This option only appears when Process Automation works for the Enterprise OMS system.
- **Order Status:** Order status, such as New or Field Complete. Order statuses are defined using the `WorkModelOrderStatus` coded translation item. This option only appears when Process Automation works for the Enterprise OMS system.
- **Incident Type:** Incident type, such as Single Customer or Confirmed. Incident types are defined using the `IncidentType` coded translation item.
- **Incident Status:** Incident Status, such as Single Customer or Confirmed. Incident status are defined using the `IncidentWorkingStatus` coded translation item.
- **Non-Outage Type:** Non-outage incident type, such as Maintenance or Street Light. Non-outage incident types are defined using the `NonoutageType` coded translation item.
- **Device Type:** Type of the device of record the incident or order belongs to. Device types are defined using the `OutageDeviceType` coded translation item.
- **System Mode:** System mode, such as Storm or Major Storm. System modes are defined using the `SystemMode` coded translation item.
- **Priority Code:** Priority Code, such as Extreme or High or Low. Priority Code are defined using the `Priority_Code` coded translation item.
- **Affected Customers Count:** The maximum number of customers impacted by an incident up to which automatic dispatching will be used. For example, if you set the Affected Customers Count to 100, any incident affecting up to 100 customers will be automatically dispatched for resolution. However, larger outages will be processed manually.

- **Organization Type:** Organization Type as defined on the Organization tab in the OMS Server Configuration Editor. This matches the mapped organization where the order belongs to. For more information, refer to the *OMS Server Configuration Editor User Guide*.
- **Organization:** Organization as defined on the Organization tab in the OMS Server Configuration Editor. This matches the organization where the order belongs to. For more information, refer to the *OMS Server Configuration Editor User Guide*.
- **Action:** Action to be taken when the rule is satisfied.
 - **Do Nothing:** The Process Automation application does nothing when the rule is satisfied.
 - **Auto-Assign:** The Process Automation application assigns the crew to the incident or order.

The Process Automation application tries to assign the nearest crew among crews whose type, status, and crew area based on service center match the rule. The application tries to allocate number of incidents or orders to crew based on configured max count. If the application does not find any crew that matches the selection criteria, the application does not assign any crew.

Note

As long as auto-assign rules are not defined to assign work to crews with status values that trigger automatic release, Process Automation will not automatically re-assign work to the same crew when that crew is auto-unassigned or released.

- **Auto-Dispatch:** The Process Automation application dispatches a crew to the incident or order.

The Process Automation application tries to dispatch the nearest crew among crews whose type, status, and crew area based on service center match the rule. The application tries to allocate number of incidents or orders to crews based on configured max count. If the application does not find any crew that matches the selection criteria, the application does not dispatch any crew.

- **Request Dispatch:** The Process Automation application requests the incident or order dispatch from the Workforce Management System.

Note

The Process Automation application does not automatically assign or request dispatch for incidents or orders that are already assigned or requested for dispatch.

- **Crew Type:** The crew type to be assigned to the incident or order. Crew types are defined using the `CrewType` coded translation item.
- **Crew Status:** The crew status to be assigned to the incident or order. Crew statuses are defined using the `ArmsStatus` coded translation item. Applies only when the Auto-Assign action is selected.
- **Crew Work Status:** The crew work status to be assigned to the incident or order. Crew work statuses are defined using the `CrewWorkStatus` coded translation item. Applies only when the

Auto-Assign action is selected.

- **Crew Shift Status:** The crew shift status to be assigned to the incident or order. Crew shift statuses are defined using the `CrewShiftStatus` coded translation item. Applies only when the Auto-Assign action is selected.
- **Crew Availability Status:** The crew availability status to be assigned to the incident or order. Crew availability statuses are defined using the `CrewAvailabilityStatus` coded translation item. Applies only when the Auto-Assign action is selected.
- **Mobile Communication Status:** The ,mobile communication status to be assigned to the incident or order. Mobile communication statuses are defined using the `MobileCommunicationStatus` coded translation item. Applies only when the Auto-Assign action is selected.

Note

The Crew Type, Crew Status, Crew Work Status, Crew Shift Status, Crew Availability Status, and Mobile Communication Status columns enable the selection of multiple crew statuses.

To add, delete, or move rows (auto-assignment rules), use the following buttons:

- **Insert:** To insert a row.
- **Delete:** To delete a row.
- **Move Up:** To move a row one position up in the list.
- **Move Down:** To move a row one position down in the list.

2.4. Auto Transfer Tab

Use the Auto Transfer tab to define rules to automatically transfer an order to an organization based on different conditions. The Auto Transfer tab only appears when Enterprise OMS is selected on the Configuration Parameters tab.

Note

The organization type and name mapping and basic assignment rules are defined in the Outage Management System Server Configuration Editor. For more information, see the *Enterprise OMS Installation Guide* and *Outage Management System Server Configuration Editor User Guide*.




Figure 3. Process Automation Configuration Editor - Auto-Transfer Tab

When an order is created or updated, the Process Automation application evaluates the order properties. If a rule matches the order properties, the Process Automation application executes the action that is defined for the matching rule.

Note

Even when two or more rules match, the Process Automation application applies only the first matching entry. Therefore, it is necessary to carefully sort the rule entries (from specific to general) to get the desired behavior.

The Auto Transfer table includes the following fields:

- **Company:** Company the device of record of the incident or order belongs to.
- **State:** State the device of record of the incident or order belongs to.
- **County:** County the device of record of the incident or order belongs to.
- **City:** City the device of record of the incident or order belongs to.
- **Server Center:** Service center the device of record of the incident or order belongs to.
- **Time Range:** Time range as defined on the Time Period tab in the OMS Server Configuration Editor. This matches the time when the incident was created. For more information, refer to the *OMS Server Configuration Editor User Guide*.
- **Date Range:** Date range as defined on the Time Period tab in the OMS Server Configuration Editor. This matches the date when the incident was created.
- **Order Type:** Order type, such as Restoration or Investigation. Order types are defined using the WorkModelOrderType coded translation item. For more information about the coded translation configuration, refer to the *Coded Translation Editor User Guide*. This option only appears when Process Automation works for the Enterprise OMS system.
- **Order Status:** Order status, such as New or Field Complete. Order statuses are defined using the WorkModelOrderStatus coded translation item. This option only appears when Process

Automation works for the Enterprise OMS system.

- **Order Ownership:** Name of the user who owns the order.
- **Crew Summary Status:** The crew summary status. Crew summary statuses are defined using the `WorkModeCrewSummaryStatus` coded translation item.
- **Order Age:** The minimum age of the associated order, in minutes. The age is calculated as the number of minutes between the current time and the start time of the incident. When the order moves up or down the network, the age is recalculated based on the earliest trouble call or AMI outage notification.
- **Incident Type:** Incident type, such as Single Customer or Confirmed. Incident types are defined using the `IncidentType` coded translation item.
- **Incident Status:** Incident Status, such as Single Customer or Confirmed. Incident status are defined using the `IncidentWorkingStatus` coded translation item.
- **Non-Outage Type:** Non-outage incident type, such as Maintenance or Street Light. Non-outage incident types are defined using the `NonoutageType` coded translation item.
- **Device Type:** Type of the device of record the incident or order belongs to. Device types are defined using the `OutageDeviceType` coded translation item.
- **System Mode:** System mode, such as Storm or Major Storm. System modes are defined using the `SystemMode` coded translation item.
- **Priority Code:** Priority Code, such as Extreme or High or Low. Priority Code are defined using the `Priority_Code` coded translation item.
- **Critical Customer Count 1 -5:** The minimum count of a critical type of the associated order. Critical types are defined as coded translation items.
- **Total Critical Customer Count:** The sum of all critical types of customer counts. Critical types are defined as coded translation items.
- **Action:** Action to be taken when the rule is satisfied.
 - **Do Nothing:** The Process Automation application does nothing when the rule is satisfied.
 - **Transfer Organization:** The Process Automation application transfers the order to the selected organization type or name.
- **Organization Type:** The organization type to transfer the order to, such as Construction-Maintenance. Organization types are defined using the `WorkOrganizationTypes` coded translation item.
- **Organization:** The organization name to transfer the order to, such as C-M (East). Organization names are defined using the `WorkOrganizations` coded translation item. By default, the organization name is set to Auto-Select, which means that the system automatically selects an organization for each order using the geographic location of the order.

To add, delete, or move rows (auto transfer rules), use the following buttons:

- **Insert:** To insert a row.
- **Delete:** To delete a row.

- **Move Up:** To move a row one position up in the list.
- **Move Down:** To move a row one position down in the list.

2.5. Configuration Parameters Tab

Use the Configuration Parameters tab to define general Process Automation application settings.




Figure 4. Process Automation Configuration Editor - Configuration Parameters Tab

The Configuration Parameters tab includes the following options:

- **Log Folder Path:** Path to the folder where the Process Automation application log is recorded.

Note

You can also enable detailed logging using the `EnableDebugLog` and `ConsoleLogLevel` parameters in `ProcessAutoConfig.xml`. The `ConsoleLogLevel` parameter supports common enhanced logging service severity levels (UNKNOWN, INFOALWAYS, FATAL, ERROR, WARNING, INFO, DEBUG, DEBUG1, DEBUG2, and ALL). For example, ALL is used to log all severity messages on to console. The default log level is "ERROR, INFO".

- **OMS Interface Connection String:** The OMS Interface Server URL in the format `http://<Host>:<Port>/`. The OMS Interface Server implements crew assignment commands. In addition, set the following parameter in the `ProcessAutoConfig.xml` file:

- **OmsQueryUserID:** The OMS Interface Server trusted user ID that is used to connect to the OMS Interface Server as a trusted user. This parameter value must be same as the TRUSTED_USER_ID_OIS value in NetServerOmsConfig.xml file.
- **NetViewer Adapter Connection String:** The NetViewer Adapter URL in the format http://<Host>:<Port>/. The NetViewer Adapter provides incident, order, and crew data to the Process Automation application via the GraphQL interface.
- **Query Interval (Seconds):** Time period in seconds to query incident and order data.
- **Crews Query Interval (Seconds):** Time period in seconds to query crew data.
- **Crew Assigned Incident Max Count:** The maximum allowable incidents count for any crew during auto assignment. The minimum value is 1.
- **Auto-Assign Processing Interval (Minutes):** Time period in minutes to process data for auto-assignment.
- **Auto-Transfer Processing Interval (Minutes):** Time period in minutes to process data for auto-transfer.
- **Minimum age for auto-assigning predicted outages (minutes):** Time period in minutes to process non-stable predicted outages for auto-assignment. The minimum value configured should be more than 0 for processing and the age of predicted outages should be over the configured value for crew assignment. This configuration is applicable for Predicted and SingleCustomer IncidentTypes.
- **Applicable System:** Specifies whether the Process Automation application applies to the standard OMS or Enterprise OMS.
 - **Standard OMS:** If selected, the Process Automation application works in the scope of the standard OMS and assigns crews to incidents.
 - **Enterprise OMS:** If selected, the Process Automation application works in the scope of the Enterprise OMS and assigns crews to orders. If Enterprise OMS is selected, set the following parameters in the ProcessAutoConfig.xml file:
 - **WorkOrderServiceURL:** The Work Model Event Handler Service endpoint in the format http<s>://<Host>:<Port>/. When using the "https" mode, you must also specify the certificate subject name using the WorkOrderTlsSubjectName parameter.
 - **WorkModelTlsIgnoreRemoteNameMismatch:** Specifies whether the remote server certificate name mismatch is ignored. If set to True, the remote server certificate name can be different from the URL host name that is used to connect to the server.
 - **WorkOrderTlsSubjectName:** The certificate subject name that is used when searching for client certificates to send to the Work Model Event Handler Service.
 - **OmsInterfaceQueryServerURL:** The OMS Interface Server Query service URL is used to send the query request to get the default organization map when a matched rule has the Organization value set to Auto-Select.
 - **OmsServerConfigFilePath:** The OmsServerConfig.xml file is used to get the TimeRange and DateRange configurations defined in the Time Period tab of the OMS Server Configuration Editor for the Process Automation to evaluate rules based on the current

time.

i Note

When configuration changes appear in the Time-Period tab of OMS Server Configuration Editor, you must open the Process Automation Configuration Editor and resave the ProcessAutoConfig.xml file to update the time-period configuration.

i Note

When configuration parameters such as WorkOrderServiceURL, WorkModelTlsIgnoreRemoteNameMismatch are updated using an external tool, reload the file in the Process Automation Editor. If the file is already open in process automation editor, reload it to ensure changes made outside the editor are saved correctly.

3. Process Automation Application

The Process Automation application automatically assigns incidents and orders to the Workforce Management System (WFM) or field crews based on rules defined in the Process Automation Configuration Editor.

3.1. Installing the Process Automation Prerequisites

The Process Automation application requires the .NET 5.0 Runtime, the ASP.NET Core Runtime Hosting Bundle, and the .NET Desktop Runtime bundles, which are part of Microsoft .NET Framework 5. It is recommended to download the latest versions with all security updates from <https://dotnet.microsoft.com/download/dotnet/5.0>.

You can search online for these free downloads using the following text:

- .NET 5.0 Runtime version 5.0.9 or later

For example, <https://dotnet.microsoft.com/download/dotnet/thank-you/runtime-5.0.12-windows-x64-installer>.

- ASP.NET Core Runtime Hosting Bundle version 5.0.9 or later

For example, <https://dotnet.microsoft.com/download/dotnet/thank-you/runtime-aspnetcore-5.0.12-windows-x64-installer>.

- .NET Desktop Runtime version 5.0.9 or later

For example: <https://dotnet.microsoft.com/download/dotnet/thank-you/runtime-desktop-5.0.12-windows-x64-installer>.

3.2. Installing the Process Automation Application

To install the Process Automation application:

1. Run the ADMS_ProcessAutomation.msi kit.
2. Follow the installation wizard to install the Process Automation application.


By default, the application installs to D:\Eterra\Distribution\ProcessAutomation.

3.3. Starting the Process Automation Application

To start the Process Automation application, from the Microsoft Windows Start menu, go to **All Programs > Eterra > Distribution > IDMSProcessAutomation > Process Automation**.



The Process Automation application requires that the NetServer, OMS Interface Server, and NetViewer Adapter are running.



```
Process Automation Application
Unable to open variable file: Version_Variables.txt
11/26/2021 12:05:46.986 : INFO - Successfully loaded Process Automation Configuration file - D:\Eterra\Distribution\FantasyIsland\config\ProcessAutomation\ProcessAutoConfig.xml
11/26/2021 12:05:47.566 : INFO - Process Automation Tool is started running
11/26/2021 12:05:47.573 : INFO - Crew Assignment Algorithm Process Started
11/26/2021 12:05:47.573 : INFO - Sending OMS Request Process Started
11/26/2021 12:05:47.578 : INFO - Crew Service Started
11/26/2021 12:05:47.578 : INFO - Incident Service Started
11/26/2021 12:05:51.147 : INFO - Crew Service - Crews Count : 287
11/26/2021 12:05:51.159 : INFO - Incident Service - Incidents Count : 3, Incidents Considered For Auto-Assign are: 3
11/26/2021 12:05:51.597 : INFO - Running Crew Assignment Algorithm on Incident : 3300000002
11/26/2021 12:05:51.601 : INFO - Crew Assignment Request will be sent to WFM since Incident is matched with a rule where Action is RequestDispatch - 3300000002
11/26/2021 12:05:51.615 : INFO - Sending request for Crew Assignment to WFM Incident : 3300000002 , Id : 41f0d7fe-aaf3-4a5b-9d3c-d5fff291d323, CrewType : -1
11/26/2021 12:05:52.507 : INFO - Successfully sent Request to WFM for crew assignment to Incident : 3300000002 , Id : 41f0d7fe-aaf3-4a5b-9d3c-d5fff291d323
```

Figure 5. Process Automation Application

Note

The Process Automation application reads the configuration file only at startup.

3.4. Processing Orders

3.4.1. Evaluate Conditions for Auto-Assign Process Automation Application (SOMS)

The Process Automation application considers incidents that are not planned incidents and do not have an incident status of SENTTOWFM. For outage incidents, the customer count should be greater than zero and for non-outage incidents, the end time should not be set.

3.4.2. Evaluate Conditions for Auto-Assign Process Automation Application (EOMS)

The Process Automation application considers orders that are not PLANNED_SWITCHING order type and do not have an incident status of SENTTOWFM. For outage incidents, the customer count should be greater than zero and for non-outage incidents, the end time should not be set.

It always processes orders with an OrderStatus of New or Suspended or InProgress and a SummaryCrewStatus of Unassigned or Released until the orders are deleted from Orders tab of the OmsDisplayPlugin.

3.4.3. Evaluate Conditions for Auto-Transfer Process Automation Application (EOMS)

The Process Automation application considers orders that are not Cancelled or Closed order status.

3.4.4. Auto Assign follows Auto-Transfer (EOMS)

If the configuration file has both Auto-Assign rules and Auto-Transfer rules, the Process Automation application processes Auto-Transfer first and then Auto-Assign. If an order matches an Auto-select organization, a request is sent to ADMS to get the organization value. In the next Auto-Assign interval configuration, the application performs auto-assignment.

3.5. Use Case Examples

3.5.1. Crew Auto-Assignment


3.5.1.1. Assigning a Crew to an Incident (SOMS)

The following example demonstrates how the Process Automation application assigns a crew to an incident in standard OMS.


1. Open the Process Automation Configuration Editor.
2. Create a rule to automatically assign a foreman crew to a single customer incident.

For example:

- **Incident Type:** Single Customer
- **Action:** Auto Assign
- **Crew Type:** Crew Foreman
- **Crew Status:** Signed On



3. Start NetServer, OMS Interface Server, NetViewer Adapter, and the Process Automation application.
4. Start the client.
5. Create a single customer incident.




6. Make sure that the Process Automation application requested the crew assignment to the incident.

```

C:\Work\Code\IDMS\IDMS_Dev\dmsSource\bincore\x64\Debug\net6.0\ProcessAutomationApp.exe
1/10/2023 16:02:14.018 : ERROR - Hello World!!!
1/10/2023 16:02:14.558 : INFO - Successfully loaded Process Automation Configuration file - C:\Eterra\Distribution\CurrentDev\FantasyIsland\config\ProcessAutomation\ProcessAutoConfig.xml
1/10/2023 16:02:14.560 : INFO - Application started in Standard OMS mode.
1/10/2023 16:02:14.560 : INFO - Netviewer Adapter running on host : http://localhost:24468/
1/10/2023 16:02:14.560 : INFO - WorkModel services running on host : http://localhost:8080/
1/10/2023 16:02:14.561 : INFO - Oms Interface server running on host : http://localhost:8802/
1/10/2023 16:02:14.561 : INFO - Oms Interface Query server running on host : http://localhost:18802/api/adms/oms/v2/
1/10/2023 16:02:14.561 : INFO - Query Interval is 10 seconds
1/10/2023 16:02:14.561 : INFO - Crews Query Interval is 10 seconds
1/10/2023 16:02:14.561 : INFO - Auto-Assign Processing Interval is 1 minutes
1/10/2023 16:02:14.659 : INFO - Crew Service Started
1/10/2023 16:02:14.861 : INFO - Incident Service Started
1/10/2023 16:02:14.873 : INFO - Crew Assignment Algorithm Process Started
1/10/2023 16:02:14.876 : INFO - Sending Auto-Assign OMS Request Process Started
1/10/2023 16:02:14.877 : INFO - Process Automation Tool is started running
1/10/2023 16:02:15.056 : INFO - Crew Service - Crews Count : 260
1/10/2023 16:02:15.062 : INFO - Incident Service - Incidents Count : 4, Incidents Considered For Auto-Assign are: 1
1/10/2023 16:02:16.890 : INFO - Running Crew Assignment Algorithm on Incident : 3140000004
1/10/2023 16:02:16.920 : INFO - Sending request for Crew Assignment on Incident : 3140000004
1/10/2023 16:02:17.016 : INFO - Successfully ASSIGNED Crew to Incident : 3140000004 with Crew Id : FI1989

```

7. Make sure that the incident working status changes to Crew has been Dispatched to this Incident (Assigned).
8. Make sure that a crew foreman is assigned to the incident.




3.5.1.2. Dispatching a Crew to an Incident (SOMS)

The following example demonstrates how the Process Automation application dispatches a crew to an incident in standard OMS.

1. Open the Process Automation Configuration Editor.
2. Create a rule to automatically dispatch a crew to a confirmed incident.

For example:

- **Incident Type:** Confirmed
- **Action:** Auto Dispatch
- **Device Type:** Transformer



3. Start NetServer, OMS Interface Server, NetViewer Adapter, and the Process Automation application.
4. Start the client
5. Create a confirmed incident.



6. Make sure that the Process Automation application requested the crew dispatch to the incident.

```

11/09/2023 10:43:58.835 : INFO - Successfully loaded Process Automation Configuration file - C:\Iterra\Distribution\CurrentDev\FantasyIsland\config\ProcessAutomation\ProcessAutoConfig.xml
11/09/2023 10:43:58.842 : INFO - Application started in Standard OPS mode.
11/09/2023 10:43:58.843 : INFO - Netviewer Adapter running on host : http://localhost:24468/
11/09/2023 10:43:58.843 : INFO - MarkModel services running on host : http://localhost:8080/
11/09/2023 10:43:58.843 : INFO - Ops Interface server running on host : http://localhost:8082/
11/09/2023 10:43:58.843 : INFO - Ops Interface Query server running on host : http://localhost:10882/api/adms/oms/v2/
11/09/2023 10:43:58.843 : INFO - Query Interval is 30 seconds
11/09/2023 10:43:58.844 : INFO - Crews Query Interval is 10 seconds
11/09/2023 10:43:58.844 : INFO - Auto-Assign Processing Interval is 1 minutes
11/09/2023 10:43:59.073 : INFO - Crew Service Started
11/09/2023 10:43:59.499 : INFO - Incident Service Started
11/09/2023 10:43:59.519 : INFO - Crew Assignment Algorithm Process Started
11/09/2023 10:43:59.526 : INFO - Sending Auto-Assign OPS Request Process Started
11/09/2023 10:43:59.527 : INFO - Process Automation Tool is started running
11/09/2023 10:43:59.839 : INFO - Crew Service - Crews Count : 208
11/09/2023 10:43:59.853 : INFO - Incident Service - Incidents Count : 1, Incidents Considered For Auto-Assign are: 1
11/09/2023 10:44:01.537 : INFO - Running Crew Assignment Algorithm on Incident : 3130000002
11/09/2023 10:44:05.516 : INFO - Sending request for Crew Dispatch on Incident : 3130000002
11/09/2023 10:44:05.642 : INFO - Successfully DISPATCHED Crew to Incident : 3130000002 with Crew Id : FI1502

```

7. Make sure that the incident working status changes to Crew has been Dispatched to this Incident (Dispatched).
8. Make sure that a crew is dispatched to the incident.

Overview x Incidents (2) x

Reset Filter General Electric X

Incident Detail

Local Priorit y	Incident Status	Incident #	Incident Type 2	Incident Type	City	Servic e Center	Stat
1	Dispatched	3130000002	Confir...	Outage		Roarke	3LIO... RAV

Update Incident: 3130000002 - Currently locking the incident

Properties Crews Customers Switching Restoration Chronology

Dispatch Crew To Incident (54 ROWS)

Name	Crew Id	Crew Area	Default Crew Area	Is Evaluator	Created By	Idle	Work	Crew Type	Work Status	Shift Status	Availability	Mo Co Sta
Sherid...	FI1513	3Lion...	3Lion...	No		21	0	Local ...	SignOn	Unkno...	Unkno...	Un
Druha...	FI1519	Winge...	Winge...	No		21	0	Local ...	SignOn	Unkno...	Unkno...	Un
Webst...	FI1520	3Lion...	3Lion...	No		21	0	Local ...	SignOn	Unkno...	Unkno...	Un
Beaud...	FI1522	Pebbl...	Pebbl...	No		21	0	Local ...	SignOn	Unkno...	Unkno...	Un
Camp...	FI1523	Raven...	Raven...	No		21	0	Local ...	SignOn	Unkno...	Unkno...	Un

Filtering: Crew Areas Employee Types

Manual Dispatch: Dispatch Dispatch Evaluator

Auto Dispatch: None Dispatch By WFM

Current Assignments:

ID	Name	Radio Number	Current Status	Is Evaluator
FI1502	Dodge (1101)	1101	Dispatched	No

Incident Status: Crew has been Dispatched to this incident

Clear Incident Cancel Incident Unassign Ok Cancel Apply


3.5.1.3. Requesting Crew Assignment from WFM (SOMS)

The following example demonstrates how the Process Automation application requests the crew assignment to WFM in standard OMS.


1. Create a rule to automatically request crew assignment from WFM.

For Example:

- **Incident Type:** Confirmed
- **Action:** Auto Dispatch
- **Device Type:** Transformer



2. Start NetServer, OMS Interface Server, NetViewer Adapter, and the Process Automation application.
3. Start the client.
4. Create a confirmed incident.




5. Make sure that the Process Automation application requested the crew assignment from the Workforce Management System.

```

Process Automation Application
Unable to open variable file: Version.Variables.txt
11/26/2021 12:05:46.986 : INFO - Successfully loaded Process Automation Configuration file - D:\Eterra\Distribution\FantasyIslan
d\config\ProcessAutomation\ProcessAutoConfig.xml
11/26/2021 12:05:47.566 : INFO - Process Automation Tool is started running
11/26/2021 12:05:47.573 : INFO - Crew Assignment Algorithm Process Started
11/26/2021 12:05:47.573 : INFO - Sending OMS Request Process Started
11/26/2021 12:05:47.578 : INFO - Crew Service Started
11/26/2021 12:05:47.578 : INFO - Incident Service Started
11/26/2021 12:05:51.147 : INFO - Crew Service - Crews Count : 287
11/26/2021 12:05:51.159 : INFO - Incident Service - Incidents Count : 3, Incidents Considered For Auto-Assign are: 3
11/26/2021 12:05:51.597 : INFO - Running Crew Assignment Algorithm on Incident : 3300000002
11/26/2021 12:05:51.601 : INFO - Crew Assignment Request will be sent to WFM since Incident is matched with a rule where Action
is RequestDispatch - 3300000002
11/26/2021 12:05:51.615 : INFO - Sending request for Crew Assignment to WFM Incident : 3300000002 , Id : 41f0d7fe-aaf3-4a5b-9d3c
-d5fff291d323, CrewType : -1
11/26/2021 12:05:52.507 : INFO - Successfully sent Request to WFM for crew assignment to Incident : 3300000002 , Id : 41f0d7fe-a
af3-4a5b-9d3c-d5fff291d323

```

6. Make sure that the incident working status changes to Crew Dispatch Sent to WFM.




3.5.1.4. Assigning a Crew to an Incident (EOMS)

The following example demonstrates how the Process Automation application assigns a crew to an order in Enterprise OMS.


1. Open the Process Automation Configuration Editor.
2. Create a rule to automatically assign a local lineman crew to a single customer incident.

For example:

- **Order Type:** Manual Switching
- **Action:** Auto Assign



3. Start NetServer, OMS Interface Server, NetViewer Adapter, Enterprise OMS services, and the Process Automation application.
4. Start the client.
5. Create a manual switching order.
6. Make sure that the Process Automation application requested the crew assignment to the order.



7. Make sure that a crew is assigned to the order and the crew status is set to Assigned.

The screenshot displays the EOMS interface with two main panels. The left panel, titled "Manual Switching Order 3300000002-1", shows order details: Affected Customers (Current / Initial) 7 / 7, Current ETR 14:00 11/26, Duration (min) 0, CMI 6, and Calls (priority / all) 0 / 0. It includes sections for Status (In Progress), Instructions & Customer Notes (Case Note, Outage Recorded, Instructions, Dispatcher Comments, Crew Comments), Tasks (1), and Responsibilities (Owner & Organization, Service Center, Crew(s)). The right panel, titled "Incident 3300000009", shows incident details: 8369 West St, Roarke, 6-7612-2531-0-1 | F8863 RAVEN (Roarke). It includes sections for General, Facility, Customers, Damage Assessment, and More. The Details section shows Incident type Confirmed, Planned outage ID ---, Work order ID ---, Working Status Incident is unassigned, Callback Automatic, and Follow up required checkbox. The Fault Location section shows Location source None specified and Cause section.


3.5.1.5. Dispatching a Crew to an Incident (EOMS)

The following example demonstrates how the Process Automation application dispatches a crew to an order in Enterprise OMS.

1. Open the Process Automation Configuration Editor.
2. Create a rule to automatically dispatch a local lineman crew to a single customer incident.

For Example:

- **Incident Type:** Confirmed
- **Action:** Auto Dispatch
- **Device Type:** Transformer



3. Start NetServer, OMS Interface Server, NetViewer Adapter, Enterprise OMS services, and the Process Automation application.
4. Start the client.
5. Create a confirmed incident.



6. Make sure that the Process Automation application requested the crew dispatch to the incident.

```

11/09/2023 10:43:58.835 : INFO - Successfully loaded Process Automation Configuration file - C:\Terra\Distribution\CurrentDev\FantasyIsland\config\ProcessAutomation\ProcessAutoConfig.xml
11/09/2023 10:43:58.842 : INFO - Application started in Standard OPS mode.
11/09/2023 10:43:58.843 : INFO - Netviewer Adapter running on host : http://localhost:24468/
11/09/2023 10:43:58.843 : INFO - MarkModel services running on host : http://localhost:8080/
11/09/2023 10:43:58.843 : INFO - Ops Interface server running on host : http://localhost:8082/
11/09/2023 10:43:58.843 : INFO - Ops Interface Query server running on host : http://localhost:10882/api/adms/oms/v2/
11/09/2023 10:43:58.843 : INFO - Query Interval is 30 seconds
11/09/2023 10:43:58.844 : INFO - Crews Query Interval is 10 seconds
11/09/2023 10:43:58.844 : INFO - Auto-Assign Processing Interval is 1 minutes
11/09/2023 10:43:59.073 : INFO - Crew Service Started
11/09/2023 10:43:59.499 : INFO - Incident Service Started
11/09/2023 10:43:59.519 : INFO - Crew Assignment Algorithm Process Started
11/09/2023 10:43:59.526 : INFO - Sending Auto-Assign OPS Request Process Started
11/09/2023 10:43:59.527 : INFO - Process Automation Tool is started running
11/09/2023 10:43:59.839 : INFO - Crew Service - Crews Count : 208
11/09/2023 10:43:59.853 : INFO - Incident Service - Incidents Count : 1, Incidents Considered For Auto-Assign are: 1
11/09/2023 10:44:01.537 : INFO - Running Crew Assignment Algorithm on Incident : 3130000002
11/09/2023 10:44:05.516 : INFO - Sending request for Crew Dispatch on Incident : 3130000002
11/09/2023 10:44:05.642 : INFO - Successfully DISPATCHED Crew to Incident : 3130000002 with Crew ID : FT1502

```

7. Make sure that a crew is dispatched to the incident and the crew status is set to Dispatched.

8. Make sure that a crew is dispatched to the incident.

The screenshot shows the OMS - OMS Display - idmscurrentdev application. The left sidebar contains a navigation menu with various summary and incident categories. The main area displays the 'Order List' table, which includes columns for Order, Incident Type, Status, Service Center, Crews, Crew Status, and Station. The table lists several orders, with the last two rows highlighted in red.

Order	Incident Type	Status	Service Center	Crews	Crew Status	Station
3120000087-1	51	Field Complete			Released	
3120000088-1	57	Field Complete			Released	
3120000089-1	74	Field Complete			Released	
3120000090-1	77	In Progress		Druhan...	Dispatched	
3120000091-1	75	New		Thomp...	Assigned	
3120000092-1	78	In Progress		Beaud...	Dispatched	
3120000093-1	76	New		Myers (...)	Assigned	
3120000094-1	79	In Progress		Campb...	Dispatched	
3120000095-1	80	New				
3130000097-1	1	Outage	3LIONSSC	Dodge ...	Dispatched	RAVEN
3130000098-1	2	Outage	3LIONSSC	Sherid...	Dispatched	RAVEN

The screenshot shows the details for Incident 3130000003. The top section displays key metrics: Affected Customers (10 / 10), ITR/ETR (11:20 / 11:09), Duration (11 min), CMI (117), and Calls (0 / 0). The 'Status' section shows the incident is 'Confirmed'. The 'Responsibilities' section lists the Owner & Organization as 'Transfer (SysOps (Highlands))', the Service Center as '3LIONSSC', and the Crew(s) as 'Sheridan (1102) (LEAD)'. The 'Details' section shows the Incident type as 'Confirmed', the Planned outage ID as '---', the Work order ID as '---', and the Working Status as 'Crew has been Dispatched to this incident'.


3.5.1.6. Requesting Crew Assignment from WFM (EOMS)

The following example demonstrates how the Process Automation application requests the crew assignment from WFM in Enterprise OMS.


1. Create a rule to automatically request crew assignment from WFM.

For example:

- **Order Type:** Manual Switching
- **Incident Type:** Confirmed
- **Device Type:** Fuse
- **Action:** Request Dispatch
- **Crew Type:** Local Lineman



2. Start NetServer, OMS Interface Server, NetViewer Adapter, Enterprise OMS services, and the Process Automation application.
3. Start the client.
4. Create a manual switching order on a fuse.



5. Make sure that the Process Automation application requested the crew assignment from the Workforce Management System.


```

Process Automation Application
Unable to open variable file: Version_Variables.txt
11/26/2021 12:51:44.791 : INFO - Successfully loaded Process Automation Configuration file - D:\Eterra\Distribution\Fant
asyIsland\config\ProcessAutomation\ProcessAutoConfig.xml
11/26/2021 12:51:44.852 : INFO - Process Automation Tool is started running
11/26/2021 12:51:44.857 : INFO - Crew Assignment Algorithm Process Started
11/26/2021 12:51:44.861 : INFO - WorkOrder Service Started
11/26/2021 12:51:44.861 : INFO - Crew Service Started
11/26/2021 12:51:44.870 : INFO - Sending OMS Request Process Started
11/26/2021 12:51:45.303 : INFO - Crew Service - Crews Count : 287
11/26/2021 12:52:35.549 : INFO - WorkOrder Service - Workorders Count : 1, Workorders Considered For Auto-Assign are: 1
11/26/2021 12:52:37.166 : INFO - Running Crew Assignment Algorithm on Workorder : 3300000003-1
11/26/2021 12:52:37.170 : INFO - Crew Assignment Request will be sent to WFM since Workorder is matched with a rule whe
re Action is RequestDispatch - 3300000003-1
11/26/2021 12:52:37.391 : INFO - Sending request for Crew Assignment to WFM Workorder : 3300000003-1 , Id : a5d5f1df-f47
a-48b1-879b-1fc1ff3c60e6, CrewType : 3100
11/26/2021 12:52:37.428 : INFO - Successfully sent Request to WFM for crew assignment to Workorder : 3300000003-1 , Id :
a5d5f1df-f47a-48b1-879b-1fc1ff3c60e6


```

6. Make sure that the working status of the incident that is associated with the order changes to Crew Dispatch Sent to WFM.

- Set the Crews Assigned Incident Max Count value to 2



3. Start NetServer, OMS Interface Server, NetViewer Adapter, Enterprise OMS services, and the Process Automation application.
4. Start the client.
5. Create confirmed incidents in 3LIONSSC service center.



In Region 1, incidents that satisfy the affected customer count rule (with fewer customers than specified in the rule) are considered for crew assignment. In Region 2, incidents do not meet the affected customer count rule's condition as there are more than 10 affected customers for each incident, so these incidents are not considered for crew assignment.

6. Make sure that the Process Automation application performs the required auto crew assignments.

```

10/18/2023 16:43:21.404 : INFO - Query Interval is 10 seconds
10/18/2023 16:43:21.404 : INFO - Crews Query Interval is 10 seconds
10/18/2023 16:43:21.404 : INFO - Auto-Assign Processing Interval is 1 minutes
10/18/2023 16:43:21.429 : INFO - Crew Service Started
10/18/2023 16:43:21.528 : INFO - Incident Service Started
10/18/2023 16:43:21.532 : INFO - Crew Assignment Algorithm Process Started
10/18/2023 16:43:21.536 : INFO - Sending Auto-Assign OMS Request Process Started
10/18/2023 16:43:21.536 : INFO - Process Automation Tool is started running
10/18/2023 16:43:21.689 : INFO - Crew Service - Crews Count : 254
10/18/2023 16:43:21.694 : INFO - Incident Service - Incidents Count : 6, Incidents Considered For Auto-Assign are: 6
10/18/2023 16:43:23.561 : INFO - Running Crew Assignment Algorithm on Incident : 2910000001
10/18/2023 16:43:23.562 : INFO - No Matched Auto-Assign Rule found for Incident - 2910000001
10/18/2023 16:43:23.563 : INFO - Running Crew Assignment Algorithm on Incident : 2910000019
10/18/2023 16:43:23.569 : INFO - Running Crew Assignment Algorithm on Incident : 2910000020
10/18/2023 16:43:23.569 : INFO - Running Crew Assignment Algorithm on Incident : 2910000017
10/18/2023 16:43:23.569 : INFO - No Matched Auto-Assign Rule found for Incident - 2910000017
10/18/2023 16:43:23.569 : INFO - Running Crew Assignment Algorithm on Incident : 2910000018
10/18/2023 16:43:23.570 : INFO - No Matched Auto-Assign Rule found for Incident - 2910000018
10/18/2023 16:43:23.570 : INFO - Running Crew Assignment Algorithm on Incident : 2910000021
10/18/2023 16:43:25.585 : INFO - Sending request for Crew Assignment on Incident : 2910000019
10/18/2023 16:43:25.665 : INFO - Successfully Assigned Crew to Incident : 2910000019 with Crew Id : FI1519
10/18/2023 16:43:26.673 : INFO - Sending request for Crew Assignment on Incident : 2910000020
10/18/2023 16:43:26.750 : INFO - Successfully Assigned Crew to Incident : 2910000020 with Crew Id : FI1519
10/18/2023 16:43:29.786 : INFO - Sending request for Crew Assignment on Incident : 2910000021
10/18/2023 16:43:29.864 : INFO - Successfully Assigned Crew to Incident : 2910000021 with Crew Id : FI1526

```

Incidents 2910000019 and 2910000020 are assigned to FI1519 (with a maximum of two incidents per crew). Subsequently, incident 2910000021 is assigned to FI1526.

In this example, we disabled the crews from the 3Lion District Crews, and the process automation selected the crews from the Winged Foot District Crews, which is also associated with the 3LIONSSC service center.


CrewName	Crew ETA	Crew Area	Default Crew Area
Ruderman [4416] - AUT...		West Crews	West Crews
Thomas [5254] - AUTO		West Crews	West Crews
Walker [4401] - AUTO		West Crews	West Crews
Webster (4067)		West Crews	West Crews
Wooster [4412] - AUTO		West Crews	West Crews
Wulf (1405)		West Crews	West Crews
Wulf [5257] - AUTO		West Crews	West Crews
Joiner (1159)		Whistler District Crews	Whistler District Crews
Druhan (1118)	1-01-...	Winged Foot District Crews	Winged Foot District Crews
Prentice (1119)		Winged Foot District Crews	Winged Foot District Crews
Scott (1120)	1-01-...	Winged Foot District Crews	Winged Foot District Crews
Thompson (1121)	1-01-...	Winged Foot District Crews	Winged Foot District Crews

3.5.1.8. Automatic Crew Assignment for Non-stable Predicted Outages

The following example demonstrates how the Process Automation application auto assigns the crew to a non-stable predicted outages based on the config parameter "Minimum age for auto-assigning predicted outages (minutes)".

1. Open the Process Automation Configuration Editor.
2. In config Params tab, set the Minimum age for auto-assigning predicted outages (minutes)


value to 1.



3. Create a rule for auto-assigning predicted outage.

For Example:


- **Incident Type:** Predicted
- **Action:** Auto Assign



4. Start NetServer, OMS Interface Server, NetViewer Adapter, Enterprise OMS services, and the Process Automation application.

5. Start the client.

6. Create two single customers under a single transformer and wait until the non-stable predicted outage is created (for example, Incident 3110000023 is created).



7. The Process Automation application waits till the age of non-stable predicted outages is greater than the configurable age as set in step 2.
8. Once the configurable age is crossed then the non-stable predicted outage is assigned with a crew as shown in the below image.

```
Process Automation Application
11/07/2023 17:13:32.313 : INFO - Successfully loaded Process Automation Configuration file - C:\Eterra\Distribution\CurrentDev\FantasyIsland\config\ProcessAutomation\ProcessAutoConfig.xml
11/07/2023 17:13:32.321 : INFO - Application started in Standard OMS mode.
11/07/2023 17:13:32.321 : INFO - Netviewer Adapter running on host : http://localhost:24468/
11/07/2023 17:13:32.322 : INFO - WorkModel services running on host : http://localhost:8080/
11/07/2023 17:13:32.322 : INFO - Oms Interface server running on host : http://localhost:8802/
11/07/2023 17:13:32.322 : INFO - Oms Interface Query server running on host : http://localhost:18802/api/adms/oms/v2/
11/07/2023 17:13:32.322 : INFO - Query Interval is 10 seconds
11/07/2023 17:13:32.322 : INFO - Crews Query Interval is 10 seconds
11/07/2023 17:13:32.322 : INFO - Auto-Assign Processing Interval is 1 minutes
11/07/2023 17:13:37.217 : INFO - Crew Service Started
11/07/2023 17:13:37.564 : INFO - Incident Service Started
11/07/2023 17:13:37.574 : INFO - Crew Assignment Algorithm Process Started
11/07/2023 17:13:37.588 : INFO - Sending Auto-Assign OMS Request Process Started
11/07/2023 17:13:37.589 : INFO - Process Automation Tool is started running
11/07/2023 17:13:37.866 : INFO - Crew Service - Crews Count : 260
11/07/2023 17:13:37.883 : INFO - Incident Service - Incidents Count : 12, Incidents Considered For Auto-Assign are: 1
11/07/2023 17:13:57.587 : INFO - Running Crew Assignment Algorithm on Incident : 3110000023
11/07/2023 17:13:59.383 : INFO - Sending request for Crew Assignment on Incident : 3110000023
11/07/2023 17:13:59.781 : INFO - Successfully ASSIGNED Crew to Incident : 3110000023 with Crew Id : FI1523
```

Incidents 3110000023 is assigned to FI1523.

3.5.1.9. Automatic Crew Assignment - Reprocess Orders When Time Range or Date Range Does Not Match


The following example demonstrates how the Process Automation application auto assigns the

crew by reprocessing the order until it matches with the Time Range and Date Range values if current time doesn't match the configured time and date range of the rule.


1. Open the Process Automation Configuration Editor.
2. Create a rule with Time Range and Date Range values selected.

For example:

- **Incident Type:** Single Customer
- **Time Range:** Shift 1
- **Date Range:** Spring



3. Start NetServer, OMS Interface Server, NetViewer Adapter, Enterprise OMS services, and the Process Automation application.
4. Start the client.
5. Create one single customer incident (for example, incident 0430000001 is created)



6. The Process Automation application waits till the current system time is in the range of Time and Date range values provided in the rule created as in step 2.
7. If the current system time is not in the range of values then console the message as shown below and reconsiders the order again in the next interval until matches with Time and Date Range values

```

C:\WorkCode\OMS\OMS_Devel\Source\bin\conf\MSDebug\util\ProcessAutomationApp.exe
02/12/2024 19:42:29.290 : INFO - Successfully loaded Process Automation Configuration file - C:\Internal\Distribution\CurrentDev\FantasyIs
land\config\ProcessAutomation\ProcessAutoConfig.xml
02/12/2024 19:42:29.383 : INFO - Application started in Enterprise OMS mode.
02/12/2024 19:42:29.383 : INFO - Netviewer Adapter running on host : http://localhost:24400/
02/12/2024 19:42:29.383 : INFO - WorkModel services running on host : http://localhost:8080/
02/12/2024 19:42:29.383 : INFO - Oms Interface server running on host : http://localhost:8802/
02/12/2024 19:42:29.383 : INFO - Oms Interface Query server running on host : http://localhost:18802/api/adms/oms/v2/
02/12/2024 19:42:29.384 : INFO - Query Interval is 10 seconds
02/12/2024 19:42:29.384 : INFO - Crews Query Interval is 10 seconds
02/12/2024 19:42:29.384 : INFO - Auto-Assign Processing Interval is 1 minutes
02/12/2024 19:42:29.384 : INFO - Auto-Transfer Processing Interval is 1 minutes
02/12/2024 19:42:32.971 : INFO - Crew Service Started
02/12/2024 19:42:33.380 : INFO - WorkOrder Service Started
02/12/2024 19:42:33.387 : INFO - Crew Assignment Algorithm Process Started
02/12/2024 19:42:33.331 : INFO - Sending Auto-Assign OMS Request Process Started
02/12/2024 19:42:33.332 : INFO - Auto-Transfer Rules not found in the config file.
02/12/2024 19:42:33.333 : INFO - Process Automation Tool is started running
02/12/2024 19:42:36.640 : INFO - Crew Service - Crews Count : 260
02/12/2024 19:42:36.662 : INFO - WorkOrder Service - Workorders Count : 1, Workorders Considered For Auto-Assign are: 1
02/12/2024 19:42:37.346 : INFO - Running Crew Assignment Algorithm on Workorder : 04300000001-1
02/12/2024 19:42:37.349 : INFO - No Matched Auto-Assign Rule on Time & Date Range values found for Workorder - 04300000001-1
02/12/2024 19:43:37.361 : INFO - Running Crew Assignment Algorithm on Workorder : 04300000001-1
02/12/2024 19:43:37.361 : INFO - No Matched Auto-Assign Rule on Time & Date Range values found for Workorder - 04300000001-1
02/12/2024 19:44:37.376 : INFO - Running Crew Assignment Algorithm on Workorder : 04300000001-1
02/12/2024 19:44:37.376 : INFO - No Matched Auto-Assign Rule on Time & Date Range values found for Workorder - 04300000001-1

```


3.5.1.10. Automatic Crew Assignment - Reprocess Orders When Crew status Does Not Match

The following example demonstrates how the Process Automation application auto assigns the crew by reprocessing the order until it matches with the crew statuses configured in the rules.


1. Open the Process Automation Configuration Editor.
2. Create a rule with Time Range and Date Range values selected.

For example:


- **Incident Type:** Single Customer
- **Crew Type:** Lead Lineman, Local Lineman
- **Crew Status:** Dispatched, Assigned



3. Start NetServer, OMS Interface Server, NetViewer Adapter, Enterprise OMS services, and the Process Automation application.
4. Start the client.
5. Create two single customer incident (for example, incident 04300000001, 04300000002 are created)



6. The Process Automation application matches a rule parameters (all params to left side of Action column) but no crew available then wait till the crews with configured crew statuses available for the rule as in step 2.
7. When no crew available then Process Automation application consoles the message as shown below and reconsiders the order again in the next interval until crew(s) available with configured statuses.



8. After successful match on crew statuses, it assigned crew with FI1502 that has Dispatched status to the incident 0430000002-1

Overview

Incidents (2)

Orders (2)

Order List

C

P

S

A

C

R

M

N

Order

List

Pri

Type

Incident Type

Status

Service Center

Crew Status

Crews

					0430000001-1	1	Restoration	Outage	New	3LIONSSC	Dispatched	Dodge (1101)
					0430000002-1	2	Restoration	Outage	New	3LIONSSC	Assigned	Dodge (1101)

```

Process Automation
02/12/2024 22:29:31.355 : INFO - Successfully loaded Process Automation Configuration file - C:\Eterra\Distribution\CurrentDev\FantasyIsland\config\ProcessAutomation\ProcessAutoConfig.xml
02/12/2024 22:29:31.359 : INFO - Application started in Enterprise OMS mode.
02/12/2024 22:29:31.359 : INFO - Netviewer Adapter running on host : http://localhost:24468/
02/12/2024 22:29:31.359 : INFO - WorkModel services running on host : http://localhost:8080/
02/12/2024 22:29:31.359 : INFO - Oms Interface server running on host : http://localhost:8080/
02/12/2024 22:29:31.360 : INFO - Oms Interface Query server running on host : http://localhost:18802/api/adms/oms/v2/
02/12/2024 22:29:31.360 : INFO - Query Interval is 10 seconds
02/12/2024 22:29:31.360 : INFO - Crews Query Interval is 10 seconds
02/12/2024 22:29:31.360 : INFO - Auto-Assign Processing Interval is 1 minutes
02/12/2024 22:29:31.360 : INFO - Auto-Transfer Processing Interval is 1 minutes
02/12/2024 22:29:31.398 : INFO - Crew Service Started
02/12/2024 22:29:31.559 : INFO - WorkOrder Service Started
02/12/2024 22:29:31.565 : INFO - Crew Assignment Algorithm Process Started
02/12/2024 22:29:31.575 : INFO - Sending Auto-Assign OMS Request Process Started
02/12/2024 22:29:31.575 : INFO - Auto-Transfer Rules not found in the config file.
02/12/2024 22:29:31.575 : INFO - Process Automation Tool is started running
02/12/2024 22:29:31.753 : INFO - Crew Service - Crews Count : 260
02/12/2024 22:29:31.761 : INFO - WorkOrder Service - Workorders Count : 2, Workorders Considered For Auto-Assign are: 1
02/12/2024 22:29:33.577 : INFO - Running Crew Assignment Algorithm on Workorder : 0430000002-1
02/12/2024 22:29:33.593 : INFO - Sending request for Crew Assignment on Workorder : 0430000002-1
02/12/2024 22:29:33.753 : INFO - Successfully ASSIGNED Crew to Workorder : 0430000002-1 with Crew Id : FI1502

```

3.5.1.11. Automatic Crew Assignment based on Organization Type and Organization (EOMS)

The following example demonstrates how the Process Automation application auto assigns the crew based-on organization type and organization configured in the rules.

1. Open the Process Automation Configuration Editor and create a rule with organization and organization type selected.

Scenario -1:

- **Incident Type:** Single Customer
- **Organization Type:** NA
- **Organization:** NA



2. Start NetServer, OMS Interface Server, NetViewer Adapter, Enterprise OMS services, and the Process Automation application.
3. Start the client.
4. Create one single customer order (for example, order 0450000010 is created)



5. Make sure that the Process Automation application requested the crew assignment to the order.


```

Process Automation
02/14/2024 19:14:24.443 : INFO - Successfully loaded Process Automation Configuration file - C:\Eterra\Distribution\CurrentDev\FantasyIsland\config\ProcessAutomation\ProcessAutoConfig.xml
02/14/2024 19:14:24.447 : INFO - Application started in Enterprise OMS mode.
02/14/2024 19:14:24.447 : INFO - Netviewer Adapter running on host : http://localhost:24468/
02/14/2024 19:14:24.447 : INFO - WorkModel services running on host : http://localhost:8080/
02/14/2024 19:14:24.447 : INFO - Oms Interface server running on host : http://localhost:8802/
02/14/2024 19:14:24.447 : INFO - Oms Interface Query server running on host : http://localhost:18802/api/adms/oms/v2/
02/14/2024 19:14:24.447 : INFO - Query Interval is 10 seconds
02/14/2024 19:14:24.447 : INFO - Crews Query Interval is 10 seconds
02/14/2024 19:14:24.448 : INFO - Auto-Assign Processing Interval is 1 minutes
02/14/2024 19:14:24.448 : INFO - Auto-Transfer Processing Interval is 1 minutes
02/14/2024 19:14:24.480 : INFO - Crew Service Started
02/14/2024 19:14:24.620 : INFO - WorkOrder Service Started
02/14/2024 19:14:24.627 : INFO - Crew Assignment Algorithm Process Started
02/14/2024 19:14:24.634 : INFO - Sending Auto-Assign OMS Request Process Started
02/14/2024 19:14:24.634 : INFO - Auto-Transfer Rules not found in the config file.
02/14/2024 19:14:24.635 : INFO - Process Automation Tool is started running
02/14/2024 19:14:24.786 : INFO - Crew Service - Crews Count : 260
02/14/2024 19:14:24.794 : INFO - WorkOrder Service - Workorders Count : 10, Workorders Considered For Auto-Assign are: 1
02/14/2024 19:14:26.633 : INFO - Running Crew Assignment Algorithm on Workorder : 0450000010-1
02/14/2024 19:14:26.663 : INFO - Sending request for Crew Assignment on Workorder : 0450000010-1
02/14/2024 19:14:26.877 : INFO - Successfully ASSIGNED Crew to Workorder : 0450000010-1 with Crew Id : FI1573

```


Scenario -2:

- **Incident Type:** Single Customer
- **Organization Type:** Dispatch
- **Organization:** Dispatch (Highlands)



6. Start NetServer, OMS Interface Server, NetViewer Adapter, Enterprise OMS services, and the Process Automation application.
7. Start the client.

8. Create one single customer order (for example, order 0450000011 is created) and this order belongs to Dispatch – Highlands.



9. Make sure that the Process Automation application requested the crew assignment to the order.

```

Process Automation
02/14/2024 19:30:55.585 : INFO - Successfully loaded Process Automation Configuration file - C:\terra\Distribution\CurrentDev\Fa
ntasyIsland\config\ProcessAutomation\ProcessAutoConfig.xml
02/14/2024 19:30:55.589 : INFO - Application started in Enterprise OMS mode.
02/14/2024 19:30:55.589 : INFO - Netviewer Adapter running on host : http://localhost:24468/
02/14/2024 19:30:55.589 : INFO - WorkModel services running on host : http://localhost:8080/
02/14/2024 19:30:55.589 : INFO - Oms Interface server running on host : http://localhost:8802/
02/14/2024 19:30:55.589 : INFO - Oms Interface Query server running on host : http://localhost:18802/api/adms/oms/v2/
02/14/2024 19:30:55.589 : INFO - Query Interval is 10 seconds
02/14/2024 19:30:55.589 : INFO - Crews Query Interval is 10 seconds
02/14/2024 19:30:55.590 : INFO - Auto-Assign Processing Interval is 1 minutes
02/14/2024 19:30:55.590 : INFO - Auto-Transfer Processing Interval is 1 minutes
02/14/2024 19:30:55.799 : INFO - Crew Service Started
02/14/2024 19:30:56.061 : INFO - WorkOrder Service Started
02/14/2024 19:30:56.066 : INFO - Crew Assignment Algorithm Process Started
02/14/2024 19:30:56.073 : INFO - Sending Auto-Assign OMS Request Process Started
02/14/2024 19:30:56.073 : INFO - Auto-Transfer Rules not found in the config file.
02/14/2024 19:30:56.073 : INFO - Process Automation Tool is started running
02/14/2024 19:30:56.256 : INFO - Crew Service - Crews Count : 260
02/14/2024 19:30:56.264 : INFO - WorkOrder Service - Workorders Count : 11, Workorders Considered For Auto-Assign are: 1
02/14/2024 19:30:58.074 : INFO - Running Crew Assignment Algorithm on Workorder : 0450000011-1
02/14/2024 19:30:58.105 : INFO - Sending request for Crew Assignment on Workorder : 0450000011-1
02/14/2024 19:30:58.308 : INFO - Successfully ASSIGNED Crew to Workorder : 0450000011-1 with Crew Id : FI1588
  
```

Scenario -3:

- **Incident Type:** Single Customer
- **Organization Type:** Dispatch
- **Organization:** N/A


Process Automation Configuration Editor - C:\terra\Distribution\CurrentDev\FantasyIsland\config\ProcessAutomation\ProcessAutoConfig.xml

Order Type	Order Status	Incident Type	Non-Outage Type	Device Type	System Mode	Affected Customers	Organization Type	Organization	Action	Crew Type	Crew Status
A	N/A	Single Customer	N/A	N/A	N/A		Dispatch	N/A	Auto Assign	Select	Select

10. Start NetServer, OMS Interface Server, NetViewer Adapter, Enterprise OMS services, and the Process Automation application.

11. Start the client.

12. Create one single customer order (for example, order 0450000014 is created) and this order belongs to Dispatch – Highlands.



13. Make sure that the Process Automation application requested the crew assignment to the order based on mapped organization of Dispatch Organization Type.

```

Process Automation
02/14/2024 20:42:02.627 : INFO - Successfully loaded Process Automation Configuration file - C:\Eterra\Distribution\CurrentDev\FantasyIsl
and\config\ProcessAutomation\ProcessAutoConfig.xml
02/14/2024 20:42:02.633 : INFO - Application started in Enterprise OMS mode.
02/14/2024 20:42:02.633 : INFO - Netviewer Adapter running on host : http://localhost:24468/
02/14/2024 20:42:02.633 : INFO - WorkModel services running on host : http://localhost:8080/
02/14/2024 20:42:02.633 : INFO - Oms Interface server running on host : http://localhost:8802/
02/14/2024 20:42:02.633 : INFO - Oms Interface Query server running on host : http://localhost:18802/api/adms/oms/v2/
02/14/2024 20:42:02.634 : INFO - Query Interval is 10 seconds
02/14/2024 20:42:02.634 : INFO - Crews Query Interval is 10 seconds
02/14/2024 20:42:02.634 : INFO - Auto-Assign Processing Interval is 1 minutes
02/14/2024 20:42:02.634 : INFO - Auto-Transfer Processing Interval is 1 minutes
02/14/2024 20:42:02.848 : INFO - Crew Service Started
02/14/2024 20:42:03.093 : INFO - WorkOrder Service Started
02/14/2024 20:42:03.098 : INFO - Crew Assignment Algorithm Process Started
02/14/2024 20:42:03.105 : INFO - Sending Auto-Assign OMS Request Process Started
02/14/2024 20:42:03.106 : INFO - Auto-Transfer Rules not found in the config file.
02/14/2024 20:42:03.106 : INFO - Process Automation Tool is started running
02/14/2024 20:42:03.670 : INFO - Crew Service - Crews Count : 260
02/14/2024 20:42:03.677 : INFO - WorkOrder Service - Workorders Count : 12, Workorders Considered For Auto-Assign are: 1
02/14/2024 20:42:25.232 : INFO - Running Crew Assignment Algorithm on Workorder : 0450000014-1
02/14/2024 20:42:25.342 : INFO - Sending request for Crew Assignment on Workorder : 0450000014-1
02/14/2024 20:42:25.629 : INFO - Successfully ASSIGNED Crew to Workorder : 0450000014-1 with Crew Id : FI1926
  
```

3.5.1.12. Auto Assign orders that are In Progress

The following example demonstrates how the Process Automation application auto assigns the crew based-on organization type and organization configured in the rules.


1. Open the Process Automation Configuration Editor and create a rule with order status as In Progress.
 - **Incident Type:** Predicted
 - **Order Status:** In progress



2. Start NetServer, OMS Interface Server, NetViewer Adapter, Enterprise OMS services, and the

Process Automation application.

3. Start the client.
4. Create one Predicted incident and release the crew once the status is In progress



Order List											
C	P	S	A	Order	List	Type	Incident	Status	Service	Crews	Crew Status
C	R	M	N		Pri		Type		Center		Station
I											Nominal
■				1800000001-1	1	Restoration	Outage	In Progress	3LIO...	Released	RAVEN

5. Process automation will assign the crew to 1800000001-1 order

```
06/28/2024 15:37:06.897 : INFO - Sending Auto-Assign OMS Request Process Started
06/28/2024 15:37:06.897 : INFO - Process Automation Tool is started running
06/28/2024 15:37:07.712 : INFO - Crew Service - Crews Count : 260
06/28/2024 15:37:07.713 : INFO - WorkOrder Service - Workorders Count : 1, Workorders Considered For Auto-Assign are: 1
06/28/2024 15:37:08.910 : INFO - Running Crew Assignment Algorithm on Workorder : 1800000001-1
06/28/2024 15:37:08.926 : INFO - Sending request for Crew Assignment on Workorder : 1800000001-1
06/28/2024 15:37:09.167 : INFO - Successfully ASSIGNED Crew to Workorder : 1800000001-1 with Crew Id : FI1564
```

3.5.2. Automatic Transfer Organization


3.5.2.1. Automatic Organization Transferring using Auto-Select (EOMS)

The following example demonstrates how the Process Automation application transfers an order to another organization in Enterprise OMS using the Auto-Select feature.


1. Create a rule to automatically transfer an order to another organization.

For example:

- **Order Age (Minutes):** 2
- **Organization Type:** Dispatch.
- **Organization:** Auto-Select.



2. Start NetServer, OMS Interface Server, NetViewer Adapter, Enterprise OMS services, and the Process Automation application.
3. Start the client.
4. Create an order in one part of the network.
5. Create an order in another part of the network.
6. Wait for two minutes.
7. Make sure that the Process Automation application performs the required organization transfer based on the geographic location of the order.



8. Make sure that the Order Worksheet shows that the order is assigned to the required organization type and name.

3.5.2.2. Automatic Organization Transferring (EOMS)


The following example demonstrates how the Process Automation application transfers an order to another organization in Enterprise OMS.

1. Create a rule to automatically transfer an order to another organization.

For example:

- **Order Type:** Investigation
- **Incident Type:** Non-Outage
- **Device Type:** Transformer


- **Action:** Transfer Organization
- **Organization Type:** Construction-Maintenance.
- **Organization:** C-M (East).



2. Create a rule to automatically transfer an order to another organization.

For example:

- **Order Type:** Investigation
 - **Incident Type:** Non-Outage
 - **Device Type:** Fuse
 - **Action:** Transfer Organization
 - **Organization Type:** Construction-Maintenance.
 - **Organization:** C-M (West).
3. Start NetServer, OMS Interface Server, NetViewer Adapter, Enterprise OMS services, and the Process Automation application.
 4. Start the client.
 5. Create an investigation order on a distribution transformer.



6. Make sure that the Process Automation application performs the required organization transfer.


```

Process Automation Application
Unable to open variable file: Version.Variables.txt
05/20/2022 13:14:02.994 : INFO - Successfully loaded Process Automation Configuration file - C:\eterra\Distribution\FantasyIsland\c
onfig\ProcessAutomation\ProcessAutoConfig.xml
05/20/2022 13:14:03.002 : INFO - Application started in Enterprise OMS mode.
05/20/2022 13:14:03.002 : INFO - Netviewer Adapter running on host : http://localhost:24468/
05/20/2022 13:14:03.002 : INFO - WorkModel services running on host : http://localhost:8080/
05/20/2022 13:14:03.002 : INFO - Oms Interface server running on host : http://localhost:8802/
05/20/2022 13:14:03.002 : INFO - Oms Interface Query server running on host : http://localhost:18802/api/adms/oms/v2/
05/20/2022 13:14:03.003 : INFO - Query Interval is 10 seconds
05/20/2022 13:14:03.003 : INFO - Crews Query Interval is 10 seconds
05/20/2022 13:14:03.004 : INFO - Auto-Assign Processing Interval is 0 minutes
05/20/2022 13:14:03.004 : INFO - Auto-Transfer Processing Interval is 0 minutes
05/20/2022 13:14:03.024 : INFO - Auto-Assign Rules not found in the config file.
05/20/2022 13:14:03.058 : INFO - WorkOrder Service Started
05/20/2022 13:14:03.380 : INFO - Transfer Organization Algorithm Process Started
05/20/2022 13:14:03.395 : INFO - Sending Auto-Transfer OMS Request Process Started
05/20/2022 13:14:03.396 : INFO - Process Automation Tool is started running
05/20/2022 13:14:33.557 : INFO - WorkOrder Service - Workorders Count : 1, Workorders Considered For Auto-Transfer are: 1
05/20/2022 13:14:35.528 : INFO - Sending request to Transfer Organization on Workorder : 1400000019-1
05/20/2022 13:14:35.571 : INFO - Successfully Transferred Organization to Workorder : 1400000019-1 with Organization : CM_EAST

```

- Make sure that the Order Worksheet shows that the order is assigned to the required organization type and name.

- Create an investigation order on a fuse.



- Make sure that the Process Automation application performs the required organization transfer.

```

Process Automation Application
05/20/2022 13:14:43.744 : INFO - Successfully Transferred Organization to Workorder : 1400000019-1 with Organization : CM_EAST
05/20/2022 13:19:54.116 : INFO - WorkOrder Service - Workorders Count : 1, Workorders Considered For Auto-Transfer are: 1
05/20/2022 13:19:54.890 : INFO - Sending request to Transfer Organization on Workorder : 1400000020-1
05/20/2022 13:20:38.387 : INFO - Successfully Transferred Organization to Workorder : 1400000020-1 with Organization : CM_WEST
05/20/2022 13:20:39.390 : INFO - Sending request to Transfer Organization on Workorder : 1400000020-1

```

- Make sure that the Order Worksheet shows that the order is assigned to the required organization type and name.

Order Worksheet: 1400000020-1

Investigation Order: 1400000020-1

Affected Customers (Current / Initial): 0 / 0

Current ETR: 18:30 05/20

Duration (min): 4

CMI: 0

Calls (priority / all): 0 / 0

Status

Status: New

Created: 13:19 05/20

Completed: 18:30 05/20

Closed: 18:30 05/20

Priority: None

Earliest Arriving Crew(s):

Instructions & Customer Notes

Case Note: No Case Note Assigned.

Instructions: Dispatcher Comments: Crew Comments:

Tasks (1)

Investigate: Fuse

Select Crew: New

Responsibilities

Owner & Organization: (C-M (West))

Service Center: CTLIC

Incident 1400000035

3307 SW St, Leonard

2314-1 | F9532 VAIL (Leonard)

Details

Incident type: NonOutage

Planned outage ID: ---

Non outage type: Isolated

Work order ID: ---

Working Status: Incident is unassigned

Callback: Automatic

Follow up required: ☐

Fault Location

Location source: None specified

3.5.2.3. Preventing automatic Organization Transferring (EOMS)

The following example demonstrates how the Process Automation application prevents an order transfer to another organization in Enterprise OMS.

- Create a rule to Do Nothing.

For example:

- Order Type:** Restoration
- Order Status:** New
- Incident Type:** Single Customer
- Action:** Do Nothing

Process Automation Configuration Editor - C:\Users\jordan\OneDrive\Farley\work\config\ProcessAutomation\ProcessAutoConfig.mpf

Case Summary Status	Order Type	Incident Type	Device Type	System Mode	Priority Code	Critical Customer Count	Condition 1	Condition 2	Action	Organization Type	Organization
1	Single Customer	Single Customer	Single Customer	Single Customer	Single Customer	Single Customer	Single Customer	Single Customer	Do Nothing	Single Customer	Single Customer

- Start NetServer, OMS Interface Server, NetViewer Adapter, Enterprise OMS services, and the Process Automation application.
- Start the client.
- Create a restoration order on a service point.

C	P	S	A	Order	Lis	Type	Incident	Status	Service	Crews	Crew Status	Sta
I	R	M	N		t		Type		Center			
					Pri							
■				1800000003-1	1	Restoration	Outage	New	WSTA			CO

5. Make sure that the Process Automation application performs no action on this order


```
06/28/2024 17:36:03.502 : INFO - WorkOrder Service - Workorders Count : 1, Workorders Considered For Auto-Assign are: 1
06/28/2024 17:36:03.502 : INFO - WorkOrder Service - Workorders Count : 1, Workorders Considered For Auto-Transfer are: 1
06/28/2024 17:36:05.029 : INFO - No Crew Assigned since Workorder is matched with a rule where Action is DoNothing - 1800000003-1
```

3.5.3. Automatic Assignment Follows Transfer Organization

3.5.3.1. Automatic Assignment using Organization rule transfers order first to an Organization value (EOMS)

The following example demonstrates how the Process Automation application auto assigns crew by matching to a correct rule that has organizations defined.


1. Create a rule (AssignRule1) to automatically assign crew to an order.



For example:


- **Order Type:** Restoration
- **Order Status:** New
- **Incident Type:** Single Customer
- **Action:** Auto Assign

2. Create a rule (TransferRule1) to automatically transfer an order to another organization.



For example:

- **Order Type:** Restoration
 - **Order Status:** New
 - **Incident Type:** Single Customer
 - **Action:** Transfer Org
3. Start NetServer, OMS Interface Server, NetViewer Adapter, Enterprise OMS services, and the Process Automation application.
 4. Start the client.
 5. Create a restoration order (1800000017).




- The Process Automation application applies Auto-Transfer rules and matches with TransferRule1, capturing the organization value 'Power Quality (West)'. Next, it matches Auto-Assign rules with the same organization value and matches with AssignRule1. The application then processes the transfer and assignment on the order.

```
C:\Work\Code\IDMS\IDMS_Dev\dmSource\bin\core\64\Debug\net8.0\ProcessAutomationApp.exe
06/28/2024 21:06:49.216 : INFO - Successfully loaded Process Automation Configuration file - C:\Eterra\Distribution\CurrentDev\FantasyIsland\config\ProcessAutomation\ProcessAutoConfig.xml
06/28/2024 21:06:49.228 : INFO - Application started in Enterprise OMS mode.
06/28/2024 21:06:49.228 : INFO - Netviewer Adapter running on host : http://localhost:24468/
06/28/2024 21:06:49.228 : INFO - WorkModel services running on host : http://localhost:8080/
06/28/2024 21:06:49.228 : INFO - Oms Interface server running on host : http://localhost:8802/
06/28/2024 21:06:49.229 : INFO - Oms Interface Query server running on host : http://localhost:18802/api/adms/oms/v2/
06/28/2024 21:06:49.229 : INFO - Query Interval is 10 seconds
06/28/2024 21:06:49.229 : INFO - Crews Query Interval is 10 seconds
06/28/2024 21:06:49.229 : INFO - Auto-Assign Processing Interval is 0 minutes
06/28/2024 21:06:49.229 : INFO - Auto-Transfer Processing Interval is 0 minutes
06/28/2024 21:06:49.386 : INFO - WorkOrder Service Started
06/28/2024 21:06:49.695 : INFO - Transfer Organization Algorithm Process Started
06/28/2024 21:06:49.698 : INFO - Sending Auto-Transfer OMS Request Process Started
06/28/2024 21:06:49.699 : INFO - Crew Service Started
06/28/2024 21:06:49.714 : INFO - Crew Assignment Algorithm Process Started
06/28/2024 21:06:49.715 : INFO - Sending Auto-Assign OMS Request Process Started
06/28/2024 21:06:49.715 : INFO - Process Automation Tool is started running
06/28/2024 21:06:50.036 : INFO - Crew Service - Crews Count : 260
06/28/2024 21:06:50.046 : INFO - WorkOrder Service - Workorders Count : 17, Workorders Considered For Auto-Assign are: 106/28/2024 21:06:50.046 : INFO - WorkOrder Service - Workorders Count : 17, Workorders Considered For Auto-Transfer are: 17
06/28/2024 21:06:51.718 : INFO - Running Crew Assignment Algorithm on Workorder : 1800000017-1
06/28/2024 21:06:51.730 : INFO - Sending request to Transfer Organization on Workorder : 1800000017-1
06/28/2024 21:06:51.790 : INFO - Successfully Transferred Organization to Workorder : 1800000017-1 with Organization : PQ_WEST
06/28/2024 21:06:52.006 : INFO - Sending request for Crew Assignment on Workorder : 1800000017-1
06/28/2024 21:06:53.026 : INFO - Successfully ASSIGNED Crew to Workorder : 1800000017-1 with Crew Id : FI1526
```

3.5.3.2. Automatic Assignment using Organization rule transfers order first to an Auto-select Organization value (EOMS)

The following example demonstrates how the Process Automation application auto assigns crew by matching to a correct rule that has organizations defined.

- Create a rule (AssignRule1) to automatically assign crew to an order.



For example:


- Order Type: Restoration
- Order Status: New
- Incident Type: Single Customer

- **Action:** Auto Assign
2. Create a rule (TransferRule1) to automatically transfer an order to another organization that has Auto-Select organization.



For example:

- **Order Type:** Restoration
 - **Order Status:** New
 - **Incident Type:** Single Customer
 - **Action:** Transfer Org
3. Start NetServer, OMS Interface Server, NetViewer Adapter, Enterprise OMS services, and the Process Automation application.
 4. Start the client.
 5. Create a restoration order (1800000019).



6. The Process Automation application applies the Auto-Transfer rule, matching with TransferRule1, which has Auto-select as the organization value. A request is sent to ADMS to get the organization based on its type, and the order is transferred. In the next Auto-Assign Processing Interval configuration, the application matches with AssignRule1.

The below sequence of steps happen while running Process Automation application.

1. Sending request to Transfer Organization
2. Successfully Transferred Organization to Workorder
3. Running crew Assignment Algorithm on Workorder
4. Sending request for Crew Assignment on Workorder
5. Successfully Assigned Crew to Workorder

the service center based on the X/Y coordinates.

If the crew model includes truck zones and process automation identifies a specific truck zone area, it will not assign a crew to an incident or order if no crew is available in that specific truck zone.

When a crew is assigned to a crew area from the OMS display, process automation will operate based on the latest crew assignment, taking specific truck zones into account if truck zone availability exists in that crew area.