

Orbital periods can take millions of years.

Gravitational Influence



Some worlds hide oceans beneath frozen shells.



Hidden oceans may harbor conditions for life.



Giant worlds shape the dance of moons and rings.



Orbit: 88 Earth days.
Rotation: 59 Earth days.

THE CELESTIAL NAVIGATOR

Maps of the sky have guided explorers and astronomers for centuries.



THE ASTEROID



THE METEOR



THE IMPACT



THE CRATER



THE COSMIC CYCLE

From dust and stardust, worlds are born, collide, and transform.



Features/Surface

- Corona (15 million °C)
- Radiative Zone
- Core (15 million °C)
- Photosphere 5,500 °C



Orbital Info:
Orbit: 1.37 days.



Features/Atmosphere

430°C



Lacks an atmosphere (exosphere only) to trap heat.

THE COSMOGRAPHER'S LEDGER

A CHRONICLE OF THE UNIVERSE

WORLDS • STARS • SYSTEMS
PHENOMENA • ORIGINS • FUTURES

"To chart the heavens is to understand our place among the stars."



"The universe is not only stranger than we imagine, it is stranger than we can imagine."
— J. B. S. Haldane

THE COMET



Messengers of ancient ice and cosmic history.

THE NEBULA



Stellar nurseries where new stars are born.

THE GALAXY



Island universes of billions of stars.

OBSERVE • RECORD • UNDERSTAND • WONDER

DID YOU KNOW?

The Sun

Formation/Location

Born 4.6 billion years ago from a giant molecular cloud.
Located at the exact center of the Solar System, holding 99.8% of its total mass.



Rotates differentially (equator spins faster than poles). Completes one orbit around the Milky Way galactic center every 230 million years.

Key Facts

Type: Yellow Dwarf (G2V)
Diameter: 1.39 million km.
Surface Temp: 5,500°C.



Features/Surface



Scientific Insights

Nuclear fusion of hydrogen into helium produces the photons that sustain all terrestrial life, taking 100,000 years to travel from core to surface.

Importance

The absolute gravitational anchor and primary energy source of the heliosphere.

FAQ


Will it burn forever?
No, ~5 billion years left.
Is it on fire? No, it is plasma.
Does it have a solid surface? No.

DID YOU KNOW?

Mercury

Formation/Location

Formed 4.5 billion years ago.
The innermost planet, heavily bombarded by early solar system debris.




Orbit: 88 Earth days.
Rotation: 59 Earth days.

Key Facts

Radius: 2,439 km.
Gravity: 3.7 m/s².
No moons.



Features/Atmosphere



Lacks an atmosphere (exosphere only) to trap heat.

Scientific Insights

The Caloris Basin impact was so violent it sent seismic waves through the core, creating "weird terrain" on the planet's exact opposite side.

Importance

Provides crucial data on planetary formation near a stellar mass.

FAQ


Is it the hottest planet? No, Venus is.
Can we land on it? Yes, but extreme heat complicates missions.
Does it have ice? Yes, in permanently shadowed polar craters.

DID YOU KNOW?

Venus


Formation/Location:

Second planet from the Sun.
Often called Earth's "evil twin"
due to similar size but radically
different evolution.




Key Facts

Radius: 6,051 km.
Surface Pressure: 92 times
that of Earth.



Orbital Info

Orbit: 225 days.
Rotation: 243 days (Retrograde).



Scientific Insights

Soviet Venera landers
survived less than two
hours before being crushed
and melted by the bellish
atmospheric pressure.




Importance

A cautionary model for
extreme atmospheric
climate change and
greenhouse gas dynamics.

FAQ

Why is it so bright?
Clouds reflect 70% of sunlight.
Could it have had oceans?
Likely, billions of years ago.

Features/Atmosphere




DID YOU KNOW?

Earth

Formation/Location:

Third planet from the Sun.
Resides precisely in the
"Goldilocks Zone" allowing
for liquid surface water.



Key Facts

Radius: 6,371 km.
Age: 4.54 billion years.
Atmosphere: 78% Nitrogen,
21% Oxygen.



Atmospheric Halo


Orbital Info

Orbit: 365.24 days.
Axial tilt: 23.5 degrees.



Scientific Insights

The only known astronomical
object to harbor life. Its
tectonic activity
continuously recycles carbon,
stabilizing the climate.




Importance

The absolute baseline
for understanding
habitability in the
cosmos.

FAQ

Is it a perfect sphere?
No, it is an oblate spheroid.
How much is covered in water?
71%.

Features/Atmosphere



DID YOU KNOW?

The Moon

Formation/Location:



Formed ~4.5 billion years ago, likely from the debris of a Mars-sized body (Theia) colliding with early Earth.

Key Facts:

Radius: 1,737 km.
Surface Temp: -173°C to 127°C.

Orbital Info:

Orbit: 27.3 days.



Scientific Insights:

Its gravitational pull dictates Earth's ocean tides and stabilizes our planet's axial tilt, preventing catastrophic climate shifts.

Importance:

Humanity's first stepping stone into deep space and the only celestial body visited by humans.

FAQ:

Is there a "dark side"?
No, it's just the "far side".
Does it have gravity?
Yes, 1/6th of Earth's.



Features/Surface:




DID YOU KNOW?

Solar & Lunar Eclipses

Formation/Location:

Occurs when the Sun, Earth, and Moon precisely align at the lunar nodes (a syzygy).




Orbital Info:

Eclipse seasons occur roughly every six months.




Key Facts:

A cosmic coincidence: The Sun is 400 times wider than the Moon, but exactly 400 times farther away, making them appear identical in size.



Features/Mechanics:



Scientific Insights:

Historical eclipses allowed early cosmographers to calculate the size of the Earth and prove the curvature of space-time during the 1919 solar eclipse.

Importance:

Provides rare observational windows into the Sun's corona and Earth's atmospheric refraction.

FAQ:

Are they dangerous to look at?
Solar, yes; Lunar, no.
How long do they last?
Totality lasts only minutes.

DID YOU KNOW?

Mars


Formation/Location:

*Fourth planet from the Sun.
A cold, desert world that once
hosted flowing liquid water.*



Orbital Info:

*Orbit: 687 Earth days.
Day (Sol): 24h 37m.*



Global
Dust Storm
Season

Scientific Insights:

*Orbital spectrometers
confirm the presence of
ancient river deltas and
hydrated minerals,
making it the prime
target for astrobiology.*



Importance:

*The most viable candidate
for future human colonization
and interplanetary expansion.*



Key Facts:

*Radius: 3,389 km.
Atmosphere: 95% Carbon Dioxide.*



Features/Surface:

*Olympus Mons
(3x Everest)*



Valles
Marineris

FAQ:

*Why is it red?
Iron oxide/rust dust.*

*Does it have water now?
Yes, frozen as ice.*

DID YOU KNOW?

Phobos

Formation/Location:

*The larger and innermost of
Mars' two moons. Likely a
captured C-type asteroid.*

Orbital Info:

*Orbit: 7 hours,
39 minutes.*



Decays 1.8m
per century

Scientific Insights:

*Because it orbits faster than
Mars rotates, an observer on
the Martian surface would see
Phobos rise in the west and set
in the east twice a day.*



Importance:

*A natural laboratory
for studying tidal forces
and orbital degradation.*




Key Facts:

*Dimensions: 27 x 22 x 18 km.
Escape Velocity: 11 m/s
(you could jump off it).*



Features/Surface:



*Tidal forces will tear it
into a ring system in
50 million years.*

FAQ:

*Who discovered it?
Asaph Hall, 1877.*

*Will it crash into Mars?
Yes, or break into a ring.*

DID YOU KNOW?

Deimos

Formation/Location:


The smaller, outermost moon of Mars.
Named after the Greek god of dread.

Key Facts:


Dimensions: $15 \times 12 \times 11$ km.
Composition: Carbonaceous chondrite rock and ice.

Orbital Info:

Orbit: 30 hours.



Drifting away from Mars.



Features/Surface:



100 meters of fine regolith smoothing the surface.

Scientific Insights:

Its gravity is so weak that its escape velocity is a mere 5.6 meters per second; a thrown baseball would easily enter orbit.



Importance:

Essential for understanding the capture mechanics of small bodies by terrestrial planets.

FAQ:

Can we see it from Mars?
Yes, but it looks like a bright star.
Will it stay in orbit?
No, it will eventually escape.

DID YOU KNOW?

Asteroid Belt

Formation/Location:

Located between Mars and Jupiter.
It is the leftover rocky debris from the early solar system that Jupiter's gravity prevented from forming a planet.

Key Facts:

Total mass is only 4% of Earth's Moon.
Contains millions of objects, but is mostly empty space.



Orbital Info:

Orbital periods range from 3 to 6 Earth years.



Kirkwood Gaps
(cleared by Jupiter's resonance)

Scientific Insights:

Divided into distinct compositional families (C-type carbon, S-type silicate, M-type metallic), acting as a geological fossil record of the solar nebula.



Importance:

The source of most meteorites that strike Earth, providing clues to our origins.


FAQ:

Is it crowded like in movies? No.
Could they combine into a planet?
No, Jupiter's gravity prevents it.

Features/Distribution:

A crucial spatial density map

Average distance: 600,000 km



Navigation is perfectly safe.

DID YOU KNOW?

Ceres

Formation/Location:

Discovered in 1801. The largest object in the Asteroid Belt and the only dwarf planet in the inner solar system.

Orbital Info:

Orbit: 4.6 Earth years.



Key Facts:


Radius: 476 km.

Contains 25% water (more freshwater than Earth).



Features/Surface:

Mantle of Water-Ice



Scientific Insights:

Originally classified as a planet for 50 years, then an asteroid, and finally a dwarf planet in 2006. It may possess a briny liquid ocean deep underground.

Importance:

Blurs the line between rocky asteroids and icy outer moons.

FAQ:

Is it a planet?

Dwarf planet.

Can it support life?

Subsurface brines make it an astrobiological target.

DID YOU KNOW?

Jupiter

Formation/Location:


Fifth planet from the Sun.

The largest planet, formed from the primary accretion disk of gas and dust.

Orbital Info:

Orbit: 11.8 Earth years.

Rotation: 9h 55m (fastest in the solar system).



Equatorial Bulge from rapid spin.

Scientific Insights:

Its immense gravitational field acts as a "cosmic vacuum cleaner," protecting the inner rocky planets from catastrophic comet and asteroid impacts.

Importance:

The dominant gravitational force in the solar system aside from the Sun.


Key Facts:

Radius: 69,911 km.

Mass: 2.5 times that of all other planets combined.



Features/Atmosphere:



Anticyclonic storm at 432 km/h, cutting into metallic hydrogen layer.

FAQ:

Is it entirely gas?

No, likely a dense rocky/metallic core.

Will it become a star?

No, needs 75x more mass.

DID YOU KNOW?


Io

Formation/Location:

Jupiter's innermost Galilean moon.
Discovered by Galileo in 1610.

Orbital Info:

Orbit: 1.77 days.



1:2:4 ratio
(Io, Europa, Ganymede)

Scientific Insights:

Plumes of sulfur dioxide shoot up to 500 km into space, creating a torus of plasma around Jupiter that powers massive auroras.

Importance:

The most geologically active object in the solar system.


Key Facts:

Radius: 1,821 km.
Over 400 active volcanoes.



Features/Surface:

Tidal heating



FAQ:

Why is it yellow?
Sulfur compounds.
Does it have craters?
No, lava constantly resurfaces it.

DID YOU KNOW?


Europa

Formation/Location:

Jupiter's second Galilean moon.
A smooth, icy world hiding a profound secret beneath its shell.

Orbital Info:

Orbit: 3.55 days.
Tidally locked to Jupiter.



Elliptical path causes tidal flexing.

Scientific Insights:

The rust-colored cracks are likely salts from the ocean floor pushed to the surface through upwelling warmer ice.

Importance:


The premier target in the search for extant extraterrestrial life in the solar system.

Key Facts:

Radius: 1,560 km.
Has a tenuous oxygen exosphere.



Features/Internal Structure:



FAQ:


How thick is the ice?
Estimated 15-25 km.
Has anyone drilled it?
Not yet.

DID YOU KNOW?

Ganymede

Formation/Location:
Jupiter's third Galilean moon.
The largest moon in the entire solar system.

Orbital Info:
Orbit: 7.15 days.




Scientific Insights:
Spectroscopy suggests multiple layers of ice and liquid water stacked like a club sandwich deep within its interior.




Importance:
Demonstrates that moons can possess complex internal dynamos similar to terrestrial planets.

FAQ:
Is it bigger than Mars?
No, but bigger than Mercury.
Does it have an atmosphere?
A very thin oxygen one.

Key Facts:
Radius: 2,634 km.



Features/Core:



DID YOU KNOW?

Callisto

Formation/Location:
Jupiter's outermost Galilean moon.
A geologically dead world frozen in time.

Orbital Info:
Orbit: 16.7 days.



Scientific Insights:
Possesses the oldest, most heavily cratered surface in the solar system, entirely undisturbed by tectonic or volcanic forces for 4 billion years.


Importance:
Serves as a perfect time capsule, preserving the chaotic impact history of the early solar system.

FAQ:
Could humans land there?
Yes, it's the safest due to low radiation.
Is there an ocean?
Possibly a highly salty one.

Key Facts:
Radius: 2,410 km.
Lowest density of the Galilean moons (equal parts rock and ice).



Features/Surface:
3,800-km wide multi-ringed crater.



Slushy ancient ice absorbed the impact, leaving ripples instead of a bowl.

DID YOU KNOW?

Saturn

Formation/Location:

Sixth planet from the Sun.
A gas giant characterized by its spectacular, expansive ring system.


Key Facts:

Radius: 58,232 km.
Density: 0.687 g/cm³.



Orbital Info:

Orbit: 29.5 Earth years.
Rotation: 10h 33m.



Scientific Insights:

The rings are not solid, but composed of billions of pieces of water ice ranging from microscopic dust to the size of mountains, likely from a destroyed moon.

Importance:

The ultimate laboratory for studying orbital dynamics and disk accretion.

FAQ:

Will the rings last forever?
No, slowly raining into the planet.
Does it have storms?
Yes, including a massive hexagon storm.

DID YOU KNOW?

Titan

Formation/Location:

Saturn's largest moon, shrouded in a dense, opaque atmosphere.
Discovered by Christiaan Huygens in 1655.

Key Facts:

Radius: 2,574 km.
Surface Pressure: 1.5x Earth's.
Temp: -179°C.



Orbital Info:

Orbit: 15.9 days.
Tidally locked to Saturn.


Atmospheric strata cross section



High-altitude tholins scatter light into an orange haze.



Hydrological 'Methane Cycle'



Kraken Mare
(Liquid Hydrocarbon Lakes)

Scientific Insights:

The Cassini-Huygens probe landed here in 2005, revealing rounded river pebbles made of rock-hard water ice, carved by flowing liquid hydrocarbons.

Importance:

A deep-freeze analog to prebiotic Earth, possessing the most complex atmospheric chemistry of any moon.

FAQ:

Could we breathe there?
No oxygen.
Can we fly there?
Yes, thick air and low gravity make it perfect for rotorcraft.


DID YOU KNOW?

Enceladus

Formation/Location:
Saturn's sixth-largest moon.
One of the brightest objects
in the solar system,
reflecting almost 100%
of sunlight.

Key Facts:
Radius: 252 km.
Surface Temp: -201°C.

Orbital Info:
Orbit: 1.37 days.



Geyser ejecta replenishes
Saturn's E Ring.



Scientific Insights:

Cassini flew directly through the
plumes and detected molecular
hydrogen and complex organics
—the chemical precursors
necessary for microbial life.

Importance:

Proves that even tiny,
distant celestial bodies
can harbor active,
life-supporting chemical
environments.

FAQ:


Why doesn't it freeze?
Tidal flexing generates heat.
Is the water salty?
Yes.

DID YOU KNOW?


Uranus

Formation/Location:
Seventh planet from the Sun.
The first planet discovered
using a telescope
(William Herschel, 1781).


Key Facts:
Radius: 25,362 km.
Coldest planetary
atmosphere (-224°C).



Orbital Info:
Orbit: 84 Earth years.



Ice Giant Interior Cutaway



Scientific Insights:

Its extreme axial tilt is believed
to be the result of a cataclysmic
collision with an Earth-sized
protoplanet during the solar
system's chaotic youth.

Importance:

The archetype for "Ice
Giants," a distinct class
of planets separate from
Jupiter and Saturn.

FAQ:

Why is it blue?
Methane absorbs red light.
Does it have rings?
Yes, 13 faint ones.

DID YOU KNOW?

Neptune

Formation/Location:

Eighth planet from the Sun. The only planet found via mathematical prediction rather than empirical observation (Le Verrier, 1846).

Key Facts:

Radius: 24,622 km.

Distance from Sun:

30 AU (4.5 billion km).




Orbital Info:


Orbit: 165 Earth years.

Rotation: 16h 6m.

Discovered
1846




Completed first
observed orbit in 2011



Features/Atmosphere:

Wind Speed Model

Supersonic winds at
2,100 km/h
(fastest in solar system).



Scientific Insights:

Despite receiving only 0.1% of the sunlight Earth does, its internal heat source drives incredibly violent atmospheric weather systems.

Importance:

The outer boundary of the major planets and the shepherd of the Kuiper Belt.

FAQ:

Does it rain diamonds?
Theorized yes, under extreme pressure.

Is it a gas giant?
Classified as an Ice Giant.

DID YOU KNOW?

Triton

Formation/Location:

Neptune's largest moon. An interloper from the deep freeze of the Kuiper Belt, captured by Neptune's gravity.

Key Facts:

Radius: 1,353 km.


Surface Temp: -235°C.



Orbital Info:

Orbit: 5.8 days.

Retrograde Orbit



Absolute proof of capture.

Scientific Insights:

Triton's retrograde orbit is slowly decaying. In a few billion years, it will cross the Roche limit and be torn apart into a spectacular ring system.

Importance:

A bridge object, offering the best look at the composition of large Kuiper Belt objects.

Features/Surface: Cryovolcanism Map



Cantaloupe
Terrain

Nitrogen geysers shoot
dark dust 8 km high, blown
sideways by winds.



FAQ:

Who discovered it?
William Lassell, 17 days
after Neptune.

Is it dead? No, highly
active cryovolcanism.

DID YOU KNOW?

Pluto

Formation/Location:

Discovered in 1930 by Clyde Tombaugh. Reclassified as a dwarf planet in 2006. The most famous resident of the Kuiper Belt.




Key Facts:

Radius: 1,188 km (smaller than Earth's Moon).
Atmosphere: Nitrogen and methane.




Orbital Info:

Orbit: 248 Earth years.



They orbit a shared center of mass (Binary System).

Features/Surface:



Scientific Insights:

The New Horizons flyby in 2015 shattered expectations of a dead rock, revealing a geologically active world with floating ice hills and a blue atmospheric haze.

Importance:

Triggered the modern understanding and classification of the Kuiper Belt.

FAQ:


Is it still a planet?
Dwarf planet.
How many moons does it have?
Five.

DID YOU KNOW?

Haumea


Formation/Location:

Discovered in 2004. A massive Kuiper Belt object named after the Hawaiian goddess of childbirth.




Key Facts:

Dimensions: ~2,322 x 1,704 x 1,138 km.
Possesses two moons and a ring system.



Orbital Info:

Orbit: 284 Earth years.
Rotation: 3.9 hours.



Features/Composition:

Albedo & Ice map

Highly reflective crystalline water-ice surface.

Unusually fresh, suggesting a catastrophic ancient collision.



Scientific Insights:

The only known trans-Neptunian object to possess a ring system, likely debris from a massive impact that also created its moons and gave it its rapid spin.

Importance:

Demonstrates the extreme physical deformations caused by rotational physics in space.

FAQ:

Why is it shaped like an egg?
Rapid rotation.
Is it rocky or icy?
Rocky core with a thick icy mantle.

DID YOU KNOW?

Makemake

Formation/Location:

Discovered in 2005.
A classical Kuiper Belt object (cubewano), meaning its orbit is not shaped by resonance with Neptune.

Key Facts:

Radius: ~715 km.
Extremely cold (-243°C).
Has one tiny moon (MK 2).



Makemake Pluto


Orbital Info:

Orbit: 305 Earth years.



Features/Surface:

Albedo (Reflectivity) Scale



Scientific Insights:

When Makemake passed in front of a star in 2011, the starlight vanished instantly, proving it lacked a significant atmosphere—unlike Pluto.

Importance:

Played a key role in the creation of the 'dwarf planet' category alongside Eris and Pluto.

FAQ:

Who is it named after?
Creator god of Rapa Nui.
Can we see it?
Only with high-end amateur telescopes.

DID YOU KNOW?

Eris

Formation/Location:

Discovered in 2005.
Located in the scattered disc, far beyond the main Kuiper Belt.

Dysnomia



Key Facts:

Radius: 1,163 km.
27% more massive than Pluto.




Pluto Eris

Smaller but heavier.

Orbital Info:

Orbit: 559 Earth years.



Features/Atmosphere:

Atmospheric Collapse Cycle



Scientific Insights:

Its discovery sparked the intense astronomical debate that ultimately led to the demotion of Pluto, hence its name—the Greek goddess of strife and discord.

Importance:

The most massive known dwarf planet in the solar system.

FAQ:

Is it bigger than Pluto?
Slightly smaller, but much heavier.
Has a probe visited it?
No.

DID YOU KNOW?

Kuiper Belt

Formation/Location:

A circumstellar disc extending from Neptune's orbit (30 AU) to 50 AU. The remnants of the solar system's original protoplanetary disc.




Key Facts:

Contains hundreds of thousands of icy bodies larger than 100 km.

Asteroid Belt
(Small, Rocky, Thin)


Kuiper Belt
(Massive, Icy, Thick)

Orbital Info:



Features/Composition:

'Snow Line' Diagram



Scientific Insights:

Exploration is just beginning; the New Horizons probe passed Arrokoth in 2019, revealing a pristine, bi-lobed "snowman" untouched since the solar system's birth.

Importance:

The source of short-period comets and the great preserver of primordial solar system chemistry.

FAQ:

Is it the edge of the solar system?
No, the Oort cloud is further.
Did Gerard Kuiper discover it?
He hypothesized it in 1951.

DID YOU KNOW?

Comets

Formation/Location:

"Dirty snowballs" of ancient ice, dust, and rock. They originate in the Kuiper Belt (short-period) or Oort Cloud (long-period).




Key Facts:

Nucleus size: 1 to 10 km.
Tail length: up to hundreds of millions of km.




Orbital Info:

Highly eccentric orbits.



Features/Anatomy:



Scientific Insights:

The Rosetta mission successfully landed the Philae probe on a comet in 2014, detecting amino acids and water (though a different isotope than Earth's).

Importance:

May have delivered the essential water and organic building blocks for life to early Earth.

FAQ:


Do they burn?
No, ice sublimates into gas.
Can I see them? Yes, naked-eye comets appear every few years.

DID YOU KNOW?

Oort Cloud

A theoretical, spherical shell of icy space debris existing 2,000 to 100,000 AU from the Sun. It marks the true cosmographical boundary of the Solar System.

Estimated to contain trillions of icy bodies. Outer edge reaches nearly a quarter of the way to Proxima Centauri.



Orbital periods can take millions of years.

Gravitational Influence

Structural Comparison



Planets & Kuiper Belt (Flat)



Oort Cloud (3D Spherical Shell)

Scientific Insights

No spacecraft has ever reached it. Voyager 1, traveling at 61,000 km/h, will not enter the Oort Cloud for another 300 years, and will take 30,000 years to exit it.

Importance

The ultimate edge of the Sun's gravitational dominance and the reservoir for long-period comets.

FAQ

Have we seen it?

No, inferred mathematically.

Is it dark?


Yes, the Sun is merely a bright star from there.

DID YOU KNOW?

Meteoroids & Meteorites

Fragments of asteroids, comets, or planets traversing the solar system and interacting with Earth.

48.5 tons of meteoritic material falls on Earth every single day, mostly as dust.



Earth's orbit intersection



Causes annual meteor showers (e.g., Perseids).



The Visual Dictionary of Space Rocks



Scientific Insights

Some rare meteorites contain microscopic diamonds older than the solar system itself, while others are blasted fragments of the Martian crust.

Importance

The only tangible pieces of the cosmos that humans can touch, study, and analyze without leaving Earth.

FAQ

Are they hot when they land? Usually lukewarm, outer layer ablates.

Can they hit me?

Extremely rare, but possible.