INFORMATION MANAGEMENT PLATFORM

Master Project Archive, Development History, Architecture & Handoff

POST-REV10 update including DP-01 V4 W4 representative flow

Archive date: 2026-10-08
Owner / product lead: Bousher Adi

AUTHORITY BOUNDARY
This dossier is a continuity/onboarding synthesis. It does not create a new successor, acceptance, promotion or freeze. REV10 remains the authoritative continuity baseline unless later exact primary evidence explicitly supersedes a scope.

0. Start here - what this package is for

This package is meant to let a future ChatGPT/Claude session, developer, BIM/Information Manager, partner or the owner reopen the IM Platform project and understand the full direction without restarting the architecture. It explains the product thesis, development journey, current technical/governance state, proven evidence, failed attempts, open residuals and roadmap.

It is a coherent synthesis, not a verbatim export of every chat line. Exact task-specific primary evidence must still be used whenever a frozen/promoted scope is modified or reviewed.

Recommended read order

- README_FIRST_IM_PLATFORM_ARCHIVE_HANDOFF_2026-10-07.txt
- IM_PLATFORM_CURRENT_WORKING_STATE_2026-10-07.json
- This Master Project Dossier (DOCX/PDF/MD)
- IM_PLATFORM_ARCHITECTURE_AND_ROADMAP_2026-10-07.md
- IM_PLATFORM_CHATGPT_CLAUDE_CONTINUATION_PROMPTS_2026-10-07.txt
- Original REV10 Handoff/Continuity Archive when exact authority is needed
- Latest task-specific primary evidence for the exact scope

1. Project in two minutes

IM Platform began as a practical BIM-quality flow for checking whether information in Revit models actually met owner requirements. It has evolved into an owner-side Information Product Governance Platform: a governed layer between requirements and source deliveries on one side and databases/FM/AIM/GIS/CDE/APIs on the other.

The main value is not a viewer. It is the controlled decision chain that prevents a visually plausible model, a newer filename, a browser preview or an unverified client payload from silently becoming organisational truth. The platform binds source identity, requirements, reference data, project context, validation, human review, approvals and evidence before canonical publication.

The platform complements Revit, Solibri, Navisworks, CDE and FM. It decides which information can be trusted, why, by whom, against which requirements and for which exact project context.

2. Truth hierarchy and governance rules

- Exact artifact bytes + SHA-256 + promotion/freeze/designation record outrank summaries.
- Frozen parents are immutable; any change requires a new successor/candidate.
- Source truth > preview.
- Correction Approval != Delivery Approval != Organisation Acceptance != AIS != Verified Publish/Current.
- Fresh source + revalidation are required before canonical/current publication.
- Fail closed on stale, ambiguous, missing, inconsistent or unverifiable authority/evidence.
- Never guess identity/version and never use silent latest fallback.
- Compare-Before-Write wherever governed source writeback exists.
- Failed attempts and NOT_PROVEN are evidence and must be preserved.
- Customer requirements belong in governed Requirement/Reference data, not customer-specific code forks.
- For Windows/PowerShell: one short safe logical block at a time; wait for observed output before the next dependent step.

3. Authoritative continuity baseline

Record	SHA-256	Role
REV10 Continuity Archive	1D2B3C1D7E16FEF3597F2FE86AE1E9704DA9B23B1BAAAA8B1F56D65C4F3BAFC6	Authoritative continuity baseline
REV10 Current State	6651D314F1DB75C1502433D282B81E94AE5E4AD8CEFC50A7963F4650B7F7C7E2	Current state at REV10
REV10 Handoff Record	437A13BE4D4A865F910FD1CCEE593085BD002EC37D8AFDE37BD59770668F7252	External authority pointer

Scoped current/frozen authorities

Authority	Status	Authority reference SHA-256
S19 VPC-01	HISTORICAL FINAL FROZEN semantic Core	3BEB862A7DCA6BCC18D18AFB7B8DD08D093EBA3F615D55A83EE39CE91EDA1A64
RLCB V2	CURRENT / FINAL / FROZEN for binding scope 1-10	EFF884F3A616D7D17CD9ADFF9A1B32A366F6D1E4A4C5D77A98BF1B7254863E39
F59 V4	PROMOTED / CURRENT / FINAL / FROZEN for runtime-hardening scope	81E5B4D2C085C5DE76CCB6E9C80DA893EF10F6A34D919421D8F0A2D5ADA223BD
m-66-1	PROMOTED / CURRENT / FINAL / FROZEN for approval-to-review-session binding	5E1938CBEC0EA891431404216C760CF24B02E3207CA3C52B1FBE0457BAF2B64D
G-B1	PROMOTED / CURRENT / FINAL / FROZEN / CLOSED for exact reviewer identity scope	32778DBFD69E9E5A27CCDF71CCCA016106CB6EE1987A1B64C1237D92206D2510

Multiple scoped authorities can be current for different scopes. This does not mean the whole product is FINAL/FROZEN.

4. Development journey - idea to current state

Period	Milestone	Why it mattered
Jun 2026	First practical validation chain	Revit/Dynamo -> JSON -> requirements -> issues -> approval direction. Abboten 12-room proof established the first useful end-to-end concept.
Jun 2026	Platform direction	The center of gravity moved from scripts to a platform: Dashboard/Approval, requirements, issues, 2D/3D, database, export and owner requirements. Revit became a source, not the workflow center.
Jun-Aug 2026	Source breadth and scale	IFC/OpenBIM, geometry, 2D/3D review, multi-building, source parity and larger Region Blekinge models were added.
14-23 Aug 2026	Correction governance	Controlled corrections, Correction Approval, Translator, Compare-Before-Write and source-specific correction boundaries were established.
Late Aug 2026	Identity/history/portability	Duplicate GUID protection, source precedence, Windows/Python portability, History & Analytics, IFC/Revit parity.

Period	Milestone	Why it mattered
Early Sep 2026	Governance hardening	NO_EFFECTIVE_RULES, fail-closed behavior, Requirement/Reference persistence and provenance.
17-19 Sep 2026	S11-S19 semantic successor chain	Reference -> Mapping -> Identity -> Context -> Binding -> Property Authority -> Baseline -> AIS -> Verified Publish / Current.
19-21 Sep 2026	Productization and Regression01	SQLite/repository and Requirement/Reference administration. Regression Attempt21 stayed NOT_PROVEN rather than being forced green.
21-24 Sep 2026	Information Product / UI REV2	Project Context, delivery cycles, Organisation Acceptance, AIS and Current were separated as explicit authorities.
Late Sep-2 Oct 2026	Requirement governance	No-code/governed requirement lifecycle, controlled publication and semantic import hardening.
2-4 Oct 2026	RLCB V2 and Windows E2E	Exact Requirement/Reference content binding, real IFC, Approval Gate, DB persistence and immutable evidence discipline.
5-6 Oct 2026	F59 V4, m-66-1, G-B1, REV10	Runtime hardening, approval-session binding and reviewer identity scopes closed/promoted/frozen. REV10 became authoritative continuity baseline.
6-7 Oct 2026	DP-01 deployment successor	Contracted deployment/productization work progressed through V2/V3 to V4. V3 NT-15 defect was preserved and corrected through a minimal V4 successor.
7 Oct 2026	DP-01 W4 representative flow	Real IFC -> review -> sealed bundle -> bound validation -> Delivery Approval -> Approval Gate -> persistence -> delivered session, with 210/210 product files unchanged and governed stop.

5. Full platform architecture - text only

Color/status legend

Status	Meaning
GREEN	Implemented / demonstrated / proven in defined scope
BLUE	Active next integration/productization work
YELLOW	Planned / partial / separate track
RED	Open blocker/residual; must not be silently closed
PURPLE	Frozen/historical authority/evidence; immutable

Master owner-flow

```
SOURCE WORLD
 Revit / Dynamo / IFC / later DWG / PDF / Excel / GIS / Scan / CDE
      |
      v
SOURCE IDENTITY + NORMALIZATION
      |
      v
PROJECT / BUILDING / STAGE / DELIVERY CONTEXT
      |
      +------------------------------+
      |                              |
      v                              v
REQUIREMENT AUTHORITY          REFERENCE AUTHORITY
      |                              |
      +---------------+--------------+
                      v
              VALIDATION CONTEXT
                      |
                      v
              VALIDATION ENGINE
                      |
                      v
              OBJECT VALIDATION
                      |
                      v
                REVIEW
                      |
                      v
             DELIVERY APPROVAL
                      |
                      v
              APPROVAL GATE
                      |
                      v
         CANONICAL INFORMATION PRODUCT
                      |
                      v
        APPROVED INBOX / DATABASE / HISTORY
                      |
          +-----------+-----------+
          |           |           |
          v           v           v
       AIM/FM      GIS/CDE    Analytics/API
                      |
                      v
            VERIFIED PUBLISH / CURRENT
```

Layer register

#	Layer	Responsibility	Status
01	Source / Authoring	Revit, Dynamo/Python, IFC; planned DWG/PDF/Excel/GIS/scan/CDE/FM sources	GREEN

#	Layer	Responsibility	Status
02	Acquisition / Adapters	Source-specific import/export, raw file hashing, normalization, project/property/building extraction	GREEN
03	Source Identity & Integrity	SHA-256, run/building/project identity, source precedence, fresh-source rule, fail-closed	GREEN
04	Governed Project Context	Organisation -> Project -> Property -> Building -> Stage -> Delivery Cycle	BLUE
05	Requirement Authority	Requirement Set/Version, rules, severity, applicability, provenance and exact library identity	GREEN
06	Reference Authority	Allowed values, code lists, classification and exact reference content identity	GREEN
07	Validation Context	Immutable binding of requirement + reference + project context; context SHA and effective rules	GREEN
08	Validation Engine	Room/area/identity/property/ classification validation; STOP/WARNING/INFO/PASS/BLOCKED	GREEN
09	Object Validator	Walls/doors/windows/ boundaries/links/object issues; bound result SHA and authority binding	GREEN
10	Correction / AutoFix	Proposals, preview, human Correction Approval, compare-before-write; fresh source required	GREEN
11	Review Lifecycle	Review session, sealed bundle, audit, validation, corrections, Delivery Approval	GREEN
12	Approval Gate	Human decision bound to fresh source + validation authority + review session; BLOCKED never approvable	GREEN
13	Canonical Information Product	Approved artifact with identity, validation, approval, provenance and canonical source authority	GREEN
14	Persistence	Approved Inbox, SQLite history DB, geometry/object evidence, reporting	GREEN
15	AIS / Verified Publish / Current	Separate Organisation Acceptance/AIS/Current semantics; exact publication authority	BLUE

#	Layer	Responsibility	Status
16	Baseline & Change Control	Declared baseline, comparison target, governed delta and impact analysis	BLUE
17	Change Intelligence V1	Added/removed/property/ geometric deltas, identity uncertainty, stale/revision detection	YELLOW
18	Reality Viewer	E57/point cloud/360 context and measurement; separate track from Core authority	YELLOW
19	Analytics / Reporting	Validation reports, Power BI, geometry/ROI summaries, future portfolio analytics	GREEN
20	Product Workspace / UI	Organisation/Project/Building/ Information Product workspace, requirements, review, publish, admin	BLUE
21	Downstream Consumers	FM/AIM/GIS/CDE/API/Digital Twin/operations	YELLOW

6. Semantic architecture and decision boundaries

Requirement + Reference Authority

Requirement Library owns governed policy: requirement set/version, rule identity, severity, applicability and provenance. Reference Library owns controlled values/classification/reference content. Exact content identities are bound into Validation Context and downstream Approval Gate evidence.

Validation Context

Validation Context is the execution-authority snapshot binding exact Requirement + Reference + project/context selection. No valid context means BLOCKED. BLOCKED is not STOP and cannot be overridden by a human approval.

Validation Engine and Object Validator

Room/area/property/identity/classification validation is combined with object-level validation for walls, doors, windows, boundaries and relationships. Bound Object Validation produces a cryptographic result identity plus review/source/delivery/building binding. If object_effective_rules = 0, the governed behavior is PRESERVE_UPSTREAM_OBJECT_FINDINGS rather than silently interpreting non-execution as no findings.

Correction / Delivery / Publication separation

Correction Approval authorizes a correction/writeback action; it does not make preview data canonical. Revit writeback uses Compare-Before-Write and requires a fresh export/revalidation. IFC is corrected at source and re-exported. Delivery Approval permits progression to Approval Gate but creates no canonical artifact. Approval Gate builds the canonical artifact from fresh source and verified bindings. Organisation Acceptance, AIS and Verified Publish/Current remain separate authorities.

7. Current architecture by capability

GREEN - strong/proven mechanisms

- Revit/Dynamo source flow and controlled writeback mechanisms.
- IFC import, normalization, geometry/object extraction, review and validation.
- Requirement/Reference governance foundation and exact content binding.
- Source identity, context/binding, duplicate identity protection and fail-closed behavior.
- Review sessions, sealed bundles, Delivery Approval and Approval Gate.
- Canonical Approved Inbox + SQLite/history persistence + reporting evidence.
- Immutable evidence discipline and scoped successor/freeze governance.

BLUE - active integration/productization

- DP-01 deployment packaging and final Windows evidence closure.
- Organisation/Project/Building/Stage/Cycle Product Workspace.
- Baseline binding and Change Intelligence V1.
- Product-level current-state navigation and self-service requirement onboarding.

YELLOW - planned/separate

- Reality Viewer product hardening and governed reality-vs-BIM integration.
- PDF/DWG/Excel/GIS/scan/CDE/FM connectors.
- Portfolio/organisation analytics, APIs and commercial onboarding.

RED - explicit open boundaries

- DP-01 V4 is NOT ACCEPTED / NOT PROMOTED / NOT FINAL-FROZEN.
- W5 Final Integrity / Package Evidence remains.
- DP-01 manifest semantic inconsistency remains unresolved before acceptance/freeze.
- Windows long-path deployment/runtime residual remains open/out of scope.
- Whole-product FINAL/FROZEN/enterprise-ready claim is not authorized.

8. DP-01 deployment/productization - exact current state

Item	Value	Status
Approved contract SHA-256	F4F95A10D1A79365DD6F414C7668D0AB241C7587C738DE7D1B5162B124D46E0B	PURPLE / authority
V3 predecessor ZIP SHA-256	9EDE47CB85049386968ACBD19A23E46542AFA5317290E6FACA03BB72C2F7B445	PURPLE / preserved predecessor
V3 product tree	E69E420B5FB4B4824BC021A7B96573B662706D187B2E39462B65BA33CC422D86	PURPLE / predecessor identity
V4 tested product tree	1688AD93C13FE7B76C65ACD841C44EF93A4CEA08935CA55083178B0D7B100FDD	GREEN / tested working tree
V4 candidate ZIP SHA-256	6ACDACA2C141196758533B1095500CE9D9410594E6D7AFCCFA3326110D91DAC8	GREEN / packaged candidate, not accepted
V4 candidate ZIP size	18,813,764 bytes	GREEN
Manifest SHA-256	57ADD47690E6C4A17067B6A459474011640FE4CBFF327B38C8778FF63176A190	GREEN / verified bytes, semantic issue still open

Item	Value	Status
SHA256SUMS SHA-256	2F3E509C91B2A31A59D5E390DBDB0C4EAC99E6C04CBD73BD059408451F320A62	GREEN / verified
AC28 Attempt02 result SHA-256	34BC4DBB18BD28CC49EEBFA6EBA54C3F6C4AAC203F299C05899DF4A03D842999	GREEN / PASS

V3 exposed a real repeated-start lifecycle defect (NT-15). The failed evidence was preserved. V4 is the minimal successor that corrects the intended lifecycle/server scope. Neither V3 nor V4 is allowed to be called whole-product accepted/promoted/frozen based on the current evidence.

9. DP-01 W4 representative real-flow proof

Real IFC: M40_0254_00.ifc, 21,616,570 bytes, SHA-256 FA50122BC7618F18972F093D7BE512D2455F0E3DCA6BB1D174AE91C70CFC2061.

Step	Observed result	Status
Fresh runtime + server	Exact V4 fresh extraction, controlled runtime root	GREEN
Validation Context	f00568df945b6eb0945a500582fe4c532d7ff70af803f7110bb5f4f27728aa15 | 28 effective rules | 0 object rules	GREEN
IFC import	Run RUN-IFC-20261007-133706 | Building 90254 | 24 rooms / 78 walls / 31 doors / 49 windows	GREEN
Review open	Session REV-20261007-133905-1ae069fe | Delivery DLV-20261007-133905-1ae069fe	GREEN
Bundle seal	3cd8c5b88fa1fa1d75ee4389edad95ad69baf73c92307cc845c0f7cea220a72a	GREEN
Bound validation	163 upstream object issues preserved | bound SHA a08fa8d2fba7318338700b5c61c10553a8523134415a876bb06a7f33a488e8bc	GREEN
Delivery Approval	Reviewer Bousher Adi -> approved_for_delivery	GREEN
Approval Gate	Technical WARNING -> human APPROVED_WITH_WARNINGS | role BIM-samordnare | fresh source export	GREEN
Persistence	HTTP 200 / ok=true / 78 walls / 31 doors / 49 windows / 24 boundaries / 158 links / 163 object issues	GREEN
Session after persistence	delivered | ResultingRunId RUN-IFC-20261007-133706	GREEN
Product integrity	210 -> 210 files | 0 changed / 0 removed / 0 added	GREEN
Governed stop	exit 0 | process dead | server marker removed | persistent lock file expected	GREEN

W4 negative learning - harness encoding mismatch

A first persistence attempt returned HTTP 409 OBJECT_VALIDATION_RESULT_UNVERIFIED:hash_mismatch. The server was not at fault. The test harness had passed raw bound JSON through PowerShell ConvertFrom-Json ->

ConvertTo-Json, corrupting 164 UTF-8 text values (for example "där" became mojibake). That changed the canonical hash. Rebuilding the input directly from raw UTF-8 JSON preserved the bound_result_sha256 and persistence passed. The failed 409 attempt must remain preserved evidence.

This is a positive governance lesson: cryptographic binding caught an encoding mutation that a looser system could have silently accepted.

10. DP-01 open manifest semantic issue

The current V4 manifest top-level scope_matrix_path refers to the narrow V3->V4 correction matrix, while the historical top-level manifest schema used a full parent-to-current candidate scope matrix. The materialization scope did not authorize silently adding another full matrix. Therefore the current manifest/package metadata must not be called canonical/final until this semantic issue is explicitly resolved. Do not overwrite/rebuild the candidate ZIP just to make the issue disappear.

11. Review / approval lifecycle

```
OPEN REVIEW
  |
  v
SEALED REVIEW BUNDLE
  |
  v
BOUND VALIDATION
  |
  v
CORRECTION REVIEW (if needed)
  |
  v
DELIVERY APPROVAL  [creates_canonical = false]
  |
  v
APPROVED_FOR_DELIVERY
  |
  v
APPROVAL GATE [fresh source + verified authority + reviewer/role]
  |
  v
CANONICAL APPROVED ARTIFACT
  |
  v
PERSISTENCE / APPROVED INBOX / HISTORY DB
  |
  v
DELIVERED
```

12. Information Product / UI REV2 decisions

- Delivery-cycle types are configured per project type and do not replace governed stage_id.
- Pilot scope is single-context; baseline from another context is not authority.
- Pilot P1 cycle is PILOT-FINAL-DELIVERY, label Slutleverans, declared final.
- AIS seals only after verified Organisation Acceptance and binds to exact cycle, Delivery Approval, snapshot set and canonical payload.
- Current authority is scoped to exact Project Context; organisation-level views are read-only unless a later successor creates authority.

- Stage identity must not be fabricated from labels/status. G04 remains authority-extracted/context-binding-unresolved where evidence is unresolved.

13. Change Intelligence V1

Change Intelligence must compare a new governed delivery against an explicitly declared approved/current baseline or exact snapshot, not automatically the previous run. Planned delta classes: ADDED, REMOVED, CHANGED_PROPERTY, MOVED, RESIZED, UNCHANGED and IDENTITY_UNCERTAIN. Identity uncertainty must trigger review/fail-closed rather than guessed matching.

A target owner problem is stale content hidden behind a new CDE version number: the platform should detect that the content derives from an older revision by comparing governed identities and deltas, not by trusting the version label alone.

14. Reality / Point Cloud track

Reality Viewer remains strategically important but separate from Core authority. Demonstrated direction includes E57/point-cloud viewing, clipping, LOD and measurement. Future integration includes point picking, level/coordinate association, reality-vs-BIM comparison and governed deviations. Automatic Scan-to-BIM is not a proven claim.

15. Legacy / no-BIM / MENA strategy

IM Platform must work even when the customer has no BIM-ready building. Intended progression: Registry -> Documents -> Structured Data -> 2D -> IFC -> Digital Twin when justified. Planned adapters include PDF, DWG, Excel/CSV, GIS, survey/scan and CDE/FM APIs. Governance, provenance, asset registration, condition/intervention data and approvals can deliver value before advanced BIM exists.

16. Region Blekinge proof basis

- Abboten early 12-room proof established practical JSON/validation/identity learning.
- Akuten / Building 90254 is a recurring IFC/object-validation/review/E2E evidence case.
- Multi-building flows include 90254, 92505, 90246 and 97701.
- Larger models provided hundreds of rooms and thousands of objects/issues for scaling and data-quality work.
- Duplicate identity protection and governed Revit/Dynamo correction/writeback were demonstrated in defined scopes.

17. Code vs non-code work

Non-code / information governance

- Curate Requirement/Reference Libraries with owners, lifecycle, versions and hashes.
- Define Project Package: project type, stage, delivery cycles, final cycle, acceptance obligations and customer vocabulary.
- Map PTS/IDS/Trafikverket/customer requirements to automatic/manual/document/process evidence.
- Define Information Product Contracts and correction/approval procedures.
- Prepare onboarding, training, support, release notes and legacy source inventories.

Code / product engineering

- Finish DP-01 W5 and manifest semantic closure.
- Implement Change Intelligence V1.
- Implement Product Workspace walking skeleton.
- Strengthen API/data contracts and multi-user operations.
- Implement extended source connectors.
- Later: RBAC/SSO, tenancy, observability, backup and SLA operations.

18. Product maturity

Area	Current maturity	What remains
Governance Core	GREEN - strong scoped authorities	Preserve immutable; successors for new semantics
Requirement/Reference	GREEN/BLUE	Product self-service + enterprise roles
Object validation	GREEN for defined scopes	Broader profiles/onboarding
Revit/Dynamo	GREEN mechanism proof	Broaden scenarios + packaging
IFC	GREEN real-model proof	Repeatable external onboarding
Review/Approval	GREEN mechanism	Product UX + organisation flow
Persistence/history	GREEN/BLUE	Stronger API/operations
Deployment	BLUE late proof stage	W5 + manifest closure + formal exact-scope decision
Change Intelligence	YELLOW/BLUE	Implementation + runtime evidence
Product Workspace	BLUE	Walking skeleton
Reality Viewer	YELLOW/GREEN separate	Hardening + integration contract
Legacy/connectors	YELLOW	Implementation
Enterprise	YELLOW/FUTURE	RBAC/SSO/tenancy/observability/support

19. Roadmap

Phase	Time	Status	Scope
Phase 0 - Proven concept	Jun-Aug 2026	DONE	Revit/Dynamo/JSON validation, IFC, DB/history, review, writeback, correction governance, source parity.
Phase 1 - Governance foundation	Aug-Sep 2026	DONE	Semantic successor chain, identity/context/binding/property/baseline/AIS/Current semantics.
Phase 2 - Binding & runtime hardening	Late Sep-6 Oct 2026	DONE for defined scopes	RLCB V2, F59 V4, m-66-1, G-B1.
Phase 3 - Integrated Alpha	Oct 2026	IN PROGRESS	DP-01 packaging/Windows proof, Change Intelligence V1, Product Workspace walking skeleton.

Phase	Time	Status	Scope
Phase 4 - Product V1	Nov 2026 target	PLANNED	Organisation -> Project -> Building -> Information Product, baseline/delta, governed review/publish, APIs.
Phase 5 - Pilot Ready	Dec 2026-Jan 2027	PLANNED	Repeatable Region Blekinge pilot, installation/support, Current dashboard, FM/AIM/GIS handover.
Phase 6 - Legacy/connectors	Q1-Q2 2027	PLANNED	PDF/DWG/Excel/GIS/scan/ CDE/FM adapters and no-BIM workflows.
Phase 7 - Enterprise scale	2027-2028	FUTURE	RBAC/SSO, tenant isolation, observability, backup, multi-org, SLA/support, portfolio analytics.

Immediate next order

- W5 Final Integrity / Package Evidence.
- Resolve the DP-01 manifest semantic issue without silently modifying preserved evidence.
- Formal exact-scope DP-01 closure / acceptance decision.
- Update continuity state append-only after the exact governance decision.
- Continue Phase 3 with Change Intelligence V1 and Product Workspace walking skeleton.

20. Product V1 target

Product V1 should let a normal Information Manager work through Organisation -> Project -> Building -> Requirements -> Delivery -> Validation -> Changes -> Review -> Approval -> Current -> FM/AIM/GIS/API without working directly in Python, JSON or the database. The UI must expose authority/binding state rather than hide it.

21. Safe external claims

Topic	Safe wording	Do not claim yet
Core governance	Evidence-driven owner-side information governance with immutable evidence discipline	Whole product enterprise-ready/final
Revit/Dynamo	Controlled validation/correction/writeback mechanisms demonstrated	Universal auto-correction for all disciplines
IFC	Real-model read/normalize/validate/review and canonical approval flow demonstrated	Direct canonical IFC writeback
Requirement governance	Governed lifecycle and exact content binding substantially demonstrated	Full authenticated enterprise self-service
Deployment	V4 Windows representative flow through persistence demonstrated; final package closure pending	DP-01 accepted/promoted/frozen
Reality	Separate point-cloud/viewer capability demonstrated	Automatic Scan-to-BIM/digital-twin generation

Topic	Safe wording	Do not claim yet
Legacy	Roadmap supports PDF/DWG/GIS/scan without BIM prerequisite	All connectors production-ready
Commercial	Strong pilot/service-led proposition	Mature multi-tenant SaaS with SLA/SSO

22. Working method for future changes

- Identify exact parent authority and hashes.
- Create fresh successor/staging; never modify frozen parent.
- Define scope, claims and acceptance criteria before coding.
- Implement the smallest coherent delta.
- Run static/syntax/unit and targeted negative tests.
- Run controlled runtime/server/browser acceptance when runtime claims are involved.
- Capture exact logs, hashes, manifests and write-scope diffs.
- Preserve failures/operator mistakes; new attempt instead of overwrite.
- Run independent/read-only evidence review.
- Promote/freeze only for exact proven scope.
- Update Current State/Master Context/continuity append-only.

23. Handoff - technical developer

- Do not begin with refactoring. Understand authority/state/evidence first.
- Verify REV10 identities and exact parent for the task.
- Treat Requirement/Reference Libraries as policy authority; validators/profile engines are execution capability.
- Client/UI payload must never be the sole authority for canonical persistence.
- Bind exact context/hash and reject stale/tampered/mismatched payloads.
- Preserve Revit vs IFC correction boundaries.
- Keep Reality Viewer/connectors separate until explicit integration contract exists.
- For DP-01 continue from W5. Do not rerun W4 merely to make evidence cleaner.
- Preserve the failed UTF-8/PowerShell harness attempts and the successful raw-UTF8 path.

24. Handoff - BIM / Information Manager / non-technical reader

IM Platform is a controlled owner-side gate that turns delivered information into trusted information. It begins from owner requirements and reference data, validates the exact incoming source for the exact project context, records issues, separates blockers/warnings/manual checks, controls corrections and approvals, requires fresh source after correction, preserves evidence/history and publishes an explicit Current state instead of assuming newest file = truth.

25. Conversation/history index

This archive summarizes the project conversation history rather than copying every chat message. Major streams included:

- Platform-centered workflow and early v41-v43 continuity.
- Revit/Dynamo validation, Approval Gate, rules/issues, database/Power BI and object validation.
- 2D/3D review, geometry, multi-level behavior and read-only Review 3D boundary.

- Controlled correction approval, writeback and Compare-Before-Write.
- IFC source precedence, canonical source authority and duplicate identity protection.
- Requirement/Reference libraries, NO_EFFECTIVE_RULES and semantic import hardening.
- S11-S19 semantic successor chain and Regression01 NOT_PROVEN learning.
- UI REV2 / Information Product governance, Project Context, delivery cycle, AIS and Current decisions.
- RLCB V2, F59 V4, m-66-1 and G-B1 scoped authority closure.
- DP-01 contract, V2/V3/V4 deployment candidates, Windows evidence, NT-15 lifecycle correction and W4 real-flow proof.
- Reality Viewer / point cloud and legacy/no-BIM / MENA strategy.

26. New ChatGPT / Claude continuation point

A new AI session must continue from the package, not redesign from memory. Latest checkpoint: DP-01 V4 W4 is complete at a safe pause; W5 is next; manifest semantic issue remains; no DP-01 acceptance/promotion/freeze has occurred.

Use the separate file IM_PLATFORM_CHATGPT_CLAUDE_CONTINUATION_PROMPTS_2026-10-07.txt. It contains one ready-to-paste prompt for ChatGPT project “Information Management Platform (IM Platform)” and one for Claude project “IM PLATTFORM”.

27. Exact current DP-01 checkpoint

Item	Value
V4 product tree	1688AD93C13FE7B76C65ACD841C44EF93A4CEA08935CA55083178B0D7B100FDD
V4 ZIP SHA-256	6ACDACA2C141196758533B1095500CE9D9410594E6D7AFCCFA3326110D91DAC8
W4 run	RUN-IFC-20261007-133706
W4 review session	REV-20261007-133905-1ae069fe
W4 review bundle SHA	3cd8c5b88fa1fa1d75ee4389edad95ad69baf73c92307cc845c0f7cea220a72a
W4 bound result SHA	a08fa8d2fba7318338700b5c61c10553a8523134415a876bb06a7f33a488e8bc
W4 technical decision	WARNING
W4 human approval	APPROVED_WITH_WARNINGS
W4 persistence	HTTP 200 / ok=true / session delivered
W4 product integrity	210 -> 210 files; 0 changed / 0 removed / 0 added
W4 stop	exit 0; process stopped; server marker removed; persistent lock file expected
NEXT	W5 Final Integrity / Package Evidence
DP-01 designation	NOT ACCEPTED / NOT PROMOTED / NOT FINAL-FROZEN

Source basis note: this dossier is a coherent synthesis of the project conversation history and available project artifacts, not a verbatim transcript archive. Later exact primary evidence always wins over narrative.

2026-10-08 - DP-01 V5 Formal Closure Update

This append-only dossier update supersedes the 2026-10-07 working checkpoint narrative for current continuation purposes. It does not create acceptance, promotion, final or frozen status.

Final V5 identity

ZIP SHA-256: A80523A6ADD0B6B621DD6FD279F91A65FD620616A5E376EE7AB4DA48C211D4BB

ZIP size: 18,818,074 bytes

Product files: 210

Product tree SHA-256: 1688AD93C13FE7B76C65ACD841C44EF93A4CEA08935CA55083178B0D7B100FDD

Approved contract SHA-256: F4F95A10D1A79365DD6F414C7668D0AB241C7587C738DE7D1B5162B124D46E0B

Acceptance closure

28/30 acceptance criteria PASS. AC-02 and AC-17 are NOT_PROVEN. FAIL count = 0. AC-02 is an historical four-checkpoint evidence-completeness gap and must not be reconstructed retroactively. AC-17 lacks an actual Windows Python 3.13 FINAL resolver-success test; current Windows discovery found Python 3.14.5 FINAL only.

Formal disposition

NOT ACCEPTED / NOT PROMOTED / NOT FINAL / NOT FROZEN.

Closure records

Formal closure assessment SHA-256:
7C14CBD22D2B06CBDBAB8A8BBEF1D9BAB3A8F40C09BC31A9C93B6831126CCE45

Final closure status binding SHA-256:
936E16B8AA5D59E7215B526BC7030A4C6600C7EB8B4FA96FD1DF59281EAD1E2D

Residuals and stop rule

Windows long-path deployment/runtime residual remains OPEN / OUT OF SCOPE. W4 is executed/consumed and must not be rerun. Stop V5 testing. Do not install Python 3.13 merely to manufacture evidence.

Next continuation

Treat DP-01 V5 as a closed governance record. New work requires separate scope/authorization. Current roadmap priorities are Change Intelligence V1, Product Workspace walking skeleton, and continued AIS / Verified Publish / Current productization.