INFORMATION MANAGEMENT PLATFORM

Master Project Archive, Development History, Architecture, Governance & Roadmap

Archive date: 2026-10-09 | Owner / product lead: Bousher Adi

AUTHORITY BOUNDARY - Continuity/onboarding synthesis only. Exact primary bytes + SHA-256 + formal governance evidence outrank this narrative.

0. Start here - what this package is for

This package lets a future ChatGPT/Claude session, developer, BIM/Information Manager, partner, decision-maker or the owner reopen the IM Platform project and understand the full direction without restarting the architecture. It is a structured synthesis of the project conversation history and available artifacts, not a verbatim export of every chat line.

Use it to understand the product, continue technical or non-code development from the correct state, and locate exact authority/evidence files before modifying any governed scope.

1. Project in two minutes

IM Platform is an owner-side Information Product Governance Platform. It started as a practical BIM quality-control chain for Revit data and has evolved into a governed information layer between requirements/source deliveries and downstream databases, FM/AIM, GIS, CDE, APIs and digital-twin use cases. Its core value is not visualisation; it is the evidence-backed decision chain that determines which information may be trusted, why, against which exact requirements, for which project/building/stage/delivery context, and after which human approvals.

The platform currently has a mature governed validation core, requirement/reference authority, validation context, issue/correction/review/delivery approval, approval gate, canonical information product, persistence/history, and strong immutable-evidence practices. CI-01 Slice 1 (Change Intelligence V1 narrow scope) is now ACCEPTED, PROMOTED, FINAL and FROZEN as exact V0.12 bytes. DP-01 deployment/productization remains deliberately NOT ACCEPTED / NOT PROMOTED / NOT FINAL / NOT FROZEN because its formal closure left acceptance criteria NOT_PROVEN; this must remain visible and must not be silently upgraded.

The next product-development step is Product Workspace Walking Skeleton: a thin read-oriented workspace that exposes governed projects, information states, CI change sets, review/evidence and approval status without changing frozen Core or CI authorities. After that come AIS / Verified Publish / Current, Baseline & Change Control, governed no-code onboarding, legacy-source adapters, and pilot/customer packaging.

2. Product thesis and the problem being solved

The platform began with a practical owner problem: BIM/source deliveries can look plausible while required information is missing, stale, inconsistent or not traceable to the correct requirement. Review tools can show geometry and issues, but they do not by themselves establish organisational truth.


IM Platform therefore governs the information product between requirements/source deliveries and databases/FM/AIM/GIS/CDE/APIs. It answers: what exact information may be trusted, why, against which requirement, from which source, in which context, after which review and approval, and with which evidence?

3. Truth hierarchy and non-negotiable governance rules

- Exact artifact bytes + SHA-256 + primary acceptance/promotion/final/freeze evidence outrank narrative summaries.
- Frozen authorities are immutable. Any technical change requires a separately authorized successor; never hot-patch frozen bytes.

- Source truth > preview. A browser view, newer filename or client payload does not become truth without governed identity and evidence.
- Correction Approval != Delivery Approval != Organisation Acceptance != AIS != Verified Publish/Current.
- Fresh source + revalidation are required before canonical/current publication.
- Fail closed on stale, ambiguous, missing, inconsistent or unverifiable authority/evidence.
- Never silently guess identity/version and never use an implicit 'latest' fallback in governed execution.
- Compare-Before-Write is required where governed source writeback exists.
- Failed attempts and NOT_PROVEN states are evidence. Preserve them; do not rerun merely to manufacture green.
- One proven authority scope cannot silently prove another.
- Customer-specific rules belong in governed Requirement/Reference data, not customer-specific code forks.

4. Master information flow



5. Architecture layer register

#	Layer	Responsibility	Current state
01	Source / Authoring	Revit, Dynamo/Python, IFC; planned/expanded DWG, PDF, Excel, GIS, scan, CDE and FM sources	GREEN in proven source scope; legacy adapters future
02	Acquisition / Adapters	Source import/export, raw-file hashing, normalization, project/property/building extraction	GREEN in proven adapters; more adapters planned
03	Source Identity & Integrity	SHA-256, source/run/building/project identity, source precedence, freshness, fail-closed	GREEN
04	Governed Project Context	Organisation -> Project -> Property -> Building -> Stage -> Delivery Cycle	DESIGNED / successor work; UI context decisions established
05	Requirement Authority	Requirement Set/Version, rule identity, severity, applicability, provenance, publication	GREEN / requirement library completed and closed in verified scope
06	Reference Authority	Allowed values, controlled values, classifications, exact reference content identity	GREEN
07	Validation Context	Immutable binding of requirement + reference + project/context selection	GREEN
08	Validation Engine	Room/area/property/identity/ classification checks with STOP/WARNING/INFO/PASS/BLOCKED	GREEN
09	Object Validator	Walls, doors, windows, boundaries, links, object issues and bound result identity	GREEN
10	Correction / AutoFix	Correction proposals, preview, human Correction Approval, Compare-Before-Write	GREEN in scoped flows
11	Review Lifecycle	Review session, sealed bundle, audit, corrections, Delivery Approval	GREEN
12	Approval Gate	Fresh source + verified authority + review binding; BLOCKED cannot be approved	GREEN
13	Canonical Information Product	Approved artifact with source, validation, approval, provenance and authority identity	GREEN
14	Persistence / History	Approved Inbox, SQLite/project DB, history, object evidence, reports	GREEN in scoped implementation
15	AIS / Verified Publish / Current	Organisation acceptance / AIS / current semantics and publication authority	NEXT after Product Workspace
16	Baseline & Change Control	Declared baseline, comparison target, governed delta, baseline decision	NEXT after AIS/Current
17	Change Intelligence V1	ADDED/REMOVED/UNCHANGED/ PROPERTY_CHANGED/ IDENTITY_UNCERTAIN, deterministic evidence	FINAL FROZEN V0.12
18	Reality / Point Cloud Viewer	E57/point cloud/360 context and measurement	SEPARATE TRACK; not Core authority
19	Analytics / Reporting	Validation reports, Power BI, geometry/ROI and future portfolio analytics	GREEN / expandable
20	Product Workspace / UI	Organisation/Project/Building/ Information Product workspace, changes, review, publish, admin	IMMEDIATE NEXT - walking skeleton

21	Downstream Consumers	FM/AIM/GIS/CDE/API/Digital Twin / operations	INTEGRATION TARGETS

6. Development journey - idea to current frozen CI authority

Period	Milestone	What changed
Jun 2026	First practical validation chain	Revit/Dynamo -> JSON -> requirement checks -> issues -> approval direction. Abboten 12-room proof established a useful end-to-end concept.
Jun 2026	Platform direction	Focus moved from scripts to a platform: dashboard/approval, requirements, issues, 2D/3D, database, export and owner requirements. Revit became a source, not the workflow centre.
Jun-Aug 2026	Source breadth and scale	IFC/OpenBIM, geometry, 2D/3D review, multi-building, source parity and larger Region Blekinge models were added. Akuten Run01 demonstrated scale and fail-closed behaviour.
14-23 Aug 2026	Correction governance	Controlled corrections, AutoFix proposals, Correction Approval, Translator, Compare-Before-Write and source-specific correction boundaries were established.
Late Aug 2026	Identity/history/portability	Duplicate GUID protection, source precedence, Windows/Python portability, history/analytics and IFC/Revit parity became explicit concerns.
Early Sep 2026	Governance hardening	NO_EFFECTIVE_RULES behaviour, fail-closed policy, Requirement/Reference persistence and provenance were hardened.
17-19 Sep 2026	S11-S19 semantic successor chain	Reference -> Mapping -> Identity -> Context -> Binding -> Property Authority -> Baseline -> AIS -> Verified Publish / Current semantics were progressively separated and frozen by scope.
19-21 Sep 2026	Productization / Regression01	SQLite/repository and administration work. Regression Attempt21 remained NOT_PROVEN instead of being forced green; 27 PASS / 64 NOT_PROVEN / 0 FAIL.
21-24 Sep 2026	Information Product / UI REV2	Project Context, delivery cycles, Organisation Acceptance, AIS and Current were separated as explicit authorities. OD-18/OD-02/OD-01 decisions refined cycle and Current semantics.
Late Sep-4 Oct 2026	Requirement governance / RLCB / Windows E2E	No-code governed requirement lifecycle, exact Requirement/Reference content binding, real IFC, Approval Gate and DB persistence were strengthened.
5-6 Oct 2026	F59 / m-66-1 / G-B1 / REV10	Runtime hardening, approval-session binding and reviewer-identity scopes closed and became frozen authorities. REV10 became a continuity baseline for the integrated state.
6-8 Oct 2026	DP-01 deployment successor	Deployment/productization was contracted and tested through V1-V5. Representative real IFC W4 was successful, but final closure remained NOT ACCEPTED because evidence/acceptance residuals remained NOT_PROVEN.
8-9 Oct 2026	CI-01 Change Intelligence V1	V0.1-V0.12 passed successive hard reviews. Identity, canonicalization, failure-evidence, NaN-key and traversal/depth issues were closed through narrow successors. V0.12 then passed Review99 and Windows review, and was Accepted -> Promoted -> Final -> Frozen.
9 Oct 2026	Current handoff point	Archive/continuity update is now required. Product Workspace Walking Skeleton is the next recommended implementation track; CI-01 V0.12 must not be modified.

7. What the platform already does

- Governed source ingestion in proven Revit/Dynamo/IFC flows with identity/hash binding.
- Exact Requirement and Reference authorities bound through Validation Context.
- Room/area/property/identity/classification validation plus object-level walls/doors/windows/boundaries/links.
- STOP/WARNING/INFO/PASS/BLOCKED issue semantics and preservation of upstream findings when no effective rules execute.
- Correction proposals/AutoFix with human Correction Approval and Compare-Before-Write.
- Review sessions, sealed bundles, Delivery Approval and Approval Gate.
- Canonical Information Product from fresh source and verified bindings.
- Persistence/history and reports/analytics.
- Frozen Change Intelligence Slice 1 for deterministic state-to-state comparison without silent identity guessing.

8. Requirement / Reference governance and PTS direction

The Requirement Library is already completed, verified and closed within its proven scope. Future BEP/customer mapping must reuse it rather than rebuild it. Reference Authority manages allowed values, classification and exact controlled content. Both are cryptographically bound into execution evidence.

PTS direction: Level 1 automatically verifiable BIM information; Level 2 mixed automatic + human verification; Level 3 document/manual evidence. Automatic detection must never be presented as a substitute for professional assessment where human verification is required.

9. Correction, review, delivery and publication are separate

Correction Approval authorizes a correction/writeback action; it does not make preview data canonical. Revit writeback requires Compare-Before-Write plus fresh export/revalidation. IFC is corrected at source and re-exported. Delivery Approval only allows progression to Approval Gate. Organisation Acceptance, AIS and Verified Publish/Current are separate later authorities.

10. Frozen / authoritative scope register

Authority	Status	SHA-256	Role / boundary
S19 VPC-01 Core	FINAL FROZEN	3BEB862A7DCA6BCC18D18AFB7B8DD08D093EBA3F615D55A83EE39CE91EDA1A64	Verified Publish / Current semantic authority in its exact scope; do not reinterpret through later UI work.
RLCB V2	Frozen authority	EFF884F3A616D7D17CD9ADFF9A1B32A366F6D1E4A4C5D77A98BF1B725486 3E39	Exact Requirement/Reference content binding authority.
F59 V4	FINAL FROZEN	81E5B4D2C085C5DE76CCB6E9C80DA893EF10F6A34D919421D8F0A2D5ADA223BD	Runtime hardening authority.
m-66-1	FINAL FROZEN	5E1938CBEC0EA891431404216C760CF24B02E3207CA3C52B1FBE0457BAF2B64D	Approval-session binding authority.
G-B1	FINAL FROZEN	32778DBFD69E9E5A27CCDF71CCCA016106CB6EE1987A1B64C1237D92206D2510	Reviewer identity / gate binding scope.
CI-01 Slice 1 V0.12	ACCEPTED + PROMOTED + FINAL + FROZEN	2F45BC7E37809802E1BF385755AEAF7215BC05D0C5308A27F0EE31D57A0BE577	Change Intelligence narrow scope only: ADDED, REMOVED, UNCHANGED, PROPERTY_CHANGED, IDENTITY_UNCERTAIN.

11. REV10 continuity baseline

REV10 archive SHA-256: 1D2B3C1D7E16FEF3597F2FE86AE1E9704DA9B23B1BAAAA8B1F56D65C4F3BAFC6

REV10 Current State SHA-256: 6651D314F1DB75C1502433D282B81E94AE5E4AD8CEFC50A7963F4650B7F7C7E2

REV10 Handoff Record SHA-256: 437A13BE4D4A865F910FD1CCEE593085BD002EC37D8AFDE37BD59770668F7252

REV10 remains the integrated pre-CI continuity baseline. This 2026-10-09 archive updates the narrative/current working state but does not rewrite REV10 primary evidence.

12. DP-01 deployment/productization - current disposition

V5 candidate SHA-256: A80523A6ADD0B6B621DD6FD279F91A65FD620616A5E376EE7AB4DA48C211D4BB; product tree: 1688AD93C13FE7B76C65ACD841C44EF93A4CEA08935CA55083178B0D7B100FDD.

The representative W4 real-IFC flow succeeded end-to-end, but formal closure remains NOT ACCEPTED / NOT PROMOTED / NOT FINAL / NOT FROZEN. Builder closure recorded 28/30 PASS and 0 FAIL with AC-02 and AC-17 NOT_PROVEN; Review85 identified independent-evidence/provenance and handoff-fitness gaps. Preserve that state. Do not upgrade the claim through narrative.

13. CI-01 Change Intelligence V1 - successor history

Version	Evidence	Review result	Reason / closure
V0.1	12/12 builder tests; Review88	0 B / 3 M / 6 m	Duplicate identity and authority-conflict issues; successor required.
V0.2	24/24 tests	No independent primary review performed	Important provenance fact: no independent V0.2 review existed; do not reconstruct one.
V0.3	35/35 tests; Review90	1 B / 4 M / 2 m	Numeric overflow, invalid roots, missing schema, authority-gate/provenance gaps.
V0.4	46/46 tests	0 B / 2 M / 2 m	Provenance and exact semantic hash runtime verification remained.
V0.5	52/52 tests; Review92	1 B / 3 M / 3 m	Runtime authority set regressed; exact delta/evidence/schema issues.
V0.6	60/60 tests; Review93	0 B / 1 M / 1 m	Early authority failure did not preserve actual caller configuration evidence.
V0.7	63/63 tests; Review94	0 B / 1 M / 0 m	Non-standard configuration evidence could collapse distinct explicit configs.
V0.8	68/68 tests; Review95	1 B / 1 M / 0 m	Schema-invalid early authority failures; lone-surrogate crash path.
V0.9	75/75 tests; Review96	1 B / 1 M / 0 m	Non-string mapping-key coercion and configuration evidence ambiguity.
V0.10	83/83 tests; Review97	1 B / 0 M / 0 m	Distinct NaN mapping keys could collide inside explicitly supported V2 fingerprint domain.
V0.11	87/87 tests; Review98	0 B / 1 M / 0 m	NaN collision closed via bounded-domain V3; new recursion/depth fail-closed gap found.
V0.12	95/95 tests; Review99	0 B / 0 M / 0 m	Traversal-domain guard closes cycles/depth. Fit for owner decision; subsequently Accepted, Promoted, Windows-reviewed, Final, Frozen.

13.1 Exact frozen CI-01 V0.12 state

Candidate SHA-256: 2F45BC7E37809802E1BF385755AEAF7215BC05D0C5308A27F0EE31D57A0BE577

Authorized frozen change types: ADDED, REMOVED, UNCHANGED, PROPERTY_CHANGED, IDENTITY_UNCERTAIN. MOVED/RESIZED, geometry/classification/relationship change semantics, requirement impact, writeback, baseline replacement and Current mutation are not part of the frozen scope.

Review99: BLOCKER 0 / MAJOR 0 / MINOR 0. Windows review: Python 3.14.5, jsonschema 4.26.0, rfc3339-validator 0.1.4, 95/95 tests PASS, SHA256SUMS 124/124 before and after, zero .pyc and zero __pycache__. Owner governance then proceeded as separate Acceptance -> Promotion -> FINAL -> FROZEN decisions.

14. UI / Product Workspace decisions already made

UI REV2 decisions separated project context, delivery cycles, Organisation Acceptance, AIS and Current. OD-18 established delivery-cycle/final-cycle logic; OD-02 defined AIS sealing only after verified organisation acceptance and exact cycle/delivery/snapshot/canonical payload binding; OD-01 kept Current bound to the exact project context with derived views read-only rather than independently mutable.

15. Reality Viewer and Model Health are separate tracks

Reality/Point Cloud Viewer work (E57/360) supports visual context, measurement and scan/model comparison, but it is not Core information authority. Model Health and Information Health should remain distinguishable even if later presented in one workspace.

16. Current status matrix

Area	State	Meaning
Core validation/governance	MATURE / frozen authorities by scope	Build additive successors/integrations; do not rewrite frozen scopes.
Requirement Library	COMPLETED / CLOSED in verified scope	Reuse; do not rebuild.
CI-01 Slice 1	FINAL FROZEN	Read-only authority for authorized change taxonomy.
DP-01	CLOSED but NOT ACCEPTED	Preserve NOT_PROVEN and Review85 caveats.
Product Workspace	NEXT	Build walking skeleton consuming governed outputs.
AIS / Verified Publish / Current	Semantics established; product realization next	Implement after Workspace without collapsing decision boundaries.
Baseline / Change Control	PLANNED NEXT	Use CI against an explicit baseline with governed replacement decision.
Legacy sources	PLANNED	Needed for PDF/DWG/scan-heavy customers.
Reality Viewer	SEPARATE	Integrate presentation later without changing authority.

17. Open residuals / what is not finished

Track	Status	Required treatment
DP-01	NOT ACCEPTED / NOT PROMOTED / NOT FINAL / NOT FROZEN	V5 closure was locally sound but Review85 found evidence/provenance and handoff-fitness gaps; AC-02 and AC-17 remained NOT_PROVEN in builder closure. Reopen only with exact evidence and a new formal decision path.
Windows long-path residual	OPEN / OUT OF SCOPE	Keep visible; do not retroactively claim it closed.
Product Workspace	NOT YET BUILT	Walking skeleton is immediate next product work.
AIS / Current runtime realization	NOT YET CLOSED	Semantics exist in frozen authorities; product/runtime realization remains a successor/integration task.
Baseline / Change Control	NOT YET CLOSED	Needed to operationalize CI against approved baselines.
Legacy PDF/DWG/GIS/scan adapters	PLANNED	Critical for markets/projects without BIM; must preserve source provenance and uncertainty.
Reality Viewer	SEPARATE TRACK	E57/point cloud/360 viewer work remains separate from Core truth authority.

18. Roadmap from today

Phase	When	Deliverable / rule
R0 - Archive / continuity update	NOW	Create one coherent 2026-10-09 continuity archive, file map and AI handoff. Do not change frozen technical authorities.
R1 - Product Workspace Walking Skeleton	NEXT	Thin read-first UI: Organisation/Project/Building -> Information State A/B -> Compare -> Change Set -> changes/evidence/review status. Consume CI-01 read-only.
R2 - AIS / Verified Publish / Current	AFTER R1	Realize publication/current workflows without collapsing Correction, Delivery, Organisation Acceptance, AIS and Current into one decision.
R3 - Baseline & Change Control	AFTER R2	Declare governed baseline, compare new state through CI-01, review impact and make explicit baseline replacement decisions.
R4 - No-code onboarding	PARALLEL/AFTER R1	Configuration-driven requirement/reference onboarding, controlled publication, mappings, code lists and project templates; Requirement Library itself is already complete in verified scope.
R5 - Legacy source adapters	PLANNED	PDF/DWG/Excel/GIS/scan/CDE intake for markets where BIM models are missing. Normalize into governed information states; never pretend legacy data has BIM identity it does not possess.
R6 - Pilot / customer packaging	PLANNED	Region Blekinge reference pilot, then customer packages for healthcare/municipal/MENA use. Separate software authority from customer configuration.
R7 - BEP & Information Requirements Compliance	OPTIONAL FUTURE	Add BEP-to-existing-requirement mapping/compliance UI as a successor/integration. Do not rebuild the completed Requirement Library or disrupt current priorities.
R8 - Extended CI successor	ONLY WHEN NEEDED	Future MOVED/RESIZED, geometry, classification, relationship or requirement-impact changes require a new CI successor. Never edit V0.12.

19. Product Workspace Walking Skeleton - first implementation slice

Build a deliberately thin read-first workspace: Organisation -> Project -> Building -> Information Product / Information State -> choose A/B -> Compare -> Change Set -> individual change -> evidence/review status. It should display counts and evidence without inventing new CI semantics.

- No new CI semantics in the UI.
- No client-side override of fail-closed decisions.
- No hidden latest-version fallback.
- Derived views are read-only unless an explicit governed write path exists.
- Expose evidence/authority identities in audit-friendly form while keeping normal labels readable.
- Start with one pilot context; generalise after the walking skeleton is stable.

20. Development with code vs without code

Mode	Examples	Governance rule
With code	Product Workspace UI, read APIs, AIS/Current runtime, baseline service, adapters for DWG/PDF/Excel/GIS/scan/CDE, connectors, tests/evidence harnesses	Classify scope and parent authority before implementation.

Without code	Requirement/reference configuration, mapping tables, cycle templates, acceptance procedures, checklists, roles, pilot setup, onboarding/training	Configuration must still be versioned and governed.
Hybrid	BEP mapping, PTS onboarding, customer rules, issue workflows	Reuse proven foundations; keep customer configuration separate from shared product code.

21. Commercial / pilot direction

Region Blekinge remains the strongest reference environment because real hospital/building data has been used throughout development. For MENA and other markets, position IM Platform as information governance, validation and digital-handover infrastructure rather than only a BIM checker. Where BIM is absent, ingest PDF/DWG/Excel/GIS/scan sources with explicit provenance and uncertainty instead of requiring BIM before value can be created.

22. Files and authority map - what is needed and where it is

Pri	Track	File / artifact	SHA-256 / ID	Known location	Why keep it
P0	Current frozen CI-01 candidate	CI01_SLICE1_IMPLEMENTATION_CANDIDATE_V0_12_2026-10-08.zip	2F45BC7E37809802E1BF385755AEAF7215BC05D0C5308A27F0EE31D57A0BE577	Included in this archive	Exact immutable CI-01 Slice 1 frozen bytes.
P0	CI-01 Acceptance	CI01_SLICE1_V0_12_FORMAL_PRODUCT_OWNER_ACCEPTANCE_2026-10-09.zip	D641DF095FAB8641A74E0CEC894366EF299B0385AF16C2C7E277D3AF394A2D9B	Included in this archive	Formal acceptance evidence.
P0	CI-01 Promotion	CI01_SLICE1_V0_12_FORMAL_PRODUCT_OWNER_PROMOTION_2026-10-09.zip	DB90E2DA488D00ED8AECC75AAD85DA7739353C06A05A09A56C36F42242B0A122	Included in this archive	Formal promotion evidence.
P0	CI-01 Windows closure	CI01_SLICE1_V0_12_WINDOWS_RUNTIME_REVIEW_CLOSURE_2026-10-09.zip	959A41FCBCF5AE81D54ABA9B20F1BDD58C676F18BB019B283AC5A2A4CAAD9511	Included in this archive	Windows runtime closure; original owner Windows evidence file remains on Windows and should also be retained.
P0	CI-01 FINAL	CI01_SLICE1_V0_12_FORMAL_PRODUCT_OWNER_FINAL_DESIGNATION_2026-10-09.zip	085F8DC71AE4D20484BA5FF721E6F5656A4F32183A567CE23A5634B528989E10	Included in this archive	FINAL designation evidence.
P0	CI-01 FROZEN	CI01_SLICE1_V0_12_FORMAL_PRODUCT_OWNER_FROZEN_DESIGNATION_2026-10-09.zip	C5C45D3D9460DFD41AECA5B796CB5457CC5971719D8A008B4055A54C8C5CC1F7	Included in this archive	Frozen designation evidence.
P0	Original Windows CI evidence	CI01_V012_WINDOWS_RUNTIME_EVIDENCE_2026-10-09.txt	43D5FEC4B86360204292A18BDAD4E121CEFF31CA2CF15BA74AA607C5FFB93E92	C:\Users\bouadi\CI01_WINDOWS_REVIEW_V012\	Retain original file; this continuity archive contains owner receipt/closure, not reconstructed original bytes.
P0	DP-01 V5 candidate	IM_PLATFORM_DP01_DEPLOYMENT_SUCCESSOR_CANDIDATE_V5_2026-10-08.zip	A80523A6ADD0B6B621DD6FD279F91A65FD620616A5E376EE7AB4DA48C211D4BB	C:\Users\bouadi\DP01W\V5C\	Do not relabel as accepted. Preserve exact V5 plus closure evidence.
P0	DP-01 closure assessment	00_DP01_V5_FORMAL_CLOSURE_ASSESSMENT.txt	7C14CBD22D2B06CBDBAB8A8BBEF1D9BAB3A8F40C09BC31A9C93B6831126CCE45	C:\Users\bouadi\DP01W\V5_FINAL_CLOSURE\ATTEMPT01\	Formal closure assessment.
P0	DP-01 closure binding	01_DP01_V5_FINAL_CLOSURE_STATUS_BINDING.json	936E16B8AA5D59E7215B526BC7030A4C6600C7EB8B4FA96FD1DF59281EAD1E2D	C:\Users\bouadi\DP01W\V5_FINAL_CLOSURE\ATTEMPT01\	Keeps DP-01 NOT ACCEPTED etc.
P0	Review85	85_DP01_V5_CLOSURE_AND_ARCHIVE_HANDOFF_REVIEW.md	BC/see file hash in archive manifest	Included under historical reference	Independent review of DP-01 closure/handoff fitness.
P0	REV10 Continuity Archive	authoritative REV10 archive	1D2B3C1D7E16FEF3597F2FE86AE1E9704DA9B23B1BAAAA8B1F56D65C4F3BAFC6	Typically C:\Users\bouadi\Downloads\ / prior archive folder	Continuity baseline for pre-DP/CI integrated state. Locate exact file by hash if authority work is needed.
P0	REV10 Current State	REV10 current-state record	6651D314F1DB75C1502433D282B81E94AE5E4AD8CEFC50A7963F4650B7F7C7E2	Inside REV10 continuity archive	Machine-readable state baseline.
P0	REV10 Handoff Record	REV10 handoff record	437A13BE4D4A865F910FD1CCEE593085BD002EC37D8AFDE37BD59770668F7252	Inside REV10 continuity archive	Continuity/handoff binding.
P1	S19 VPC-01 frozen authority	exact S19 package	3BEB862A7DCA6BCC18D18AFB7B8DD08D093EBA3F615D55A83EE39CE91EDA1A64	C:\Users\bouadi\Downloads\ / master archives	Use only exact bytes for S19 authority work.

P1	RLCB V2	exact frozen package	EFF884F3A616D7D17CD9ADFF9A1B32A366F6D1E4A4C5D77A98BF1B7254863E39	C:\Users\bouadi\Downloads\	Requirement/Reference exact content binding.
P1	F59 V4	exact frozen package	81E5B4D2C085C5DE76CCB6E9C80DA893EF10F6A34D919421D8F0A2D5ADA223BD	C:\Users\bouadi\Downloads\	Runtime hardening authority.
P1	m-66-1	exact frozen package	5E1938CBEC0EA891431404216C760CF24B02E3207CA3C52B1FBE0457BAF2B64D	C:\Users\bouadi\Downloads\	Approval-session binding authority.
P1	G-B1	exact frozen package	32778DBFD69E9E5A27CCDF71CCCA016106CB6EE1987A1B64C1237D92206D2510	C:\Users\bouadi\Downloads\	Reviewer/gate binding authority.
P2	10/07 Master Dossier	IM_PLATFORM_MASTER_PROJECT_DOSSIER_2026-10-07_POST_REV10_DP01_W4.docx/pdf	see 10/07 SHA256SUMS	Included under historical reference	Historical continuity narrative; superseded narratively by this 10/09 package, not technical authority.
P2	Reality Viewer evidence	MVP02D / E57 candidate and related viewer files	n/a	Project/Windows archive; E57 candidate Z00-0210-00-Panorama.e57	Separate track; large source files may be archived separately.

23. What this archive physically contains

- Current 2026-10-09 Master Project Dossier (DOCX/PDF/MD).
- Current Working State JSON.
- Architecture & Roadmap and project history index.
- File/authority map, collection checklist and read-only Windows inventory helper.
- Ready-to-paste ChatGPT and Claude continuation prompts.
- Current CI-01 V0.12 candidate plus Acceptance, Promotion, Windows Review Closure, FINAL and FROZEN packages.
- Historical 2026-10-07 dossier/roadmap/history/prompts and Review85 as references.
- SHA256SUMS for archive verification.

This archive does not contain every raw historical ZIP ever produced, every large IFC/E57 source, or a verbatim export of all chats. The collection guide identifies the primary files that must also be retained. Narrative continuity must never impersonate technical authority.

24. How a new developer or AI should continue

- Read README_FIRST, Current Working State, this dossier and the File/Authority Map before proposing changes.
- Classify the requested task before coding: Core successor, UI/Product Workspace, Reality Viewer, deployment/productization, connector or non-code governance.
- Verify the exact frozen parent/authority bytes and hash relevant to the task.
- Create a new successor/staging copy for any change to frozen scope.
- Keep implementation, review, acceptance, promotion, FINAL and FROZEN as separate transitions.
- For Windows/PowerShell, use one short safe logical block at a time and wait for observed output before the next dependent step.
- If this narrative conflicts with later exact primary evidence, the later primary evidence wins.

25. Glossary

Term	Meaning
Information Product	Governed output with exact source, requirement/reference, validation, approval and provenance identity.
Requirement Authority	Versioned owner requirements/rules and applicability.
Reference Authority	Controlled values/classifications/reference content.
Validation Context	Immutable binding of exact requirements, references and project context used for an execution.
Correction Approval	Human permission to apply a correction; not delivery/current approval.

Delivery Approval	Allows progression of a reviewed delivery to Approval Gate.
AIS	Acceptance Information Set / sealed acceptance snapshot in project semantics.
Current	Exact project-context published current authority; derived views are not independently mutable Current.
Baseline	Explicit approved comparison reference for controlled change management.
CI-01	Change Intelligence successor; V0.12 Slice 1 is frozen in narrow scope.
DP-01	Deployment/productization successor; V5 closure remains not accepted.
FINAL FROZEN	Exact bytes are immutable in governed scope; future change requires successor.

26. Source basis / limitations

This dossier synthesizes project conversation history available in the ChatGPT project, project context, the 2026-10-07 Master Dossier/History/Architecture files, Review85 and the exact CI-01 governance chain created through 2026-10-09. It is not a verbatim transcript archive. Exact primary files and formal hashes remain the source of truth for authority claims.