ZAP Scanning Report

Sites: https://localhost:8000 http://localhost:8000

Generated on Tue, 13 Oct 2026 08:23:14

ZAP Version: 2.17.0

ZAP by Checkmarx

Summary of Alerts

Risk Level	Number of Alerts
High	0
Medium	1
Low	0
Informational	5
False Positives:	0

Insights

Level	Reason	Site	Description	Statistic
Low	Warning		ZAP errors logged - see the zap.log file for details	2
Low	Warning		ZAP warnings logged - see the zap.log file for details	92
Low	Exceeded High	http://localhost:8000	Percentage of responses with status code 4xx	96 %
Info	Informational	http://localhost:8000	Percentage of responses with status code 2xx	3 %
Info	Informational	http://localhost:8000	Percentage of endpoints with content type application/json	100 %
Info	Informational	http://localhost:8000	Percentage of endpoints with method DELETE	1 %
Info	Informational	http://localhost:8000	Percentage of endpoints with method GET	57 %
Info	Informational	http://localhost:8000	Percentage of endpoints with method PATCH	1 %
Info	Informational	http://localhost:8000	Percentage of endpoints with method POST	39 %
Info	Informational	http://localhost:8000	Percentage of endpoints with method PUT	1 %
Info	Informational	http://localhost:8000	Count of total endpoints	378
Info	Informational	http://localhost:8000	Percentage of slow responses	1 %
Info	Informational	https://localhost:8000	Percentage of endpoints with method POST	100 %
Info	Informational	https://localhost:8000	Count of total endpoints	1

Summary of Sequences

For each step: result (Pass/Fail) - risk (of highest alert(s) for the step, if any).

Alerts

Name	Risk Level	Number of Instances
HTTP Only Site	Medium	1
A Client Error response code was returned by the server	Informational	374
Authentication Request Identified	Informational	1
Non-Storable Content	Informational	Systemic
Session Management Response Identified	Informational	1
User Agent Fuzzer	Informational	Systemic

Alert Detail

Medium	**HTTP Only Site**
Description	The site is only served under HTTP and not HTTPS.
URL	http://localhost:8000/api/v1/admin/dossiers/dossier_id/reject
Node Name	https://localhost:8000/api/v1/admin/dossiers/dossier_id/reject ()({reason})
Method	POST
Parameter	
Attack	
Evidence	
Other Info	Failed to connect. ZAP attempted to connect via: https://localhost:8000/api/v1/admin/dossiers/dossier_id/reject
Instances	1
Solution	Configure your web or application server to use SSL (https).
Reference	https://cheatsheetseries.owasp.org/cheatsheets/Transport_Layer_Protection_Cheat_Sheet.html https://letsencrypt.org/
CWE Id	311
WASC Id	4
Plugin Id	10106

Informational	**A Client Error response code was returned by the server**
	A response code of 422 was returned by the server.
Description	This may indicate that the application is failing to handle unexpected input correctly. Raised by the 'Alert on HTTP Response Code Error' script
URL	http://localhost:8000/api/v1/vehicles/admin/vehicle_id
Node Name	http://localhost:8000/api/v1/vehicles/admin/vehicle_id
Method	DELETE
Parameter	
Attack	
Evidence	422

Other Info	
URL	http://localhost:8000/api/v1/vehicles/admin/vehicle_id/
Node Name	http://localhost:8000/api/v1/vehicles/admin/vehicle_id/
Method	DELETE
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id
Method	DELETE
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id/
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id/
Method	DELETE
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000
Node Name	http://localhost:8000
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000?class.module.classLoader.DefaultAssertionStatus=nonsense
Node Name	http://localhost:8000 (class.module.classLoader.DefaultAssertio...)
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	

URL	http://localhost:8000/
Node Name	http://localhost:8000/
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/.DS_Store
Node Name	http://localhost:8000/.DS_Store
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/._darcs
Node Name	http://localhost:8000/._darcs
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/.bzr
Node Name	http://localhost:8000/.bzr
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/.env
Node Name	http://localhost:8000/.env
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/.git/config

Node Name	http://localhost:8000/.git/config
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/.hg
Node Name	http://localhost:8000/.hg
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/.htaccess
Node Name	http://localhost:8000/.htaccess
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/.idea/WebServers.xml
Node Name	http://localhost:8000/.idea/WebServers.xml
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/.php_cs.cache
Node Name	http://localhost:8000/.php_cs.cache
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/.ssh/id_dsa

Node Name	http://localhost:8000/.ssh/id_dsa
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/.ssh/id_rsa
Node Name	http://localhost:8000/.ssh/id_rsa
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/.svn/entries
Node Name	http://localhost:8000/.svn/entries
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/.svn/wc.db
Node Name	http://localhost:8000/.svn/wc.db
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/.zap1112898315763359061
Node Name	http://localhost:8000/.zap1112898315763359061
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/859087670369913362

Node Name	http://localhost:8000/859087670369913362
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	

URL	http://localhost:8000/BitKeeper
Node Name	http://localhost:8000/BitKeeper
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	

URL	http://localhost:8000/CHANGELOG.txt
Node Name	http://localhost:8000/CHANGELOG.txt
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	

URL	http://localhost:8000/CVS/root
Node Name	http://localhost:8000/CVS/root
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	

URL	http://localhost:8000/DEADJOE
Node Name	http://localhost:8000/DEADJOE
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	

URL	http://localhost:8000/FileZilla.xml

Node Name	http://localhost:8000/FileZilla.xml
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/WEB-INF/applicationContext.xml
Node Name	http://localhost:8000/WEB-INF/applicationContext.xml
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/WEB-INF/web.xml
Node Name	http://localhost:8000/WEB-INF/web.xml
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/WS_FTP.INI
Node Name	http://localhost:8000/WS_FTP.INI
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/WS_FTP.ini
Node Name	http://localhost:8000/WS_FTP.ini
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/WinSCP.ini

Node Name	http://localhost:8000/WinSCP.ini
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/_framework/blazor.boot.json
Node Name	http://localhost:8000/_framework/blazor.boot.json
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/_wpeprivate/config.json
Node Name	http://localhost:8000/_wpeprivate/config.json
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/adminer.php
Node Name	http://localhost:8000/adminer.php
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api
Node Name	http://localhost:8000/api
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api?class.module.classLoader.DefaultAssertionStatus=nonsense

Node Name	http://localhost:8000/api (class.module.classLoader.DefaultAssertio...)
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api-docs
Node Name	http://localhost:8000/api-docs ()({reason})
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/
Node Name	http://localhost:8000/api/
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/.env
Node Name	http://localhost:8000/api/.env
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/.htaccess
Node Name	http://localhost:8000/api/.htaccess
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/1616507702013738181

Node Name	http://localhost:8000/api/1616507702013738181
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/trace.axd
Node Name	http://localhost:8000/api/trace.axd
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1
Node Name	http://localhost:8000/api/v1
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1?class.module.classLoader.DefaultAssertionStatus=nonsense
Node Name	http://localhost:8000/api/v1 (class.module.classLoader.DefaultAssertio...)
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/
Node Name	http://localhost:8000/api/v1/
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/.env

Node Name	http://localhost:8000/api/v1/.env
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/.htaccess
Node Name	http://localhost:8000/api/v1/.htaccess
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/8325278252650288034
Node Name	http://localhost:8000/api/v1/8325278252650288034
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/admin
Node Name	http://localhost:8000/api/v1/admin
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/admin?class.module.classLoader.DefaultAssertionStatus=nonsense
Node Name	http://localhost:8000/api/v1/admin (class.module.classLoader.DefaultAssertio...)
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/admin/

Node Name	http://localhost:8000/api/v1/admin/
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/admin/.env
Node Name	http://localhost:8000/api/v1/admin/.env
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/admin/.htaccess
Node Name	http://localhost:8000/api/v1/admin/.htaccess
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/admin/9029181753931919953
Node Name	http://localhost:8000/api/v1/admin/9029181753931919953
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/admin/dossiers
Node Name	http://localhost:8000/api/v1/admin/dossiers
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/admin/dossiers?class.module.classLoader.DefaultAssertionStatus=nonsense

Node Name	http://localhost:8000/api/v1/admin/dossiers (class.module.classLoader.DefaultAssertio...)
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/admin/dossiers/
Node Name	http://localhost:8000/api/v1/admin/dossiers/
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/admin/dossiers/.env
Node Name	http://localhost:8000/api/v1/admin/dossiers/.env
Method	GET
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/admin/dossiers/.htaccess
Node Name	http://localhost:8000/api/v1/admin/dossiers/.htaccess
Method	GET
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/admin/dossiers/5514124295304503677
Node Name	http://localhost:8000/api/v1/admin/dossiers/5514124295304503677
Method	GET
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/admin/dossiers/dossier_id

Node Name	http://localhost:8000/api/v1/admin/dossiers/dossier_id
Method	GET
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/admin/dossiers/dossier_id?class.module.classLoader.DefaultAssertionStatus=nonsense
Node Name	http://localhost:8000/api/v1/admin/dossiers/dossier_id (class.module.classLoader.DefaultAssertio...)
Method	GET
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/admin/dossiers/dossier_id/
Node Name	http://localhost:8000/api/v1/admin/dossiers/dossier_id/
Method	GET
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/admin/dossiers/dossier_id/.env
Node Name	http://localhost:8000/api/v1/admin/dossiers/dossier_id/.env
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/admin/dossiers/dossier_id/.htaccess
Node Name	http://localhost:8000/api/v1/admin/dossiers/dossier_id/.htaccess
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/admin/dossiers/dossier_id/8559040269247703734

Node Name	http://localhost:8000/api/v1/admin/dossiers/dossier_id/8559040269247703734
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/admin/dossiers/dossier_id/actuator/health
Node Name	http://localhost:8000/api/v1/admin/dossiers/dossier_id/actuator/health
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/admin/dossiers/dossier_id/reject
Node Name	http://localhost:8000/api/v1/admin/dossiers/dossier_id/reject ()({reason})
Method	GET
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/admin/dossiers/dossier_id/reject?class.module.classLoader.DefaultAssertionStatus=nonsense
Node Name	http://localhost:8000/api/v1/admin/dossiers/dossier_id/reject (class.module.classLoader.DefaultAssertio...)({reason})
Method	GET
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/admin/dossiers/dossier_id/request-documents
Node Name	http://localhost:8000/api/v1/admin/dossiers/dossier_id/request-documents ()({document_types: []})
Method	GET
Parameter	
Attack	
Evidence	405
Other Info	

URL	http://localhost:8000/api/v1/admin/dossiers/dossier_id/request-documents?class.module.classLoader.DefaultAssertionStatus=nonsense
Node Name	http://localhost:8000/api/v1/admin/dossiers/dossier_id/request-documents (class.module.classLoader.DefaultAssertio...)({document_types:[]})
Method	GET
Parameter	
Attack	
Evidence	405
Other Info	

URL	http://localhost:8000/api/v1/admin/dossiers/dossier_id/trace.axd
Node Name	http://localhost:8000/api/v1/admin/dossiers/dossier_id/trace.axd
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	

URL	http://localhost:8000/api/v1/admin/dossiers/dossier_id/validate
Node Name	http://localhost:8000/api/v1/admin/dossiers/dossier_id/validate ()({"comment":Zaproxy dolore alias impedit expedita quisquam.})
Method	GET
Parameter	
Attack	
Evidence	405
Other Info	

URL	http://localhost:8000/api/v1/admin/dossiers/dossier_id/validate?class.module.classLoader.DefaultAssertionStatus=nonsense
Node Name	http://localhost:8000/api/v1/admin/dossiers/dossier_id/validate (class.module.classLoader.DefaultAssertio...)({"comment":Zaproxy dolore alias impedit expedita quisquam.})
Method	GET
Parameter	
Attack	
Evidence	405
Other Info	

URL	http://localhost:8000/api/v1/admin/dossiers/pending?sort_by=c%3A%2FWindows%2Fsystem.ini
Node Name	http://localhost:8000/api/v1/admin/dossiers/pending (sort_by)
Method	GET
Parameter	
Attack	

Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/admin/dossiers/trace.axd
Node Name	http://localhost:8000/api/v1/admin/dossiers/trace.axd
Method	GET
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/admin/trace.axd
Node Name	http://localhost:8000/api/v1/admin/trace.axd
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/auth
Node Name	http://localhost:8000/api/v1/auth
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/auth?class.module.classLoader.DefaultAssertionStatus=nonsense
Node Name	http://localhost:8000/api/v1/auth (class.module.classLoader.DefaultAssertio...)
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/auth/
Node Name	http://localhost:8000/api/v1/auth/
Method	GET
Parameter	
Attack	
Evidence	404

Other Info	
URL	http://localhost:8000/api/v1/auth/.env
Node Name	http://localhost:8000/api/v1/auth/.env
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/auth/.htaccess
Node Name	http://localhost:8000/api/v1/auth/.htaccess
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/auth/1575524159752519624
Node Name	http://localhost:8000/api/v1/auth/1575524159752519624
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/auth/login
Node Name	http://localhost:8000/api/v1/auth/login ()(client_id,client_secret,grant_type,password,scope,username)
Method	GET
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/auth/login?class.module.classLoader.DefaultAssertionStatus=nonsense
Node Name	http://localhost:8000/api/v1/auth/login (class.module.classLoader.DefaultAssertio...)(client_id,client_secret,grant_type,password,scope,username)
Method	GET
Parameter	
Attack	
Evidence	405

Other Info	
URL	http://localhost:8000/api/v1/auth/login?client_id=%22John%20Doe%22&client_secret=%22John%20Doe%22&grant_type=%22John%20Doe%22&password=ZAP&scope=scope&username=username
Node Name	http://localhost:8000/api/v1/auth/login (client_id,client_secret,grant_type,password,scope,username)
Method	GET
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/auth/register
Node Name	http://localhost:8000/api/v1/auth/register ()({email,password,first_name,last_name})
Method	GET
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/auth/register?class.module.classLoader.DefaultAssertionStatus=nonsense
Node Name	http://localhost:8000/api/v1/auth/register (class.module.classLoader.DefaultAssertio...)({email,password,first_name,last_name})
Method	GET
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/auth/trace.axd
Node Name	http://localhost:8000/api/v1/auth/trace.axd
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/dossiers
Node Name	http://localhost:8000/api/v1/dossiers
Method	GET
Parameter	
Attack	

Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/dossiers
Node Name	http://localhost:8000/api/v1/dossiers ()({vehicle_id,trade_in:{registration,mileage,brand,model},financing_plan:{down_payment,duration_months,monthly_payment}})
Method	GET
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/dossiers?class.module.classLoader.DefaultAssertionStatus=nonsense
Node Name	http://localhost:8000/api/v1/dossiers (class.module.classLoader.DefaultAssertio...)
Method	GET
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/dossiers?class.module.classLoader.DefaultAssertionStatus=nonsense
Node Name	http://localhost:8000/api/v1/dossiers (class.module.classLoader.DefaultAssertio...)({vehicle_id,trade_in:{registration,mileage,brand,model},financing_plan:{down_payment,duration_months,monthly_payment}})
Method	GET
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/dossiers/
Node Name	http://localhost:8000/api/v1/dossiers/
Method	GET
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/dossiers/.env
Node Name	http://localhost:8000/api/v1/dossiers/.env
Method	GET

Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/dossiers/.htaccess
Node Name	http://localhost:8000/api/v1/dossiers/.htaccess
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/dossiers/5610861112475941030
Node Name	http://localhost:8000/api/v1/dossiers/5610861112475941030
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id?class.module.classLoader.DefaultAssertionStatus=nonsense
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id (class.module.classLoader.DefaultAssertio...)
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/
Method	GET

Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/.env
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/.env
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/.htaccess
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/.htaccess
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/2740803860148194239
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/2740803860148194239
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/cancel
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/cancel
Method	GET
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/cancel?class.module.classLoader.DefaultAssertionStatus=nonsense
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/cancel (class.module.classLoader.DefaultAssertio...)
Method	GET

Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/documents
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/documents
Method	GET
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/documents?class.module.classLoader.DefaultAssertionStatus=nonsense
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/documents (class.module.classLoader.DefaultAssertio...)
Method	GET
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/documents/
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/documents/
Method	GET
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/documents/.env
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/documents/.env
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/documents/.htaccess
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/documents/.htaccess
Method	GET

Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/documents/1155261108025304529
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/documents/1155261108025304529
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/documents/document_id
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/documents/document_id
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/documents/document_id?class.module.classLoader.DefaultAssertionStatus=nonsense
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/documents/document_id (class.module.classLoader.DefaultAssertio...)
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/documents/document_id/
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/documents/document_id/
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/documents/document_id/.env
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/documents/document_id/.env
Method	GET

Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/documents/document_id/.htaccess
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/documents/document_id/.htaccess
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/documents/document_id/5741543298116339021
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/documents/document_id/5741543298116339021
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/documents/document_id/confirm
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/documents/document_id/confirm
Method	GET
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/documents/document_id/confirm?class.module.classLoader.DefaultAssertionStatus=nonsense
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/documents/document_id/confirm (class.module.classLoader.DefaultAssertio...)
Method	GET
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/documents/document_id/trace.axd
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/documents/document_id/trace.axd

Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/documents/document_id/view-url
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/documents/document_id/view-url
Method	GET
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/documents/document_id/view-url?class.module.classLoader.DefaultAssertionStatus=nonsense
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/documents/document_id/view-url (class.module.classLoader.DefaultAssertio...)
Method	GET
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/documents/document_id/view-url/
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/documents/document_id/view-url/
Method	GET
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/documents/presigned-url
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/documents/presigned-url () ({document_type,filename,content_type,size})
Method	GET
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/documents/presigned-url?class.module.classLoader.DefaultAssertionStatus=nonsense

Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/documents/presigned-url (class.module.classLoader.DefaultAssertio...)({document_type,filename,content_type,size})
Method	GET
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/documents/trace.axd
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/documents/trace.axd
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/status
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/status
Method	GET
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/status?class.module.classLoader.DefaultAssertionStatus=nonsense
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/status (class.module.classLoader.DefaultAssertio...)
Method	GET
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/status/
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/status/
Method	GET
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/submit

Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/submit
Method	GET
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/submit?class.module.classLoader.DefaultAssertionStatus=nonsense
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/submit (class.module.classLoader.DefaultAssertio...)
Method	GET
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/trace.axd
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/trace.axd
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/dossiers/trace.axd
Node Name	http://localhost:8000/api/v1/dossiers/trace.axd
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/trace.axd
Node Name	http://localhost:8000/api/v1/trace.axd
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/vehicles?mode=rental&brand=&max_price=&max_mileage=&fuel_type=&max_monthly_rent=&class.mo

	dule.classLoader.DefaultAssertionStatus=nonsense
Node Name	http://localhost:8000/api/v1/vehicles (brand,class.module.classLoader.DefaultAssertio...,fuel_type,max_mileage,max_monthly_rent, max_price,mode)
Method	GET
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/vehicles?mode=rental&brand=&max_price=&max_mileage=&fuel_type=&max_monthly_rent=
Node Name	http://localhost:8000/api/v1/vehicles (brand,fuel_type,max_mileage,max_monthly_rent,max_price,mode)
Method	GET
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/vehicles/.env
Node Name	http://localhost:8000/api/v1/vehicles/.env
Method	GET
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/vehicles/.htaccess
Node Name	http://localhost:8000/api/v1/vehicles/.htaccess
Method	GET
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/vehicles/1162600342861817885
Node Name	http://localhost:8000/api/v1/vehicles/1162600342861817885
Method	GET
Parameter	
Attack	
Evidence	422
Other Info	

URL	http://localhost:8000/api/v1/vehicles/admin/.env
Node Name	http://localhost:8000/api/v1/vehicles/admin/.env
Method	GET
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/vehicles/admin/.htaccess
Node Name	http://localhost:8000/api/v1/vehicles/admin/.htaccess
Method	GET
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/vehicles/admin/4201788031061220636
Node Name	http://localhost:8000/api/v1/vehicles/admin/4201788031061220636
Method	GET
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/vehicles/admin/trace.axd
Node Name	http://localhost:8000/api/v1/vehicles/admin/trace.axd
Method	GET
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/vehicles/admin/vehicle_id
Node Name	http://localhost:8000/api/v1/vehicles/admin/vehicle_id
Method	GET
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/vehicles/admin/vehicle_id

Node Name	http://localhost:8000/api/v1/vehicles/admin/vehicle_id ()({"brand":"John Doe","model":"John Doe","year":10,"mileage":10,"energy_type":"ESSENCE","catalog_type":"RENTAL","price":1.2,"monthly_rent":1.2,"description":Zaproxy alias impedit expedita quisquam pariatur exercitationem. Nemo rerum eveniet dolores rem quia dignissimos.,"services":[{"service_id":"John Doe","included":false}]})
Method	GET
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/vehicles/admin/vehicle_id?class.module.classLoader.DefaultAssertionStatus=nonsense
Node Name	http://localhost:8000/api/v1/vehicles/admin/vehicle_id (class.module.classLoader.DefaultAssertio...)
Method	GET
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/vehicles/admin/vehicle_id?class.module.classLoader.DefaultAssertionStatus=nonsense
Node Name	http://localhost:8000/api/v1/vehicles/admin/vehicle_id (class.module.classLoader.DefaultAssertio...)({"brand":"John Doe","model":"John Doe","year":10,"mileage":10,"energy_type":"ESSENCE","catalog_type":"RENTAL","price":1.2,"monthly_rent":1.2,"description":Zaproxy alias impedit expedita quisquam pariatur exercitationem. Nemo rerum eveniet dolores rem quia dignissimos.,"services":[{"service_id":"John Doe","included":false}]})
Method	GET
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/vehicles/admin/vehicle_id/
Node Name	http://localhost:8000/api/v1/vehicles/admin/vehicle_id/
Method	GET
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/vehicles/trace.axd
Node Name	http://localhost:8000/api/v1/vehicles/trace.axd
Method	GET

Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/vehicles/vehicle_id
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id
Method	GET
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/vehicles/vehicle_id?class.module.classLoader.DefaultAssertionStatus=nonsense
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id (class.module.classLoader.DefaultAssertio...)
Method	GET
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/vehicles/vehicle_id/
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id/
Method	GET
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/vehicles/vehicle_id/.env
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id/.env
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/vehicles/vehicle_id/.htaccess
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id/.htaccess
Method	GET

Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/vehicles/vehicle_id/4267943160869367631
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id/4267943160869367631
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/vehicles/vehicle_id/photos
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id/photos
Method	GET
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/vehicles/vehicle_id/photos?class.module.classLoader.DefaultAssertionStatus=nonsense
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id/photos (class.module.classLoader.DefaultAssertio...)
Method	GET
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/
Method	GET
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/.env
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/.env
Method	GET

Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/.htaccess
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/.htaccess
Method	GET
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/5094630162684012341
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/5094630162684012341
Method	GET
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id
Method	GET
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id?class.module.classLoader.DefaultAssertionStatus=nonsense
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id (class.module.classLoader.DefaultAssertio...)
Method	GET
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id/
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id/
Method	GET

Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id/.env
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id/.env
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id/.htaccess
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id/.htaccess
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id/3507335564657394258
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id/3507335564657394258
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id/confirm
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id/confirm
Method	GET
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id/confirm?class.module.classLoader.DefaultAssertionStatus=nonsense
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id/confirm (class.module.classLoader.DefaultAssertio...)
Method	GET

Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id/primary
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id/primary
Method	GET
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id/primary?class.module.classLoader.DefaultAssertionStatus=nonsense
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id/primary (class.module.classLoader.DefaultAssertio...)
Method	GET
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id/trace.axd
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id/trace.axd
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/presigned-url
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/presigned-url () ({file_name,file_size,content_type})
Method	GET
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/presigned-url?class.module.classLoader.DefaultAssertionStatus=nonsense
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/presigned-url (class.module.classLoader.DefaultAssertio...)({file_name,file_size,content_type})

Method	GET
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/trace.axd
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/trace.axd
Method	GET
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/vehicles/vehicle_id/trace.axd
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id/trace.axd
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/app/etc/local.xml
Node Name	http://localhost:8000/app/etc/local.xml
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/composer.json
Node Name	http://localhost:8000/composer.json
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/composer.lock
Node Name	http://localhost:8000/composer.lock
Method	GET

Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/config/database.yml
Node Name	http://localhost:8000/config/database.yml
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/config/databases.yml
Node Name	http://localhost:8000/config/databases.yml
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/core
Node Name	http://localhost:8000/core
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/elmah.axd
Node Name	http://localhost:8000/elmah.axd
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/filezilla.xml
Node Name	http://localhost:8000/filezilla.xml
Method	GET

Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/i.php
Node Name	http://localhost:8000/i.php
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/id_dsa
Node Name	http://localhost:8000/id_dsa
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/id_rsa
Node Name	http://localhost:8000/id_rsa
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/info.php
Node Name	http://localhost:8000/info.php
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/key.pem
Node Name	http://localhost:8000/key.pem
Method	GET

Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/lfm.php
Node Name	http://localhost:8000/lfm.php
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/myserver.key
Node Name	http://localhost:8000/myserver.key
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/openapi.yaml
Node Name	http://localhost:8000/openapi.yaml ()({reason})
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/phpinfo.php
Node Name	http://localhost:8000/phpinfo.php
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/privatekey.key
Node Name	http://localhost:8000/privatekey.key
Method	GET

Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/server-info
Node Name	http://localhost:8000/server-info
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/server-status
Node Name	http://localhost:8000/server-status
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/server.key
Node Name	http://localhost:8000/server.key
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/sftp-config.json
Node Name	http://localhost:8000/sftp-config.json
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/sitemanager.xml
Node Name	http://localhost:8000/sitemanager.xml
Method	GET

Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/sites/default/files/.ht.sqlite
Node Name	http://localhost:8000/sites/default/files/.ht.sqlite
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/sites/default/private/files/backup_migrate/scheduled/test.txt
Node Name	http://localhost:8000/sites/default/private/files/backup_migrate/scheduled/test.txt
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/swagger
Node Name	http://localhost:8000/swagger ()({reason})
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/swagger-ui/
Node Name	http://localhost:8000/swagger-ui/ ()({reason})
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/swagger-ui/index.html
Node Name	http://localhost:8000/swagger-ui/index.html ()({reason})
Method	GET

Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/swagger.json
Node Name	http://localhost:8000/swagger.json ()({reason})
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/swagger.yaml
Node Name	http://localhost:8000/swagger.yaml ()({reason})
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/swagger/ui/index.html
Node Name	http://localhost:8000/swagger/ui/index.html ()({reason})
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/test.php
Node Name	http://localhost:8000/test.php
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/trace.axd
Node Name	http://localhost:8000/trace.axd
Method	GET

Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/v2/api-docs
Node Name	http://localhost:8000/v2/api-docs ()({reason})
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/v3/api-docs
Node Name	http://localhost:8000/v3/api-docs ()({reason})
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/vb_test.php
Node Name	http://localhost:8000/vb_test.php
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/vim_settings.xml
Node Name	http://localhost:8000/vim_settings.xml
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/winscp.ini
Node Name	http://localhost:8000/winscp.ini
Method	GET

Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/ws_ftp.ini
Node Name	http://localhost:8000/ws_ftp.ini
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/zap4977813007094775046
Node Name	http://localhost:8000/zap4977813007094775046
Method	GET
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id/primary
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id/primary
Method	PATCH
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id/primary/
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id/primary/
Method	PATCH
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000
Node Name	http://localhost:8000 ()(class.module.classLoader.DefaultAssertio...)
Method	POST

Parameter	
Attack	
Evidence	403
Other Info	
URL	http://localhost:8000/?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/ (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo cccz2yru2abm...)
Method	POST
Parameter	
Attack	
Evidence	403
Other Info	
URL	http://localhost:8000/?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/ (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo cccz2yru2abm63b78yn2',$...)
Method	POST
Parameter	
Attack	
Evidence	403
Other Info	
URL	http://localhost:8000/api
Node Name	http://localhost:8000/api ()(class.module.classLoader.DefaultAssertio...)
Method	POST
Parameter	
Attack	
Evidence	403
Other Info	
URL	http://localhost:8000/api?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo cccz2yru2abm...)
Method	POST
Parameter	
Attack	
Evidence	403
Other Info	
URL	http://localhost:8000/api?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo cccz2yru2abm63b78yn2',$...)
Method	POST

Parameter	
Attack	
Evidence	403
Other Info	
URL	http://localhost:8000/api/v1
Node Name	http://localhost:8000/api/v1 ()(class.module.classLoader.DefaultAssertio...)
Method	POST
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1 (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo cccz2yru2abm...)
Method	POST
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1 (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo cccz2yru2abm63b78yn2',$...)
Method	POST
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/admin
Node Name	http://localhost:8000/api/v1/admin ()(class.module.classLoader.DefaultAssertio...)
Method	POST
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/admin?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/admin (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo cccz2yru2abm...)
Method	POST

Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/admin?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/admin (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo cccz2yru2abm63b78yn2',$...)
Method	POST
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/admin/dossiers
Node Name	http://localhost:8000/api/v1/admin/dossiers ()(class.module.classLoader.DefaultAssertio...)
Method	POST
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/admin/dossiers?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/admin/dossiers (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo cccz2yru2abm...)
Method	POST
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/admin/dossiers?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/admin/dossiers (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo cccz2yru2abm63b78yn2',$...)
Method	POST
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/admin/dossiers/dossier_id
Node Name	http://localhost:8000/api/v1/admin/dossiers/dossier_id () (class.module.classLoader.DefaultAssertio...)

Method	POST
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/admin/dossiers/dossier_id?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/admin/dossiers/dossier_id (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo cccz2yru2abm...)
Method	POST
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/admin/dossiers/dossier_id?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/admin/dossiers/dossier_id (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo cccz2yru2abm63b78yn2',$...)
Method	POST
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/admin/dossiers/dossier_id/reject
Node Name	http://localhost:8000/api/v1/admin/dossiers/dossier_id/reject ()(------85feb4d4-b06e-4f46-9ee8-66fd7cb8ba2c Content-Disposition: form-data; name="1" {} ------85feb4d4-b06e-4f46-9ee8-66fd7cb8ba2c Content-Disposition: form-data; name="0" ["$1:a:a"] ------85feb4d4-b06e-4f46-9ee8-66fd7cb8ba2c--)
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/admin/dossiers/dossier_id/reject
Node Name	http://localhost:8000/api/v1/admin/dossiers/dossier_id/reject () (class.module.classLoader.DefaultAssertio...)
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/admin/dossiers/dossier_id/reject

Node Name	http://localhost:8000/api/v1/admin/dossiers/dossier_id/reject ()({reason})
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/admin/dossiers/dossier_id/reject?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/admin/dossiers/dossier_id/reject (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo cccz2yru2abm...)
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/admin/dossiers/dossier_id/reject?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/admin/dossiers/dossier_id/reject (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo cccz2yru2abm63b78yn2',$...)
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/admin/dossiers/dossier_id/reject/
Node Name	http://localhost:8000/api/v1/admin/dossiers/dossier_id/reject/ ()({reason})
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/admin/dossiers/dossier_id/request-documents
Node Name	http://localhost:8000/api/v1/admin/dossiers/dossier_id/request-documents () (class.module.classLoader.DefaultAssertio...)
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	

URL	http://localhost:8000/api/v1/admin/dossiers/dossier_id/request-documents
Node Name	http://localhost:8000/api/v1/admin/dossiers/dossier_id/request-documents ()({document_types: []})
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	

URL	http://localhost:8000/api/v1/admin/dossiers/dossier_id/request-documents?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/admin/dossiers/dossier_id/request-documents (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo cccz2yru2abm...)
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	

URL	http://localhost:8000/api/v1/admin/dossiers/dossier_id/request-documents?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/admin/dossiers/dossier_id/request-documents (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo cccz2yru2abm63b78yn2',$...)
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	

URL	http://localhost:8000/api/v1/admin/dossiers/dossier_id/request-documents/
Node Name	http://localhost:8000/api/v1/admin/dossiers/dossier_id/request-documents/ ()({document_types: []})
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	

URL	http://localhost:8000/api/v1/admin/dossiers/dossier_id/validate
Node Name	http://localhost:8000/api/v1/admin/dossiers/dossier_id/validate () (class.module.classLoader.DefaultAssertio...)
Method	POST
Parameter	
Attack	
Evidence	422

Other Info	
URL	http://localhost:8000/api/v1/admin/dossiers/dossier_id/validate
Node Name	http://localhost:8000/api/v1/admin/dossiers/dossier_id/validate ()({"comment":Zaproxy dolore alias impedit expedita quisquam.})
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/admin/dossiers/dossier_id/validate?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/admin/dossiers/dossier_id/validate (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo cccz2yru2abm...)
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/admin/dossiers/dossier_id/validate?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/admin/dossiers/dossier_id/validate (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo cccz2yru2abm63b78yn2',$...)
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/admin/dossiers/dossier_id/validate/
Node Name	http://localhost:8000/api/v1/admin/dossiers/dossier_id/validate/ ()({"comment":Zaproxy dolore alias impedit expedita quisquam.})
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/admin/dossiers/history
Node Name	http://localhost:8000/api/v1/admin/dossiers/history () (class.module.classLoader.DefaultAssertio...)
Method	POST
Parameter	
Attack	

Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/admin/dossiers/history?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/admin/dossiers/history (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo cccz2yru2abm...)
Method	POST
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/admin/dossiers/history?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/admin/dossiers/history (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo cccz2yru2abm63b78yn2',$...)
Method	POST
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/admin/dossiers/pending?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/admin/dossiers/pending (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo cccz2yru2abm...)
Method	POST
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/admin/dossiers/pending?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/admin/dossiers/pending (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo cccz2yru2abm63b78yn2',$...)
Method	POST
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/admin/dossiers/pending?sort_by=submitted_at
Node Name	http://localhost:8000/api/v1/admin/dossiers/pending (sort_by) (class.module.classLoader.DefaultAssertio...)
Method	POST

Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/auth
Node Name	http://localhost:8000/api/v1/auth ()(class.module.classLoader.DefaultAssertio...)
Method	POST
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/auth?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/auth (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo cccz2yru2abm...)
Method	POST
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/auth?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/auth (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo cccz2yru2abm63b78yn2',$...)
Method	POST
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/auth/csrf
Node Name	http://localhost:8000/api/v1/auth/csrf ()(class.module.classLoader.DefaultAssertio...)
Method	POST
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/auth/csrf?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/auth/csrf (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo cccz2yru2abm...)

Method	POST
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/auth/csrf?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/auth/csrf (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo cccz2yru2abm63b78yn2',$...)
Method	POST
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/auth/login
Node Name	http://localhost:8000/api/v1/auth/login () (class.module.classLoader.DefaultAssertio...,client_id,client_secret,grant_type,password,scope,username)
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/auth/login
Node Name	http://localhost:8000/api/v1/auth/login () (client_id,client_secret,grant_type,password,scope,username)
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/auth/login?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/auth/login (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo cccz2yru2abm...)
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/auth/login?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input

Node Name	http://localhost:8000/api/v1/auth/login (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo cccz2yru2abm63b78yn2',$...)
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/auth/login/
Node Name	http://localhost:8000/api/v1/auth/login/ () (client_id,client_secret,grant_type,password,scope,username)
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/auth/me
Node Name	http://localhost:8000/api/v1/auth/me ()(class.module.classLoader.DefaultAssertio...)
Method	POST
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/auth/me?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/auth/me (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo cccz2yru2abm...)
Method	POST
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/auth/me?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/auth/me (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo cccz2yru2abm63b78yn2',$...)
Method	POST
Parameter	
Attack	
Evidence	405
Other Info	

URL	http://localhost:8000/api/v1/auth/register
Node Name	http://localhost:8000/api/v1/auth/register ()(class.module.classLoader.DefaultAssertio...)
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	

URL	http://localhost:8000/api/v1/auth/register
Node Name	http://localhost:8000/api/v1/auth/register ()({email,password,first_name,last_name})
Method	POST
Parameter	
Attack	
Evidence	409
Other Info	

URL	http://localhost:8000/api/v1/auth/register
Node Name	http://localhost:8000/api/v1/auth/register ()({email,password,first_name,last_name})
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	

URL	http://localhost:8000/api/v1/auth/register?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/auth/register (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo cccz2yru2abm...)
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	

URL	http://localhost:8000/api/v1/auth/register?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/auth/register (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo cccz2yru2abm63b78yn2',$...)
Method	POST
Parameter	
Attack	
Evidence	422

Other Info	
URL	http://localhost:8000/api/v1/auth/register/
Node Name	http://localhost:8000/api/v1/auth/register/ ()({email,password,first_name,last_name})
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/dossiers
Node Name	http://localhost:8000/api/v1/dossiers ()(class.module.classLoader.DefaultAssertio...)
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/dossiers
Node Name	http://localhost:8000/api/v1/dossiers ()({vehicle_id,trade_in: {registration,mileage,brand,model},financing_plan: {down_payment,duration_months,monthly_payment}})
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/dossiers?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/dossiers (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo cccz2yru2abm...)
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/dossiers?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/dossiers (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo cccz2yru2abm63b78yn2',$...)
Method	POST
Parameter	
Attack	

Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/dossiers/
Node Name	http://localhost:8000/api/v1/dossiers/ ()({vehicle_id,trade_in:{registration,mileage,brand,model},financing_plan:{down_payment,duration_months,monthly_payment}})
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id ()(class.module.classLoader.DefaultAssertio...)
Method	POST
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo cccz2yru2abm...)
Method	POST
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo cccz2yru2abm63b78yn2',$...)
Method	POST
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/cancel
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/cancel
Method	POST
Parameter	

Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/cancel
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/cancel () (class.module.classLoader.DefaultAssertio...)
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/cancel?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/cancel (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo cccz2yru2abm...)
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/cancel?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/cancel (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo cccz2yru2abm63b78yn2',$...)
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/cancel/
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/cancel/
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/documents
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/documents () (class.module.classLoader.DefaultAssertio...)
Method	POST

Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/documents?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/documents (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo cccz2yru2abm...)
Method	POST
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/documents?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/documents (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo cccz2yru2abm63b78yn2',$...)
Method	POST
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/documents/document_id
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/documents/document_id () (class.module.classLoader.DefaultAssertio...)
Method	POST
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/documents/document_id?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/documents/document_id (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo cccz2yru2abm...)
Method	POST
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/documents/document_id?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input

Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/documents/document_id (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo cccz2yru2abm63b78yn2',$...)
Method	POST
Parameter	
Attack	
Evidence	404
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/documents/document_id/confirm
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/documents/document_id/confirm
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/documents/document_id/confirm
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/documents/document_id/confirm () (class.module.classLoader.DefaultAssertio...)
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/documents/document_id/confirm?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/documents/document_id/confirm (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo cccz2yru2abm...)
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/documents/document_id/confirm?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/documents/document_id/confirm (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo cccz2yru2abm63b78yn2',$...)
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	

URL	http://localhost:8000/api/v1/dossiers/dossier_id/documents/document_id/confirm/
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/documents/document_id/confirm/
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/documents/document_id/view-url
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/documents/document_id/view-url () (class.module.classLoader.DefaultAssertio...)
Method	POST
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/documents/document_id/view-url?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/documents/document_id/view-url (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo cccz2yru2abm...)
Method	POST
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/documents/document_id/view-url?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/documents/document_id/view-url (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo cccz2yru2abm63b78yn2',$...)
Method	POST
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/documents/presigned-url
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/documents/presigned-url () (class.module.classLoader.DefaultAssertio...)
Method	POST
Parameter	
Attack	
Evidence	422

Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/documents/presigned-url
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/documents/presigned-url () ({document_type,filename,content_type,size})
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/documents/presigned-url?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/documents/presigned-url (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo cccz2yru2abm...)
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/documents/presigned-url?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/documents/presigned-url (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo cccz2yru2abm63b78yn2',$...)
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/documents/presigned-url/
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/documents/presigned-url/ () ({document_type,filename,content_type,size})
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/status
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/status () (class.module.classLoader.DefaultAssertio...)
Method	POST
Parameter	
Attack	

Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/status?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/status (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo cccz2yru2abm...)
Method	POST
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/status?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/status (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo cccz2yru2abm63b78yn2',$...)
Method	POST
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/submit
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/submit
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/submit
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/submit () (class.module.classLoader.DefaultAssertio...)
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/submit?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/submit (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo cccz2yru2abm...)
Method	POST
Parameter	

Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/submit?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/submit (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo cccz2yru2abm63b78yn2',$...)
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/dossiers/dossier_id/submit/
Node Name	http://localhost:8000/api/v1/dossiers/dossier_id/submit/
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/dossiers/me
Node Name	http://localhost:8000/api/v1/dossiers/me ()(class.module.classLoader.DefaultAssertio...)
Method	POST
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/dossiers/me?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/dossiers/me (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo cccz2yru2abm...)
Method	POST
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/dossiers/me?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/dossiers/me (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo cccz2yru2abm63b78yn2',$...)
Method	POST

Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/vehicles
Node Name	http://localhost:8000/api/v1/vehicles ()(class.module.classLoader.DefaultAssertio...)
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/vehicles
Node Name	http://localhost:8000/api/v1/vehicles ()({"brand":"John Doe","model":"John Doe","year":10,"mileage":10,"energy_type":"ESSENCE","catalog_type":"RENTAL","price":1.2,"monthly_rent":1.2,"description":Zaproxy alias impedit expedita quisquam pariatur exercitationem. Nemo rerum eveniet dolores rem quia dignissimos.,"services":[{"service_id":"John Doe","included":false}]})
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/vehicles?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/vehicles (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo cccz2yru2abm...)
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/vehicles?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/vehicles (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo cccz2yru2abm63b78yn2',$...)
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/vehicles?mode=rental&brand=&max_price=&max_mileage=&fuel_type=&max_monthly_rent=

Node Name	http://localhost:8000/api/v1/vehicles (brand,fuel_type,max_mileage,max_monthly_rent,max_price,mode) (class.module.classLoader.DefaultAssertio...)
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/vehicles/
Node Name	http://localhost:8000/api/v1/vehicles/ ()({"brand":"John Doe","model":"John Doe","year":10,"mileage":10,"energy_type":"ESSENCE","catalog_type":"RENTAL","price":1.2,"monthly_rent":1.2,"description":Zaproxy alias impedit expedita quisquam pariatur exercitationem. Nemo rerum eveniet dolores rem quia dignissimos.,"services":[{"service_id":"John Doe","included":false}]})
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/vehicles/admin
Node Name	http://localhost:8000/api/v1/vehicles/admin ()(class.module.classLoader.DefaultAssertio...)
Method	POST
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/vehicles/admin?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/vehicles/admin (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo cccz2yru2abm...)
Method	POST
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/vehicles/admin?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/vehicles/admin (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo cccz2yru2abm63b78yn2',$...)
Method	POST
Parameter	
Attack	

Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/vehicles/admin/vehicle_id
Node Name	http://localhost:8000/api/v1/vehicles/admin/vehicle_id () (class.module.classLoader.DefaultAssertio...)
Method	POST
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/vehicles/admin/vehicle_id?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/vehicles/admin/vehicle_id (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo cccz2yru2abm...)
Method	POST
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/vehicles/admin/vehicle_id?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/vehicles/admin/vehicle_id (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo cccz2yru2abm63b78yn2',$...)
Method	POST
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/vehicles/services
Node Name	http://localhost:8000/api/v1/vehicles/services ()(class.module.classLoader.DefaultAssertio...)
Method	POST
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/vehicles/services?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/vehicles/services (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo cccz2yru2abm...)
Method	POST
Parameter	

Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/vehicles/services?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/vehicles/services (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo cccz2yru2abm63b78yn2',$...)
Method	POST
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/vehicles/vehicle_id
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id ()(class.module.classLoader.DefaultAssertio...)
Method	POST
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/vehicles/vehicle_id?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo cccz2yru2abm...)
Method	POST
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/vehicles/vehicle_id?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo cccz2yru2abm63b78yn2',$...)
Method	POST
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/vehicles/vehicle_id/photos
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id/photos () (class.module.classLoader.DefaultAssertio...)
Method	POST

Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/vehicles/vehicle_id/photos?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id/photos (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo cccz2yru2abm...)
Method	POST
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/vehicles/vehicle_id/photos?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id/photos (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo cccz2yru2abm63b78yn2',$...)
Method	POST
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id () (class.module.classLoader.DefaultAssertio...)
Method	POST
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo cccz2yru2abm...)
Method	POST
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input

Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo cccz2yru2abm63b78yn2',$...)
Method	POST
Parameter	
Attack	
Evidence	405
Other Info	
URL	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id/confirm
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id/confirm
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id/confirm
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id/confirm () (class.module.classLoader.DefaultAssertio...)
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id/confirm?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id/confirm (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo cccz2yru2abm...)
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id/confirm?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id/confirm (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo cccz2yru2abm63b78yn2',$...)
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	

URL	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id/confirm/
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id/confirm/
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	

URL	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id/primary
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id/primary () (class.module.classLoader.DefaultAssertio...)
Method	POST
Parameter	
Attack	
Evidence	405
Other Info	

URL	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id/primary?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id/primary (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo cccz2yru2abm...)
Method	POST
Parameter	
Attack	
Evidence	405
Other Info	

URL	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id/primary?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/photo_id/primary (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo cccz2yru2abm63b78yn2',$...)
Method	POST
Parameter	
Attack	
Evidence	405
Other Info	

URL	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/presigned-url
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/presigned-url () (class.module.classLoader.DefaultAssertio...)
Method	POST
Parameter	
Attack	
Evidence	422

Other Info	
URL	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/presigned-url
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/presigned-url () ({file_name,file_size,content_type})
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/presigned-url?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/presigned-url (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo cccz2yru2abm...)
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/presigned-url?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/presigned-url (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo cccz2yru2abm63b78yn2',$...)
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/presigned-url/
Node Name	http://localhost:8000/api/v1/vehicles/vehicle_id/photos/presigned-url/ () ({file_name,file_size,content_type})
Method	POST
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/computeMetadata/v1/
Node Name	http://localhost:8000/computeMetadata/v1/ ()({reason})
Method	POST
Parameter	
Attack	

Evidence	403
Other Info	
URL	http://localhost:8000/health
Node Name	http://localhost:8000/health ()(class.module.classLoader.DefaultAssertio...)
Method	POST
Parameter	
Attack	
Evidence	403
Other Info	
URL	http://localhost:8000/health?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/health (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo cccz2yru2abm...)
Method	POST
Parameter	
Attack	
Evidence	403
Other Info	
URL	http://localhost:8000/health?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/health (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo cccz2yru2abm63b78yn2',$...)
Method	POST
Parameter	
Attack	
Evidence	403
Other Info	
URL	http://localhost:8000/latest/meta-data/
Node Name	http://localhost:8000/latest/meta-data/ ()({reason})
Method	POST
Parameter	
Attack	
Evidence	403
Other Info	
URL	http://localhost:8000/metadata/instance
Node Name	http://localhost:8000/metadata/instance ()({reason})
Method	POST
Parameter	
Attack	
Evidence	403

Other Info	
URL	http://localhost:8000/metadata/v1
Node Name	http://localhost:8000/metadata/v1 ()({reason})
Method	POST
Parameter	
Attack	
Evidence	403
Other Info	
URL	http://localhost:8000/opc/v1/instance/
Node Name	http://localhost:8000/opc/v1/instance/ ()({reason})
Method	POST
Parameter	
Attack	
Evidence	403
Other Info	
URL	http://localhost:8000/opc/v2/instance/
Node Name	http://localhost:8000/opc/v2/instance/ ()({reason})
Method	POST
Parameter	
Attack	
Evidence	403
Other Info	
URL	http://localhost:8000/openapi.json
Node Name	http://localhost:8000/openapi.json ()(class.module.classLoader.DefaultAssertio...)
Method	POST
Parameter	
Attack	
Evidence	403
Other Info	
URL	http://localhost:8000/openapi.json?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/openapi.json (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('cmd.exe /C echo cccz2yru2abm...)
Method	POST
Parameter	
Attack	
Evidence	403

Other Info	
URL	http://localhost:8000/openapi.json?-d+allow_url_include%3d1+-d+auto_prepend_file%3dphp://input
Node Name	http://localhost:8000/openapi.json (-d allow_url_include=1 -d auto_prepend_f...)(<?php exec('echo cccz2yru2abm63b78yn2',$...)
Method	POST
Parameter	
Attack	
Evidence	403
Other Info	
URL	http://localhost:8000/openstack/latest/meta_data.json
Node Name	http://localhost:8000/openstack/latest/meta_data.json ()({reason})
Method	POST
Parameter	
Attack	
Evidence	403
Other Info	
URL	http://localhost:8000/api/v1/vehicles/admin/vehicle_id
Node Name	http://localhost:8000/api/v1/vehicles/admin/vehicle_id ()({"brand":"John Doe","model":"John Doe","year":10,"mileage":10,"energy_type":"ESSENCE","catalog_type":"RENTAL","price":1.2,"monthly_rent":1.2,"description":Zaproxy alias impedit expedita quisquam pariatur exercitationem. Nemo rerum eveniet dolores rem quia dignissimos.,"services":[{"service_id":"John Doe","included":false}]})
Method	PUT
Parameter	
Attack	
Evidence	422
Other Info	
URL	http://localhost:8000/api/v1/vehicles/admin/vehicle_id/
Node Name	http://localhost:8000/api/v1/vehicles/admin/vehicle_id/ ()({"brand":"John Doe","model":"John Doe","year":10,"mileage":10,"energy_type":"ESSENCE","catalog_type":"RENTAL","price":1.2,"monthly_rent":1.2,"description":Zaproxy alias impedit expedita quisquam pariatur exercitationem. Nemo rerum eveniet dolores rem quia dignissimos.,"services":[{"service_id":"John Doe","included":false}]})
Method	PUT
Parameter	
Attack	
Evidence	422
Other Info	
Instances	374
Solution	
Reference	
CWE Id	388

WASC Id	20
Plugin Id	100000

Informational **Authentication Request Identified**

Description	The given request has been identified as an authentication request. The 'Other Info' field contains a set of key=value lines which identify any relevant fields. If the request is in a context which has an Authentication Method set to "Auto-Detect" then this rule will change the authentication to match the request identified.
URL	http://localhost:8000/api/v1/auth/login
Node Name	http://localhost:8000/api/v1/auth/login () (client_id,client_secret,grant_type,password,scope,username)
Method	POST
Parameter	username
Attack	
Evidence	password
Other Info	userParam=username userValue=username passwordParam=password
Instances	1
Solution	This is an informational alert rather than a vulnerability and so there is nothing to fix.
Reference	https://www.zaproxy.org/docs/desktop/addons/authentication-helper/auth-req-id/
CWE Id	
WASC Id	
Plugin Id	10111

Informational **Non-Storable Content**

Description	The response contents are not storable by caching components such as proxy servers. If the response does not contain sensitive, personal or user-specific information, it may benefit from being stored and cached, to improve performance.
URL	http://localhost:8000/api/v1/auth/csrf
Node Name	http://localhost:8000/api/v1/auth/csrf
Method	GET
Parameter	
Attack	
Evidence	authorization:
Other Info	
URL	http://localhost:8000/health
Node Name	http://localhost:8000/health
Method	GET
Parameter	
Attack	
Evidence	authorization:

Other Info	
URL	http://localhost:8000/openapi.json
Node Name	http://localhost:8000/openapi.json
Method	GET
Parameter	
Attack	
Evidence	authorization:
Other Info	
URL	http://localhost:8000/api/v1/auth/login
Node Name	http://localhost:8000/api/v1/auth/login ()(client_id,client_secret,grant_type,password,scope,username)
Method	POST
Parameter	
Attack	
Evidence	authorization:
Other Info	
URL	http://localhost:8000/api/v1/auth/register
Node Name	http://localhost:8000/api/v1/auth/register ()({email,password,first_name,last_name})
Method	POST
Parameter	
Attack	
Evidence	authorization:
Other Info	
Instances	Systemic
Solution	The content may be marked as storable by ensuring that the following conditions are satisfied: The request method must be understood by the cache and defined as being cacheable ("GET", "HEAD", and "POST" are currently defined as cacheable) The response status code must be understood by the cache (one of the 1XX, 2XX, 3XX, 4XX, or 5XX response classes are generally understood) The "no-store" cache directive must not appear in the request or response header fields For caching by "shared" caches such as "proxy" caches, the "private" response directive must not appear in the response For caching by "shared" caches such as "proxy" caches, the "Authorization" header field must not appear in the request, unless the response explicitly allows it (using one of the "must-revalidate", "public", or "s-maxage" Cache-Control response directives) In addition to the conditions above, at least one of the following conditions must also be satisfied by the response: It must contain an "Expires" header field It must contain a "max-age" response directive For "shared" caches such as "proxy" caches, it must contain a "s-maxage" response directive

	It must contain a "Cache Control Extension" that allows it to be cached It must have a status code that is defined as cacheable by default (200, 203, 204, 206, 300, 301, 404, 405, 410, 414, 501).
Reference	https://datatracker.ietf.org/doc/html/rfc7234 https://datatracker.ietf.org/doc/html/rfc7231 https://www.w3.org/Protocols/rfc2616/rfc2616-sec13.html
CWE Id	524
WASC Id	13
Plugin Id	10049

Informational **Session Management Response Identified**

Description	The given response has been identified as containing a session management token. The 'Other Info' field contains a set of header tokens that can be used in the Header Based Session Management Method. If the request is in a context which has a Session Management Method set to "Auto-Detect" then this rule will change the session management to use the tokens identified.
URL	http://localhost:8000/api/v1/auth/csrf
Node Name	http://localhost:8000/api/v1/auth/csrf
Method	GET
Parameter	csrf_token
Attack	
Evidence	csrf_token
Other Info	cookie:csrf_token
Instances	1
Solution	This is an informational alert rather than a vulnerability and so there is nothing to fix.
Reference	https://www.zaproxy.org/docs/desktop/addons/authentication-helper/session-mgmt-id/
CWE Id	
WASC Id	
Plugin Id	10112

Informational **User Agent Fuzzer**

Description	Check for differences in response based on fuzzed User Agent (eg. mobile sites, access as a Search Engine Crawler). Compares the response statuscode and the hashcode of the response body with the original response.
URL	http://localhost:8000/api/v1/auth/csrf
Node Name	http://localhost:8000/api/v1/auth/csrf
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 6.0; Windows NT 5.1)
Evidence	
Other Info	
URL	http://localhost:8000/api/v1/auth/csrf
Node Name	http://localhost:8000/api/v1/auth/csrf

Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 7.0; Windows NT 6.0)
Evidence	
Other Info	
URL	http://localhost:8000/api/v1/auth/csrf
Node Name	http://localhost:8000/api/v1/auth/csrf
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/4.0 (compatible; MSIE 8.0; Windows NT 6.1)
Evidence	
Other Info	
URL	http://localhost:8000/api/v1/auth/csrf
Node Name	http://localhost:8000/api/v1/auth/csrf
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Trident/7.0; rv:11.0) like Gecko
Evidence	
Other Info	
URL	http://localhost:8000/api/v1/auth/csrf
Node Name	http://localhost:8000/api/v1/auth/csrf
Method	GET
Parameter	Header User-Agent
Attack	Mozilla/5.0 (Windows NT 10.0; Win64; x64) AppleWebKit/537.36 (KHTML, like Gecko) Chrome/75.0.3739.0 Safari/537.36 Edg/75.0.109.0
Evidence	
Other Info	
Instances	Systemic
Solution	
Reference	https://owasp.org/www-project-web-security-testing-guide/
CWE Id	
WASC Id	
Plugin Id	10104

Sequence Details

With the associated active scan results.