



Australian Government
Digital Transformation Agency

Office 365 – As-built as-configured

March 2020

Contents

Overview	3
Purpose	3
Associated Documentation	3
Configuration	4
Exchange Online	4
Connectors	4
MX Records	4
SPR Records	4
Remote Domains	5
Organisational Add-ins	5
CAS Mailbox Plan	6
Authentication Policy	7
Outlook Web Access Policy	8
Address Lists	16
Exchange Online Protection	17
Connection Filtering	17
Anti-Malware	17
Policy Filtering	18
Content Filtering	18
Teams	19
Client Configuration	20
Channel Policy	20
Calling Policy	21
Meeting Policy	23
Messaging Policy	28
Meeting Broadcast Policy	31
SharePoint Online & OneDrive	31
Tenant Configuration	31
Security and Compliance	33
Retention Labels	34
Retention Label Policy	34
Sensitivity Labels	39
Sensitivity Label Policy	41
DLP Compliance Policy	43

Overview

Purpose

The purpose of this as-built as-configured (ABAC) document is to detail each configuration item (CI) applied to the Agencies Exchange Online instance. These CI's align to the design decisions captured within the Agencies Office 365 Detailed Design.

Associated Documentation

The following table lists the documents that were referenced during the creation of this ABAC.

Table 1 Associated Documentation

Name	Version	Date
DTA – Blueprint Solution Overview	March	03/2020
DTA – Platform Design	March	03/2020
DTA – Workstation Design	March	03/2020
DTA – Office 365 Design	March	03/2020
DTA – Platform – ABAC	March	03/2020
DTA – Intune Security Baselines – ABAC	March	03/2020
DTA – Software Updates – ABAC	March	03/2020
DTA – Intune Applications – ABAC	March	03/2020
DTA – Intune Enrolment – ABAC	March	03/2020
DTA – Conditional Access Policies – ABAC	March	03/2020
DTA – Intune Compliance – ABAC	March	03/2020
DTA – Intune Configuration – ABAC	March	03/2020

Configuration

Exchange Online

The ABAC settings for the Agencies Exchange Online instance can be found below. This includes connectors, Mail Exchange (MX) records, SPF, DMARC, DKIM, Remote Domains, User mailbox configurations, Authentication Policies, Outlook on the Web policies, Mailbox Archiving, and Address lists.

Please note, if a setting is not mentioned in the below, it should be assumed to have been left at its default setting.

Connectors

Exchange Online contains the following inbound mail connectors.

Table 2 Inbound Mail Connector Configuration

Name	Status	TLS	Certificate
Not configured	N/A	N/A	N/A

Table 3 Outbound Mail Connector Configuration

Name	Status	TLS	Certificate
Not configured	N/A	N/A	N/A

MX Records

The following MX records have been configured.

Table 4 MX Configuration

Domain	MX Preferences	Mail Exchanger
desktop.gov.au	MX preference = 10	mail exchanger = desktop-gov-au.mail.protection.outlook.com

SPR Records

The following SPF records have been configured.

Table 5 SPF Configuration

Domain	SPF Record	DMARC Policy
desktop.gov.au	"v=spf1 include:spf.protection.outlook.com - all"	Not configured

Remote Domains

The following Remote Domains have been configured.

Table 6 Remote Domain Configuration

Configuration Item	Value
Name	Default
Remote Domain	*
Allowed Out Of Office Type	External
Automatic Reply	True
Automatic Forward	True
Delivery Reports	False
Non Delivery Reports	True
Meeting Forward Notifications	True
Content Type	MimeHtmlText
Name	Custom-dta-auto-forward
Remote Domain	dta.gov.au
Allowed Out Of Office Type	External
Automatic Reply	False
Automatic Forward	False
Delivery Reports	True
Non Delivery Reports	True
Meeting Forward Notifications	False
Content Type	MimeHtmlText

Organisational Add-ins

The following add-ins have been configured.

Table 7 Add-in Configuration

Configuration Item	Value
Name	Janusseal App
Provider	Janusnet
User Default	Mandatory

Provided To

Everyone

CAS Mailbox Plan

The following CAS Mailbox Plans have been configured.

Table 8 Remote Domain Configuration

Configuration Item	Value
Name	ExchangeOnlineDeskless
ActiveSync	False
ActiveSync Mailbox Policy	Not Configured
IMAP	False
MAPI	False
Outlook Web Access	True
Outlook Web Access Policy	Default-OWA-Mailbox-Policy
POP	False
EWS	False
Name	ExchangeOnlineEnterprise
ActiveSync	False
ActiveSync Mailbox Policy	Not Configured
IMAP	False
MAPI	True
Outlook Web Access	True
Outlook Web Access Policy	Default-OWA-Mailbox-Policy
POP	False
EWS	True
Name	ExchangeOnlineEssentials
ActiveSync	False
ActiveSync Mailbox Policy	Not Configured
IMAP	False
MAPI	True
Outlook Web Access	True

Outlook Web Access Policy	Default-OWA-Mailbox-Policy
POP	False
EWS	True
Name	ExchangeOnline
ActiveSync	True
ActiveSync Mailbox Policy	Not Configured
IMAP	True
MAPI	True
Outlook Web Access	True
Outlook Web Access Policy	OwaMailboxPolicy-Default
POP	True
EWS	True

Authentication Policy

The following Authentication Policies have been configured.

Table 9 Authentication Policy Configuration

Configuration Item	Value
Name	Default-Authentication-Policy
Allow Basic Authentication ActiveSync	False
Allow Basic Authentication Autodiscover	False
Allow Basic Authentication IMAP	False
Allow Basic Authentication MAPI	False
Allow Basic Authentication Offline AddressBook	False
Allow Basic Authentication Outlook Service	False
Allow Basic Authentication POP	False
Allow Basic Authentication Reporting Web Services	False
Allow Basic Authentication Rest	False
Allow Basic Authentication RPC	False
Allow Basic Authentication SMTP	False
Allow Basic Authentication Web Services	False

Allow Basic Authentication PowerShell	True
---------------------------------------	------

Outlook Web Access Policy

The following Outlook Web Access Policies have been configured.

Table 10 Outlook Web Access Policy Configuration

Configuration Item	Value
Name	Default-OWA-Mailbox-Policy
Wac Editing Enabled	True
Print Without Download Enabled	True
OneDrive Attachments Enabled	True
Third Party File Providers Enabled	False
Classic Attachments Enabled	True
Reference Attachments Enabled	True
Save Attachments To Cloud Enabled	True
Message Previews Disabled	False
Direct File Access On Public Computers Enabled	False
Direct File Access On Private Computers Enabled	True
Web Ready Document Viewing On Public Computers Enabled	True
Web Ready Document Viewing On Private Computers Enabled	True
Force Web Ready Document Viewing First On Public Computers	False
Force Web Ready Document Viewing First On Private Computers	False
Wac Viewing On Public Computers Enabled	True
Wac Viewing On Private Computers Enabled	True
Force Wac Viewing First On Public Computers	False
Force Wac Viewing First On Private Computers	False
Action For Unknown File And MIME Types	True
Phonetic Support Enabled	True
Default Client Language	0

Use GB18030	True
Use ISO885915	True
Outbound Charset	AutoDetect
Global Address List Enabled	True
Organization Enabled	False
Explicit Logon Enabled	True
OWA Light Enabled	False
Delegate Access Enabled	True
IRM Enabled	True
Calendar Enabled	True
Contacts Enabled	True
Tasks Enabled	True
Journal Enabled	False
Notes Enabled	False
On Send Addins Enabled	True
Reminders And Notifications Enabled	True
Premium Client Enabled	True
Spell Checker Enabled	False
Classic Attachments Enabled	True
Search Folders Enabled	True
Signatures Enabled	True
Theme Selection Enabled	True
Junk Email Enabled	True
UM Integration Enabled	True
WSS Access On Public Computers Enabled	True
WSS Access On Private Computers Enabled	True
Change Password Enabled	True
UNC Access On Public Computers Enabled	True
UNC Access On Private Computers Enabled	True
ActiveSync Integration Enabled	True

All Address Lists Enabled	True
Rules Enabled	True
Public Folders Enabled	False
SMime Enabled	True
Recover Deleted Items Enabled	True
Instant Messaging Enabled	False
Text Messaging Enabled	True
Force Save Attachment Filtering Enabled	False
Silverlight Enabled	True
Instant Messaging Type	Ocs
Display Photos Enabled	True
Set Photo Enabled	False
Allow Offline On	NoComputers
Set Photo URL	
Places Enabled	False
Weather Enabled	True
Local Events Enabled	False
Interesting Calendars Enabled	False
Allow Copy Contacts To Device Address Book	True
Predicted Actions Enabled	False
User Diagnostic Enabled	False
Facebook Enabled	True
LinkedIn Enabled	False
Wac External Services Enabled	True
Wac OMEX Enabled	False
Report Junk Email Enabled	True
Group Creation Enabled	False
Skip Create Unified Group Custom SharePoint Classification	True
User Voice Enabled	False
Satisfaction Enabled	False

Outlook Beta Toggle Enabled	False
Name	OWAOnSendAddinAllUserPolicy
Wac Editing Enabled	True
Print Without Download Enabled	True
OneDrive Attachments Enabled	True
Third Party File Providers Enabled	False
Classic Attachments Enabled	True
Reference Attachments Enabled	True
Save Attachments To Cloud Enabled	True
Message Previews Disabled	False
Direct File Access On Public Computers Enabled	True
Direct File Access On Private Computers Enabled	True
Web Ready Document Viewing On Public Computers Enabled	True
Web Ready Document Viewing On Private Computers Enabled	True
Force Web Ready Document Viewing First On Public Computers	False
Force Web Ready Document Viewing First On Private Computers	False
Wac Viewing On Public Computers Enabled	True
Wac Viewing On Private Computers Enabled	True
Force Wac Viewing First On Public Computers	False
Force Wac Viewing First On Private Computers	False
Action For Unknown File And MIME Types	True
Phonetic Support Enabled	False
Default Client Language	0
Use GB18030	False
Use ISO885915	False
Outbound Charset	AutoDetect
Global Address List Enabled	True
Organization Enabled	True

Explicit Logon Enabled	True
OWA Light Enabled	True
Delegate Access Enabled	True
IRM Enabled	True
Calendar Enabled	True
Contacts Enabled	True
Tasks Enabled	True
Journal Enabled	True
Notes Enabled	True
On Send Addins Enabled	True
Reminders And Notifications Enabled	True
Premium Client Enabled	True
Spell Checker Enabled	False
Classic Attachments Enabled	True
Search Folders Enabled	True
Signatures Enabled	True
Theme Selection Enabled	True
Junk Email Enabled	True
UM Integration Enabled	True
WSS Access On Public Computers Enabled	True
WSS Access On Private Computers Enabled	True
Change Password Enabled	True
UNC Access On Public Computers Enabled	True
UNC Access On Private Computers Enabled	True
ActiveSync Integration Enabled	True
All Address Lists Enabled	True
Rules Enabled	True
Public Folders Enabled	True
SMime Enabled	True
Recover Deleted Items Enabled	True

Instant Messaging Enabled	True
Text Messaging Enabled	True
Force Save Attachment Filtering Enabled	False
Silverlight Enabled	True
Instant Messaging Type	Ocs
Display Photos Enabled	True
Set Photo Enabled	True
Allow Offline On	AllComputers
Set Photo URL	
Places Enabled	True
Weather Enabled	True
Local Events Enabled	False
Interesting Calendars Enabled	True
Allow Copy Contacts To Device Address Book	True
Predicted Actions Enabled	False
User Diagnostic Enabled	False
Facebook Enabled	True
LinkedIn Enabled	True
Wac External Services Enabled	True
Wac OMEX Enabled	False
Report Junk Email Enabled	True
Group Creation Enabled	True
Skip Create Unified Group Custom Sharepoint Classification	True
User Voice Enabled	True
Satisfaction Enabled	True
Outlook Beta Toggle Enabled	True
Name	OwaMailboxPolicy-Default
Wac Editing Enabled	True
Print Without Download Enabled	True
OneDrive Attachments Enabled	True

Third Party File Providers Enabled	False
Classic Attachments Enabled	True
Reference Attachments Enabled	True
Save Attachments To Cloud Enabled	True
Message Previews Disabled	False
Direct File Access On Public Computers Enabled	True
Direct File Access On Private Computers Enabled	True
Web Ready Document Viewing On Public Computers Enabled	True
Web Ready Document Viewing On Private Computers Enabled	True
Force Web Ready Document Viewing First On Public Computers	False
Force Web Ready Document Viewing First On Private Computers	False
Wac Viewing On Public Computers Enabled	True
Wac Viewing On Private Computers Enabled	True
Force Wac Viewing First On Public Computers	False
Force Wac Viewing First On Private Computers	False
Action For Unknown File And MIME Types	True
Phonetic Support Enabled	False
Default Client Language	0
Use GB18030	False
Use ISO885915	False
Outbound Charset	AutoDetect
Global Address List Enabled	True
Organization Enabled	True
Explicit Logon Enabled	True
OWA Light Enabled	True
Delegate Access Enabled	True
IRM Enabled	True
Calendar Enabled	True

Contacts Enabled	True
Tasks Enabled	True
Journal Enabled	True
Notes Enabled	True
On Send Addins Enabled	False
Reminders And Notifications Enabled	True
Premium Client Enabled	True
Spell Checker Enabled	False
Classic Attachments Enabled	True
Search Folders Enabled	True
Signatures Enabled	True
Theme Selection Enabled	True
Junk Email Enabled	True
UM Integration Enabled	True
WSS Access On Public Computers Enabled	True
WSS Access On Private Computers Enabled	True
Change Password Enabled	True
UNC Access On Public Computers Enabled	True
UNC Access On Private Computers Enabled	True
ActiveSync Integration Enabled	True
All Address Lists Enabled	True
Rules Enabled	True
Public Folders Enabled	True
SMime Enabled	True
Recover Deleted Items Enabled	True
Instant Messaging Enabled	True
Text Messaging Enabled	True
Force Save Attachment Filtering Enabled	False
Silverlight Enabled	True
Instant Messaging Type	Ocs

Display Photos Enabled	True
Set Photo Enabled	True
Allow Offline On	AllComputers
Set Photo URL	
Places Enabled	True
Weather Enabled	True
Local Events Enabled	False
Interesting Calendars Enabled	True
Allow Copy Contacts To Device Address Book	True
Predicted Actions Enabled	False
User Diagnostic Enabled	False
Facebook Enabled	True
LinkedIn Enabled	True
Wac External Services Enabled	True
Wac OMEX Enabled	False
Report Junk Email Enabled	True
Group Creation Enabled	True
Skip Create Unified Group Custom Sharepoint Classification	True
User Voice Enabled	True
Satisfaction Enabled	True
Outlook Beta Toggle Enabled	True

Address Lists

The following Address Lists have been configured.

Table 11 Address List Configuration

Configuration Item	Value
All Contacts	((Alias -ne \$null) -and (((ObjectCategory -like 'person') -and (ObjectClass -eq 'contact'))))
All Distribution Lists	((Alias -ne \$null) -and (ObjectCategory -like 'group'))

All Rooms	((Alias -ne \$null) -and (((RecipientDisplayType -eq 'ConferenceRoomMailbox') -or (RecipientDisplayType -eq 'SyncedConferenceRoomMailbox'))))
All Users	((Alias -ne \$null) -and (((((((ObjectCategory -like 'person') -and (ObjectClass -eq 'user') -and (-not(Database -ne \$null)) -and (-not(ServerLegacyDN -ne \$null)))) -or (((ObjectCategory -like 'person') -and (ObjectClass -eq 'user') -and (((Database -ne \$null) -or (ServerLegacyDN -ne \$null)))))) -and (-not(RecipientTypeDetailsValue -eq 'GroupMailbox')))))
All Groups	((Alias -ne \$null) -and (RecipientTypeDetailsValue -eq 'GroupMailbox'))
Public Folders	((Alias -ne \$null) -and (ObjectCategory -like 'publicFolder'))
Offline Global Address List	((Alias -ne \$null) -and (((((((ObjectClass -eq 'user') -or (ObjectClass -eq 'contact')) -or (ObjectClass -eq 'msExchSystemMailbox')) -or (ObjectClass -eq 'msExchDynamicDistributionList')) -or (ObjectClass -eq 'group')) -or (ObjectClass -eq 'publicFolder'))))

Exchange Online Protection

The ABAC settings for the Agencies Exchange Online Protection instance can be found below. This includes the Connection Filtering, Anti-Malware, Policy Filtering, and Content Filtering Configuration. Please note, if a setting is not mentioned in the below, it should be assumed to have been left at its default setting.

Connection Filtering

The following Connection Filters have been configured.

Table 12 Connection Filters Configured

Name	IP Allow List	IP Block List	Enable Safe List	Directory Based Edge Block Mode
Default-Connection-Filter			True	Default

Anti-Malware

The following Malware Filters have been configured.

Table 13 Malware Filter Configuration

Configuration Item	Value
Name	Default-Malware-Filter-Policy
Custom Notifications	False

Custom notification details	Not Configured
Internal Sender Admin Address	itsa@desktop.gov.au
External Sender Admin Address	itsa@desktop.gov.au
Action	DeleteMessage
Enable Internal Sender Notifications	False
Enable External Sender Notifications	False
Enable Internal Sender Admin Notifications	False
Enable External Sender Admin Notifications	False
Enable File Filter	True
Filter file types	ace,ani,app,exe,jar,reg,scr,vbe,vbs

Policy Filtering

The following Policy Filters have been configured.

Table 14 Policy Filter Configuration

Name	State	Mode	Priority	Comments
Not Configured	N/A	N/A	N/A	N/A

Content Filtering

The following Content Filters have been configured.

Table 15 Content Filter Configuration

Configuration Item	Value
Name	Default-HostedContentFilterPolicy
Add X Header Value	Not Configured
Modify Subject value	[SPAM]
Redirect to recipients	Not Configured
False positive additional recipients	Not Configured
Quarantine retention period	15
End user spam notification frequency	3
Increase Score	Increase score with image links: On Increase score with numeric IPs: On Increase score with redirect to other port: On Increase score with Biz or info URLs: On

Mark as spam	Mark as spam empty messages: On Mark as spam javascript in html: On Mark as spam frames in HTML: Off Mark as spam object tags in HTML: On Mark as spam embed tags in HTML: Off Mark as spam form tags in HTML: Off Mark as spam web bugs in HTML: On Mark as spam sensitive word list: On Mark as spam SPF record hard fail: On Mark as spam from address auth fail: On Mark as spam bulk mail: On Mark as spam NDR backscatter: On
High confidence spam action	Quarantine
Spam action	MoveToJmf
Bulk spam action	MoveToJmf
Phish Spam action	Quarantine
Enable end user spam notifications	True
End user spam notification	Notification custom from address: itsa@desktop.gov.au Notification language: Default Notification limit: 0
Download link	False
Enable region block list	False
Region block list	Not Configured
Enable language block list	Not Configured
Language block list	Not Configured
Bulk Threshold	6
Allowed Senders	Not Configured
Allowed sender domains	Not Configured
Blocked Senders	Not Configured
Blocked Sender Domains	Not Configured

Teams

The ABAC settings for the Agencies Teams instance can be found below. This includes the Client Configuration, Channels Policy, Calling Policy, Meetings Policy, Messaging Policy, and Guest Meeting/Calling/Messaging configuration.

Please note, if a setting is not mentioned in the below, it should be assumed to have been left at its default setting.

Client Configuration

The following is the Teams client configuration.

Table 16 Client Configuration

Configuration Item	Value
Name	Global
Allow email into the channel	True
Restricted sender list	desktop.gov.au
Allow DropBox	False
Allow box	False
Allow Google drive	False
Allow Sharefile	False
Allow organisation tab	True
Allow Skype for business interop	False
Content pin	RequiredOutsideScheduleMeeting
Allow resource account send message	True
Resource account content access	NoAccess
Allow guest user	True
Allow scoped people search and access	True

Channel Policy

The following is the Teams Channel Policy configuration.

Table 17 Channel Policy Configuration

Configuration Item	Value
Name	Global
Description	Not Configured
Org wide Team creation	False
Private Team discovery	True
Allow private channel creation	True

Name	Tag:Default
Description	Not Configured
Org wide Team creation	True
Private Team discovery	True
Allow private channel creation	True

Calling Policy

The following is the Teams Calling Policy configuration

Table 18 Calling Policy Configuration

Configuration Item	Value
Name	Global
Description	Not Configured
Allow private calling	True
Allow voicemail	AlwaysEnabled
Allow call groups	True
Allow delegation	True
Allow call forwarding to user	True
Allow call forwarding to phone	True
Prevent toll bypass	False
Busy on busy enabled type	Enabled
Name	Tag:AllowCalling
Description	Not Configured
Allow private calling	True
Allow voicemail	UserOverride
Allow call groups	True
Allow delegation	True
Allow call forwarding to user	True
Allow call forwarding to phone	True
Prevent toll bypass	False
Busy on busy enabled type	Disabled

Name	Tag:DisallowCalling
Description	Not Configured
Allow private calling	False
Allow voicemail	AlwaysDisabled
Allow call groups	False
Allow delegation	False
Allow call forwarding to user	False
Allow call forwarding to phone	False
Prevent toll bypass	False
Busy on busy enabled type	Disabled
Name	Tag:AllowCallingPreventTollBypass
Description	Not Configured
Allow private calling	True
Allow voicemail	UserOverride
Allow call groups	True
Allow delegation	True
Allow call forwarding to user	True
Allow call forwarding to phone	True
Prevent toll bypass	True
Busy on busy enabled type	Disabled
Name	Tag:AllowCallingPreventForwardingtoPhone
Description	Not Configured
Allow private calling	True
Allow voicemail	UserOverride
Allow call groups	True
Allow delegation	True
Allow call forwarding to user	True
Allow call forwarding to phone	False
Prevent toll bypass	False
Busy on busy enabled type	Disabled

Meeting Policy

The following is the Teams Meeting Policy configuration

Table 19 Meeting Policy Configuration

Configuration Item	Value
Name	Global
Description	Not Configured
Allow Channel Meeting Scheduling	True
Allow Meet Now	True
Allow Private Meet Now	True
Meeting Chat Enabled Type	Enabled
Live Captions Enabled Type	DisabledUserOverride
Allow IP Video	True
Allow Anonymous Users to Dial Out	False
Allow Anonymous Users to Start Meeting	False
Allow Private Meeting Scheduling	True
Auto Admitted Users	Everyone
Allow Cloud Recording	True
Allow Outlook Add-in	True
Allow PowerPoint Sharing	True
Allow Participant Give/Request Control	True
Allow External Participant Give/Request Control	False
Allow Shared Notes	True
Allow Whiteboard	True
Allow Transcription	False
Screen Sharing Mode	EntireScreen
Allow PSTN Users to Bypass Lobby	True
Allow Organizers to Override Lobby Settings	False
Name	Tag:AllOn
Description	Do not assign. This policy is same as global defaults and would be deprecated

Allow Channel Meeting Scheduling	True
Allow Meet Now	True
Allow Private Meet Now	True
Meeting Chat Enabled Type	Enabled
Live Captions Enabled Type	DisabledUserOverride
Allow IP Video	True
Allow Anonymous Users to Dial Out	False
Allow Anonymous Users to Start Meeting	False
Allow Private Meeting Scheduling	True
Auto Admitted Users	EveryoneInCompany
Allow Cloud Recording	True
Allow Outlook Add-in	True
Allow PowerPoint Sharing	True
Allow Participant Give/Request Control	True
Allow External Participant Give/Request Control	False
Allow Shared Notes	True
Allow Whiteboard	True
Allow Transcription	False
Screen Sharing Mode	EntireScreen
Allow PSTN Users to Bypass Lobby	True
Allow Organizers to Override Lobby Settings	False
Name	Tag:RestrictedAnonymousAccess
Description	Do not assign. This policy is same as global defaults and would be deprecated
Allow Channel Meeting Scheduling	True
Allow Meet Now	True
Allow Private Meet Now	True
Meeting Chat Enabled Type	Enabled
Live Captions Enabled Type	Disabled
Allow IP Video	True
Allow Anonymous Users to Dial Out	False

Allow Anonymous Users to Start Meeting	False
Allow Private Meeting Scheduling	True
Auto Admitted Users	EveryoneInCompany
Allow Cloud Recording	True
Allow Outlook Add-in	True
Allow PowerPoint Sharing	True
Allow Participant Give/Request Control	True
Allow External Participant Give/Request Control	False
Allow Shared Notes	True
Allow Whiteboard	True
Allow Transcription	False
Screen Sharing Mode	EntireScreen
Allow PSTN Users to Bypass Lobby	True
Allow Organizers to Override Lobby Settings	False
Name	Tag:AllOff
Description	Not Configured
Allow Channel Meeting Scheduling	False
Allow Meet Now	False
Allow Private Meet Now	False
Meeting Chat Enabled Type	Disabled
Live Captions Enabled Type	Disabled
Allow IP Video	False
Allow Anonymous Users to Dial Out	False
Allow Anonymous Users to Start Meeting	False
Allow Private Meeting Scheduling	False
Auto Admitted Users	EveryoneInCompany
Allow Cloud Recording	False
Allow Outlook Add-in	False
Allow PowerPoint Sharing	False
Allow Participant Give/Request Control	False

Allow External Participant Give/Request Control	False
Allow Shared Notes	False
Allow Whiteboard	False
Allow Transcription	False
Screen Sharing Mode	Disabled
Allow PSTN Users to Bypass Lobby	True
Allow Organizers to Override Lobby Settings	False
Name	Tag:RestrictedAnonymousNoRecording
Description	Do not assign. This policy is similar to global defaults and would be deprecated
Allow Channel Meeting Scheduling	True
Allow Meet Now	True
Allow Private Meet Now	True
Meeting Chat Enabled Type	Enabled
Live Captions Enabled Type	Disabled
Allow IP Video	True
Allow Anonymous Users to Dial Out	False
Allow Anonymous Users to Start Meeting	False
Allow Private Meeting Scheduling	True
Auto Admitted Users	EveryoneInCompany
Allow Cloud Recording	False
Allow Outlook Add-in	True
Allow PowerPoint Sharing	True
Allow Participant Give/Request Control	True
Allow External Participant Give/Request Control	False
Allow Shared Notes	True
Allow Whiteboard	True
Allow Transcription	False
Screen Sharing Mode	EntireScreen
Allow PSTN Users to Bypass Lobby	True
Allow Organizers to Override Lobby Settings	False

Name	Tag:Default
Description	Not Configured
Allow Channel Meeting Scheduling	True
Allow Meet Now	True
Allow Private Meet Now	True
Meeting Chat Enabled Type	Enabled
Live Captions Enabled Type	DisabledUserOverride
Allow IP Video	True
Allow Anonymous Users to Dial Out	False
Allow Anonymous Users to Start Meeting	False
Allow Private Meeting Scheduling	True
Auto Admitted Users	Everyone
Allow Cloud Recording	True
Allow Outlook Add-in	True
Allow PowerPoint Sharing	True
Allow Participant Give/Request Control	True
Allow External Participant Give/Request Control	False
Allow Shared Notes	True
Allow Whiteboard	True
Allow Transcription	False
Screen Sharing Mode	EntireScreen
Allow PSTN Users to Bypass Lobby	True
Allow Organizers to Override Lobby Settings	False
Name	Tag:Kiosk
Description	Not Configured
Allow Channel Meeting Scheduling	False
Allow Meet Now	True
Allow Private Meet Now	True
Meeting Chat Enabled Type	Enabled
Live Captions Enabled Type	Disabled

Allow IP Video	True
Allow Anonymous Users to Dial Out	False
Allow Anonymous Users to Start Meeting	False
Allow Private Meeting Scheduling	False
Auto Admitted Users	EveryoneInCompany
Allow Cloud Recording	False
Allow Outlook Add-in	False
Allow PowerPoint Sharing	True
Allow Participant Give/Request Control	True
Allow External Participant Give/Request Control	False
Allow Shared Notes	True
Allow Whiteboard	True
Allow Transcription	False
Screen Sharing Mode	EntireScreen
Allow PSTN Users to Bypass Lobby	True
Allow Organizers to Override Lobby Settings	False

Messaging Policy

The following is the Teams Messaging Policy configuration

Table 20 Messaging Policy Configuration

Configuration Item	Value
Name	Global
Description	Global Teams Messaging Policy
Allow URL previews	True
Allow Owner Delete Message	True
Allow User Edit Message	True
Allow User Delete Message	True
Allow User Chat	True
Allow Remove User	True
Allow Giphy	False

Giphy Rating Type	Strict
Allow Memes	False
Allow Immersive Reader	True
Allow Stickers	False
Allow User Translation	True
Allow User Translation	True
Allow Priority Messages	True
Channels in Chat List Enabled Type	DisabledUserOverride
Audio Message Enabled Type	ChatsAndChannels
Name	Tag:Default
Description	Not Configured
Allow URL previews	True
Allow Owner Delete Message	False
Allow User Edit Message	True
Allow User Delete Message	True
Allow User Chat	True
Allow Remove User	True
Allow Giphy	True
Giphy Rating Type	Moderate
Allow Memes	True
Allow Immersive Reader	True
Allow Stickers	True
Allow User Translation	False
Allow User Translation	False
Allow Priority Messages	True
Channels in Chat List Enabled Type	DisabledUserOverride
Audio Message Enabled Type	ChatsAndChannels
Name	Tag:EduFaculty
Description	Not Configured
Allow URL previews	True

Allow Owner Delete Message	True
Allow User Edit Message	True
Allow User Delete Message	True
Allow User Chat	True
Allow Remove User	True
Allow Giphy	False
Giphy Rating Type	Strict
Allow Memes	True
Allow Immersive Reader	True
Allow Stickers	True
Allow User Translation	False
Allow User Translation	False
Allow Priority Messages	True
Channels in Chat List Enabled Type	DisabledUserOverride
Audio Message Enabled Type	ChatsAndChannels
Name	Tag:EduStudent
Description	Not Configured
Allow URL previews	True
Allow Owner Delete Message	False
Allow User Edit Message	True
Allow User Delete Message	True
Allow User Chat	True
Allow Remove User	True
Allow Giphy	False
Giphy Rating Type	Strict
Allow Memes	True
Allow Immersive Reader	True
Allow Stickers	True
Allow User Translation	False
Allow User Translation	False

Allow Priority Messages	True
Channels in Chat List Enabled Type	DisabledUserOverride
Audio Message Enabled Type	ChatsAndChannels

Meeting Broadcast Policy

The following is the Teams Meeting Broadcast Policy configuration

Table 21 Meeting Broadcast Policy Configuration

Configuration Item	Value
Name	Global
Description	Not Configured
Allow Broadcast Scheduling	True
Allow Broadcast Transcription	False
Broadcast Attendee Visibility Mode	EveryoneInCompany
Broadcast Record Mode	AlwaysEnabled
Name	Tag:Default
Description	Not Configured
Allow Broadcast Scheduling	True
Allow Broadcast Transcription	False
Broadcast Attendee Visibility Mode	EveryoneInCompany
Broadcast Record Mode	AlwaysEnabled

SharePoint Online & OneDrive

The ABAC settings for the Agencies SharePoint Online and OneDrive instances can be found below.

This includes the Site and Sharing configuration.

Please note, if a setting is not mentioned in the below, it should be assumed to have been left at its default setting.

Tenant Configuration

The following table lists the SharePoint Online Tenant configuration.

Table 22 Meeting Broadcast Policy Configuration

Configuration Item	Value
Storage quota	1025048576

Storage quota allocated	104857600
Resource quota	20000300
Resource quota allocated	300
External services enabled	False
No access redirect URL	Not Configured
Sharing Capability	Disabled
Display start a site option	False
Start a site form URL	Not Configured
Office client ADAL Disabled	False
Legacy authentication protocols enabled	False
Search resolve exact email or UPN	False
Require accepting account match invited account	True
Provision shared with everyone folder	False
Bcc external sharing invitations	False
Bcc external sharing invitation list	
User Voice for feedback enabled	False
Public CDN enabled	False
Public CDN allowed file types	CSS,EOT,GIF,ICO,JPEG,JPG,JS,MAP,PNG,SVG,TTF,W OFF
Public CDN origins	Not Configured
Require anonymous links expiration in days	14
Sharing allowed domain list	dta.gov.au
Sharing blocked domain list	Not Configured
Sharing domain restriction mode	None
IP address enforcement	False
IP address allow list	Not Configured
IP address WAC token lifetime	15
Use find people in people picker	False
Default sharing link type	Internal
ODB members can share	Off
ODB access requests	Off

Prevent external users from resharing	True
File anonymous link type	Edit
Folder anonymous link type	Edit
Notify owners when items are reshared	True
Notify owners when invitations accepted	True
Notifications in OneDrive for business enabled	True
Notifications in SharePoint enabled	True
Special characters state in file folder names	Allowed
Owner anonymous notification	True
Comments on site pages disabled	False
Comments on files disabled	False
Social bar on site pages disabled	True
Orphaned personal site retention period	365
Disallow infected file download	True
Default link permission	None
Allow downloading nonweb viewable files	False
Limited access file type	WebPreviewableFiles
Apply app enforced restrictions to adhoc recipients	True
File picker external image search enabled	True
Email attestation required	False
Email attestation reauth days	30
Sync privacy profile properties	True
Mark new files sensitive by default	AllowExternalSharing
Enable AIP integration	False

Security and Compliance

The ABAC settings for the Agencies Office 365 Security and Compliance instance can be found below. This includes the Alerts, Labels, Data Loss Prevention, Retention Policies, Audit Logging, and Customer Key configuration.

Please note, if a setting is not mentioned in the below, it should be assumed to have been left at its default setting.

Retention Labels

The following table lists the Retention Labels configuration.

Table 23 Retention Labels Configuration

Configuration Item	Value
Not Configured	N/A

Retention Label Policy

The following table lists the Retention Label Policy configuration.

Table 24 Retention Label Policy Configuration

Configuration Item	Value
Name	Teams Channel messages Indefinite Hold
Enabled	True
Mode	Enforce
Workload	Exchange, SharePoint, OneDriveForBusiness, Skype, ModernGroup
Type	Hold
Teams Policy	True
SharePoint Location	Not Configured
SharePoint Location Exception	Not Configured
Retention Rule Types	Not Configured
Exchange Location	Not Configured
Exchange Location Exception	Not Configured
Public Folder Location	Not Configured
Skype Location	Not Configured
Skype Location Exception	Not Configured
Modern Group Location	Not Configured
Modern Group Location Exception	Not Configured
OneDrive Location	Not Configured
OneDrive Location Exception	Not Configured
Teams Chat Location	Not Configured
Teams Chat Location Exception	Not Configured

Teams Channel Location	Not Configured
Teams Channel Location Exception	Not Configured
Dynamic Scope Location	Not Configured
Name	Office 365 Groups Indefinite Hold
Enabled	True
Mode	Enforce
Workload	Exchange, SharePoint, OneDriveForBusiness, Skype, ModernGroup
Type	Hold
Teams Policy	False
SharePoint Location	Not Configured
SharePoint Location Exception	Not Configured
Retention Rule Types	Not Configured
Exchange Location	Not Configured
Exchange Location Exception	Not Configured
Public Folder Location	Not Configured
Skype Location	Not Configured
Skype Location Exception	Not Configured
Modern Group Location	Not Configured
Modern Group Location Exception	Not Configured
OneDrive Location	Not Configured
OneDrive Location Exception	Not Configured
Teams Chat Location	Not Configured
Teams Chat Location Exception	Not Configured
Teams Channel Location	Not Configured
Teams Channel Location Exception	Not Configured
Dynamic Scope Location	Not Configured
Name	Exchange Indefinite Hold
Enabled	True
Mode	Enforce

Workload	Exchange, SharePoint, OneDriveForBusiness, Skype, ModernGroup
Type	Hold
Teams Policy	False
SharePoint Location	Not Configured
SharePoint Location Exception	Not Configured
Retention Rule Types	Not Configured
Exchange Location	Not Configured
Exchange Location Exception	Not Configured
Public Folder Location	Not Configured
Skype Location	Not Configured
Skype Location Exception	Not Configured
Modern Group Location	Not Configured
Modern Group Location Exception	Not Configured
OneDrive Location	Not Configured
OneDrive Location Exception	Not Configured
Teams Chat Location	Not Configured
Teams Chat Location Exception	Not Configured
Teams Channel Location	Not Configured
Teams Channel Location Exception	Not Configured
Dynamic Scope Location	Not Configured
Name	Teams chats Indefinite Hold
Enabled	True
Mode	Enforce
Workload	Exchange, SharePoint, OneDriveForBusiness, Skype, ModernGroup
Type	Hold
Teams Policy	True
SharePoint Location	Not Configured
SharePoint Location Exception	Not Configured
Retention Rule Types	Not Configured

Exchange Location	Not Configured
Exchange Location Exception	Not Configured
Public Folder Location	Not Configured
Skype Location	Not Configured
Skype Location Exception	Not Configured
Modern Group Location	Not Configured
Modern Group Location Exception	Not Configured
OneDrive Location	Not Configured
OneDrive Location Exception	Not Configured
Teams Chat Location	Not Configured
Teams Chat Location Exception	Not Configured
Teams Channel Location	Not Configured
Teams Channel Location Exception	Not Configured
Dynamic Scope Location	Not Configured
Name	OneDrive Indefinite Hold
Enabled	True
Mode	Enforce
Workload	Exchange, SharePoint, OneDriveForBusiness, Skype, ModernGroup
Type	Hold
Teams Policy	False
SharePoint Location	Not Configured
SharePoint Location Exception	Not Configured
Retention Rule Types	Not Configured
Exchange Location	Not Configured
Exchange Location Exception	Not Configured
Public Folder Location	Not Configured
Skype Location	Not Configured
Skype Location Exception	Not Configured
Modern Group Location	Not Configured
Modern Group Location Exception	Not Configured

OneDrive Location	Not Configured
OneDrive Location Exception	Not Configured
Teams Chat Location	Not Configured
Teams Chat Location Exception	Not Configured
Teams Channel Location	Not Configured
Teams Channel Location Exception	Not Configured
Dynamic Scope Location	Not Configured
Name	SharePoint Indefinite Hold
Enabled	True
Mode	Enforce
Workload	Exchange, SharePoint, OneDriveForBusiness, Skype, ModernGroup
Type	Hold
Teams Policy	False
SharePoint Location	Not Configured
SharePoint Location Exception	Not Configured
Retention Rule Types	Not Configured
Exchange Location	Not Configured
Exchange Location Exception	Not Configured
Public Folder Location	Not Configured
Skype Location	Not Configured
Skype Location Exception	Not Configured
Modern Group Location	Not Configured
Modern Group Location Exception	Not Configured
OneDrive Location	Not Configured
OneDrive Location Exception	Not Configured
Teams Chat Location	Not Configured
Teams Chat Location Exception	Not Configured
Teams Channel Location	Not Configured
Teams Channel Location Exception	Not Configured
Dynamic Scope Location	Not Configured

Sensitivity Labels

The following table lists the Sensitivity Label configuration.

Table 25 Sensitivity Label Configuration

Configuration Item	Value
Name	Unofficial
Workload	Exchange, SharePoint
Settings	[tooltip, No damage. This information does not form part of official duty] [displayname, Unofficial] [aiplabelversion, 795ef17b-06a6-4992-81d6-ea3ae5d5d9ae] [color, #000000]
Label Actions	<pre>{ "Type": "applycontentmarking", "SubType": "header", "Settings": [{ "Key": "text", "Value": "UNOFFICIAL" }, { "Key": "fontsize", "Value": "10" }, { "Key": "fontcolor", "Value": "#000000" }, { "Key": "alignment", "Value": "Center" }, { "Key": "margin", "Value": "15" }, { "Key": "placement", "Value": "Header" }, { "Key": "disabled", "Value": "false" }] }</pre> <pre>{ "Type": "applycontentmarking", "SubType": "footer", "Settings": [{ "Key": "text", "Value": "UNOFFICIAL" }, { "Key": "fontsize", "Value": "10" }, { "Key": "fontcolor", "Value": "#000000" }, { "Key": "alignment", "Value": "Center" }, { "Key": "margin", "Value": "15" }, { "Key": "placement", "Value": "Footer" }, { "Key": "disabled", "Value": "false" }] }</pre> <pre>{ "Type": "encrypt", "SubType": null, "Settings": [{ "Key": "disabled", "Value": "true" }, { "Key": "protectiontype", "Value": "template" }, { "Key": "aitemplatescopes", "Value": "[*All*]" }] }</pre>
Conditions	Not Configured
Local Settings	Not Configured
Tooltip	No damage. This information does not form part of official duty
Name	Official
Workload	Exchange, SharePoint
Settings	[tooltip, 1 Low business impact No or insignificant damage. This is the majority of routine information.] [displayname, Official] [aiplabelversion, 502d91b8-27d5-4ea1-afae-b2286de4b919] [color, #000000]

Label Actions	<pre>{ "Type": "applycontentmarking", "SubType": "header", "Settings": [{ "Key": "text", "Value": "OFFICIAL" }, { "Key": "fontsize", "Value": "10" }, { "Key": "fontcolor", "Value": "#000000" }, { "Key": "alignment", "Value": "Center" }, { "Key": "margin", "Value": "15" }, { "Key": "placement", "Value": "Header" }, { "Key": "disabled", "Value": "false" }] }</pre> <pre>{ "Type": "applycontentmarking", "SubType": "footer", "Settings": [{ "Key": "text", "Value": "OFFICIAL" }, { "Key": "fontsize", "Value": "10" }, { "Key": "fontcolor", "Value": "#000000" }, { "Key": "alignment", "Value": "Center" }, { "Key": "margin", "Value": "15" }, { "Key": "placement", "Value": "Footer" }, { "Key": "disabled", "Value": "false" }] }</pre> <pre>{ "Type": "encrypt", "SubType": null, "Settings": [{ "Key": "disabled", "Value": "true" }, { "Key": "protectiontype", "Value": "template" }, { "Key": "aiptemplatescopes", "Value": "\\All\\" }] }</pre>
Conditions	Not Configured
Local Settings	Not Configured
Tooltip	1 Low business impact No or insignificant damage. This is the majority of routine information.
Name	OFFICIAL Sensitive
Workload	Exchange, SharePoint
Settings	[tooltip, 2 Low to medium business impact Limited damage to an individual, organisation or government generally if compromised] [displayname, OFFICIAL Sensitive] [aiplabelversion, 1ad791ca-a578-4a9b-9cd1-151450f56d31] [color, #000000]
Label Actions	<pre>{ "Type": "applycontentmarking", "SubType": "header", "Settings": [{ "Key": "text", "Value": "OFFICIAL Sensitive" }, { "Key": "fontsize", "Value": "10" }, { "Key": "fontcolor", "Value": "#000000" }, { "Key": "alignment", "Value": "Center" }, { "Key": "margin", "Value": "15" }, { "Key": "placement", "Value": "Header" }, { "Key": "disabled", "Value": "false" }] }</pre> <pre>{ "Type": "applycontentmarking", "SubType": "footer", "Settings": [{ "Key": "text", "Value": "OFFICIAL Sensitive" }, { "Key": "fontsize", "Value": "10" }, { "Key": "fontcolor", "Value": "#000000" }, { "Key": "alignment", "Value": "Center" }, { "Key": "margin", "Value": "15" }, { "Key": "placement", "Value": "Footer" }, { "Key": "disabled", "Value": "false" }] }</pre> <pre>{ "Type": "encrypt", "SubType": null, "Settings": [{ "Key": "disabled", "Value": "true" }, { "Key": "protectiontype", "Value": "template" }, { "Key": "aiptemplatescopes", "Value": "\\All\\" }] }</pre>
Conditions	Not Configured
Local Settings	Not Configured

Tooltip	2 Low to medium business impact Limited damage to an individual, organisation or government generally if compromised
Name	Protected
Workload	Exchange, SharePoint
Settings	[tooltip, 3 High business impact Damage to the national interest, organisations or individuals] [displayname, Protected] [aiplabelversion, eb578c99-dd28-4f73-b85a-147490d41bab] [color, #000000]
Label Actions	{ "Type": "applycontentmarking", "SubType": "header", "Settings": [{ "Key": "text", "Value": "PROTECTED", "Key": "fontsize", "Value": "10", "Key": "fontcolor", "Value": "#000000", "Key": "alignment", "Value": "Center", "Key": "margin", "Value": "15", "Key": "placement", "Value": "Header", "Key": "disabled", "Value": "false"}]} { "Type": "applycontentmarking", "SubType": "footer", "Settings": [{ "Key": "text", "Value": "PROTECTED", "Key": "fontsize", "Value": "10", "Key": "fontcolor", "Value": "#000000", "Key": "alignment", "Value": "Center", "Key": "margin", "Value": "15", "Key": "placement", "Value": "Footer", "Key": "disabled", "Value": "false"}]} { "Type": "encrypt", "SubType": null, "Settings": [{ "Key": "disabled", "Value": "true", "Key": "protectiontype", "Value": "template", "Key": "aiptemplatescopes", "Value": "[\\All\\]"}]}
Conditions	Not Configured
Local Settings	Not Configured
Tooltip	3 High business impact Damage to the national interest, organisations or individuals

Sensitivity Label Policy

The following table lists the Sensitivity Label Policy configuration.

Table 26 Sensitivity Label Policy Configuration

Configuration Item	Value
Name	Global
Mode	Enforce
Enabled	True
Workload	Exchange, SharePoint, OneDriveForBusiness, Skype, ModernGroup

Type	Hold
Settings	[requireddowngradejustification, true] [mandatory, true]
Labels	Protected Unofficial OFFICIAL Sensitive Official
SharePoint Location	Not Configured
SharePoint Location Exception	Not Configured
Exchange Location	DisplayName : All Name : All ImmutableIdentity : All Type : Tenant Workload : Exchange SchemaVersion : 2
Exchange Location Exception	Not Configured
Public Folder Location	Not Configured
Skype Location	Not Configured
Skype Location Exception	Not Configured
Modern Group Location	Not Configured
Modern Group Location Exception	Not Configured
OneDrive Location	Not Configured
OneDrive Location Exception	Not Configured
Name	New Global Policy
Mode	Enforce
Enabled	True
Workload	Exchange, SharePoint, OneDriveForBusiness, Skype, ModernGroup
Type	Hold
Settings	[requireddowngradejustification, true] [mandatory, true]
Labels	Protected Official Unofficial OFFICIAL Sensitive

SharePoint Location	Not Configured
SharePoint Location Exception	Not Configured
Exchange Location	DisplayName : All Name : All ImmutableIdentity : All Type : Tenant Workload : Exchange SchemaVersion : 2
Exchange Location Exception	Not Configured
Public Folder Location	Not Configured
Skype Location	Not Configured
Skype Location Exception	Not Configured
Modern Group Location	Not Configured
Modern Group Location Exception	Not Configured
OneDrive Location	Not Configured
OneDrive Location Exception	Not Configured

DLP Compliance Policy

The following table lists the DLP Compliance Policy configuration.

Table 27 DLP Compliance Policy Configuration

Configuration Item	Value
Name	Australia Privacy Act
Enabled	True
Workload	Exchange, SharePoint, OneDriveForBusiness, Teams
Mode	Enable
Type	DLP
Exchange Location	DisplayName : All Name : All ImmutableIdentity : All Type : Tenant Workload : Exchange SchemaVersion : 2

SharePoint Location	DisplayName : All Name : All ImmutableIdentity : All Type : Tenant Workload : SharePoint SchemaVersion : 2
SharePoint Location Exception	Not Configured
OneDrive Location	DisplayName : All Name : All ImmutableIdentity : All Type : Tenant Workload : OneDriveForBusiness SchemaVersion : 2
OneDrive Location Exception	Not Configured
Exchange On-Premises Location	Not Configured
SharePoint On-Premises Location	Not Configured
SharePoint On-Premises Location Exception	Not Configured
Teams Location	DisplayName : All Name : All ImmutableIdentity : All Type : Tenant Workload : Teams SchemaVersion : 2
Teams Location Exception	Not Configured
Exchange Sender	Not Configured
Exchange Sender Member Of	Not Configured
Exchange Sender Exception	Not Configured
Exchange Sender Member Of Exception	Not Configured
Name	Australia Personally Identifiable Information (PII) Data
Enabled	True
Workload	Exchange, SharePoint, OneDriveForBusiness, Teams
Mode	Enable
Type	DLP

Exchange Location	DisplayName : All Name : All ImmutableIdentity : All Type : Tenant Workload : Exchange SchemaVersion : 2
SharePoint Location	DisplayName : All Name : All ImmutableIdentity : All Type : Tenant Workload : SharePoint SchemaVersion : 2
SharePoint Location Exception	Not Configured
OneDrive Location	DisplayName : All Name : All ImmutableIdentity : All Type : Tenant Workload : OneDriveForBusiness SchemaVersion : 2
OneDrive Location Exception	Not Configured
Exchange On-Premises Location	Not Configured
SharePoint On-Premises Location	Not Configured
SharePoint On-Premises Location Exception	Not Configured
Teams Location	DisplayName : All Name : All ImmutableIdentity : All Type : Tenant Workload : Teams SchemaVersion : 2
Teams Location Exception	Not Configured
Exchange Sender	Not Configured
Exchange Sender Member Of	Not Configured
Exchange Sender Exception	Not Configured
Exchange Sender Member Of Exception	Not Configured
Name	Australia Health Records Act (HRIP Act)
Enabled	True
Workload	Exchange, SharePoint, OneDriveForBusiness, Teams

Mode	Enable
Type	DLP
Exchange Location	DisplayName : All Name : All ImmutableIdentity : All Type : Tenant Workload : Exchange SchemaVersion : 2
SharePoint Location	DisplayName : All Name : All ImmutableIdentity : All Type : Tenant Workload : SharePoint SchemaVersion : 2
SharePoint Location Exception	Not Configured
OneDrive Location	DisplayName : All Name : All ImmutableIdentity : All Type : Tenant Workload : OneDriveForBusiness SchemaVersion : 2
OneDrive Location Exception	Not Configured
Exchange On-Premises Location	Not Configured
SharePoint On-Premises Location	Not Configured
SharePoint On-Premises Location Exception	Not Configured
Teams Location	DisplayName : All Name : All ImmutableIdentity : All Type : Tenant Workload : Teams SchemaVersion : 2
Teams Location Exception	Not Configured
Exchange Sender	Not Configured
Exchange Sender Member Of	Not Configured
Exchange Sender Exception	Not Configured
Exchange Sender Member Of Exception	Not Configured
Name	Detect Australian Drivers licence numbers

Enabled	True
Workload	Exchange, SharePoint, OneDriveForBusiness, Teams
Mode	TestWithNotifications
Type	DLP
Exchange Location	DisplayName : All Name : All ImmutableIdentity : All Type : Tenant Workload : Exchange SchemaVersion : 2
SharePoint Location	DisplayName : All Name : All ImmutableIdentity : All Type : Tenant Workload : SharePoint SchemaVersion : 2
SharePoint Location Exception	Not Configured
OneDrive Location	DisplayName : All Name : All ImmutableIdentity : All Type : Tenant Workload : OneDriveForBusiness SchemaVersion : 2
OneDrive Location Exception	Not Configured
Exchange On-Premises Location	Not Configured
SharePoint On-Premises Location	Not Configured
SharePoint On-Premises Location Exception	Not Configured
Teams Location	DisplayName : All Name : All ImmutableIdentity : All Type : Tenant Workload : Teams SchemaVersion : 2
Teams Location Exception	Not Configured
Exchange Sender	Not Configured
Exchange Sender Member Of	Not Configured
Exchange Sender Exception	Not Configured

Exchange Sender Member Of Exception	Not Configured
-------------------------------------	----------------