




Better offline experience

Boyan Mihaylov
@boyanio







Working while travelling



Working while travelling



Many students are not provided with the high bandwidth or the strong internet connection that online courses require, and thus fail to catch up with their virtual classmates: Their weak monitors make it hard to follow the Course Management System and their learning experience becomes problematic. Moreover, most of them live off campus and find it difficult to keep in tune with the technical requirements of the chosen course. Some of them don't even own computers and seek help in Learning Resource Centers for technical assistance. The only solution to this problem is knowing exactly what kind of technological support they will need for a certain course before enrolling in it, as well as properly equipping themselves for the course's successful completion.



There is no Internet connection

Try:

- Checking the network cables, modem, and router
- Reconnecting to Wi-Fi
- [Running Windows Network Diagnostics](#)

ERR_INTERNET_DISCONNECTED


“




Design your app to
work offline, and it'll
work beautifully all
the time.

Joanna Smith

”




Request- response revisited









Request-response






Apply locally, sync with network





Persist model locally, sync with network



Network is your enemy,
disk is your friend.

Service Workers


A script running in the background

Even when the browser is closed


Acts as a proxy between the browser and the network (when available)

Programmatic and controllable

Cache API



Service Worker lifecycle



Service Worker – register

```
<script>
  if ("serviceWorker" in navigator) {
    navigator.serviceWorker.register("app-install.js")
      .then(function() {
        console.log("Service worker has been installed");
      }, function(error) {
        console.log("Oops!", error);
      });
  } else {
    console.log("No service workers support for this browser");
  }
</script>
```

Service Worker – install

app-install.js

```
const CACHE_NAME = "app.cache.v1";

this.addEventListener("install", (event) => {
  event.waitUntil(
    caches.open(CACHE_NAME).then((cache) => {
      return cache.addAll([
        "/index.html",
        "/css/style.css",
        "/js/app.js"
      ]);
    })
  );
});

...

```


Service Worker – fetch

app-install.js

...

```
this.addEventListener("fetch", (event) => {  
  event.respondWith(  
    caches.match(event.request).then((response) => {  
      return response || fetch(event.request);  
    })  
  );  
});
```

...

Service Worker specifics

HTTPS only

Asynchronous, promise-based

No access to DOM


Isn't tied to a particular page

Could work even if the browser is closed

Caching strategies using service workers




Network only



Scenarios

- Analytics requests
- Non-GET requests


Cache only



Scenarios

- The static part of your app


Cache, falling back to network



Scenarios

- The majority of requests when building offline-first app


Network, falling back to cache



Scenarios

- Online users will always get the latest content
- Offline users will get older content


Cache & update



Scenarios

- You don't mind showing old content for a while


Cache, update, refresh



Scenarios

- Content that changes often (fx., game score, social media timeline)

Network & cache race



Scenarios

- Small “non-important” assets
- Where performance is vital

“

There are only two
hard things in
Computer Science:
cache invalidation
and naming things.

Phil Karlton

”

All I wanted was server workers



Ricky Mondello

@rmondello

Safari 11 is huge. WebRTC, WebAssembly, Intelligent Tracking Prevention, Auto-Play blocking, and more. developer.apple.com/library/content/...

10:41 PM - 5 Jun 2017



134



229



Espen Hovlandsdal @rexars · Jun 5

Replying to @rmondello

Service workers?



12



Jonathan Fielding @JonthanFielding · Jun 7

Replying to @rmondello

All I wanted was serviceworker.....



1



Guido Bouman @GuidoBouman · Jun 12

Replying to @rmondello

Cool, but where are service workers?



1



Are Service Workers ready?

#

Service Workers 📄 - WD

Method that enables applications to take advantage of persistent background processing, including hooks to enable bootstrapping of web applications while offline.

Usage

% of all users

Global

84.14% + 0.17% = 84.31%

Current aligned

Usage relative

Date relative

Show all

IE	Edge *	Firefox	Chrome	Safari	iOS Safari *	Opera Mini *	Chrome for Android	UC Browser for Android	Samsung Internet
			49						
			66		10.3				4
		60	67		11.2				6.2
11	17	61	68	11.1	11.4	all	67	11.8	7.2
	18	62	69	12	12				
		63	70	TP					
			71						

Act locally, sync globally

Boyan Mihaylov
@boyanio