CSS

Day 1

CSS:

It is one of the frontend technology

Css is used to styling a web page. not only styling we can align the content and arrange the html elements.

Css means Cascading Style Sheet

What is Cascading?

The word “Cascading” means order of priority when multiple styles are applied to the same element.

CSS History and Versions:

Css is invented by Hakon Wium Lie in 1994

CSS1 – 1996 - Fonts, colors, backgrounds, box model,selectors

CSS2 – 1998 - Positioning, z-index, media types

CSS3 – 2000 - Animations, transitions, flexbox, grid

CSS4 – not officially release

Currently we are using CSS3 version

Implementation of CSS:

There are 3 ways to implement Css

1.Inline Css

2.Internal Css

3.External Css

1.Inline CSS:

We can write the Css code directly inside the HTML tag using style attribute. we can write in open tag

Syntax: <h1 style = ”color:blue;” >Inline css</h1>

```html
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
</head>
<body>
    <center>
        <h1 style="color: blueviolet;">Inline Css</h1>
        <h2 style="color: white;background-color: orangered;">Inline Css</h2>
    </center>
</body>
</html>
```

Inline Css

Inline Css

Advantage: Quick and easy for single element.

Drawback: Not reusable, hard to maintain in big projects.

2.Internal CSS:

We can write the css code inside of style tag it should be placed inside of head tag.

Syntax:

```
<head>
    <style>
        h1{
            Color:white;
            backgroundColor:red;
        }
    </style>
</head>
```

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <style>
        h1{
            color: white;
            background-color: orangered;
            font-size: 20px;
        }
        h2{
            color: white;
            background-color: red;
            font-size: 20px;
        }
    </style>
</head>
<body>
    <center>
        <h1>Internal Css</h1>
        <h2>Internal Css</h2>
    </center>
</body>
</html>
```

Internal Css

Internal Css

Advantage: Styles multiple elements in the same page. **Drawback:** Works only for that single HTML page (not reusable across many pages).

3.External CSS:

Written in a separate .css file and linked to HTML using <link>

Syntax: <link rel=”stylesheet” href=”./style.css”>

rel - relation

```
<!DOCTYPE html>
<html lang="en">
<head>
    <meta charset="UTF-8">
    <meta name="viewport" content="width=device-width, initial-scale=1.0">
    <title>Document</title>
    <link rel="stylesheet" href="./style.css">
</head>
<body>
    <h1>External css</h1>
    <h2>External css</h2>
    <h3>External css</h3>
</body>
</html>
```

External css

External css

External css

Advantage: External CSS keeps code clean, reusable, consistent across pages, and improves performance with caching.
Drawback: Requires extra file load, can delay rendering, and if the file is missing the page looks unstyled.

Priorities:

Inline has most priority then internal and external

High → low

Inline → internal → external