CSS

Day 4

Pseudo selectors:

Pseudo-selectors in CSS are special keywords added to selectors that let you style elements based on their state, position, or part without needing extra classes or IDs.

They start with a colon : (or) double colon :: for pseudo-elements.

Types of Pseudo selectors:

Mainly there are two types of pseudo selectors there

Pseudo-Classes (:)

Describe a special state of an element.

Pseudo-Elements (::)

Allow you to style specific parts of an element.

Syntax:

```
selector:pseudo-class {
  property: value;
}
```

z

```
selector::pseudo-element {
  property: value;
}
```

Pseudo class selectors:

:hover

Styles element when mouse hovers over it.

:active

Styles element when it is being clicked.

:visited

Styles links after they are visited.

:focus

Styles input when focused (clicked/tabbed).

:checked

Selects checked inputs.

:first-child

Selects the first child element inside a parent.

:last-child

Selects the last child element inside a parent.

:nth-child(n)

Selects nth child.

:link

A pseudo-class that selects all unvisited links

:nth-of-type(n)

A pseudo-class that selects the nth element of its type (like the 2nd <p>, 3rd <li>, etc.) inside its parent.

Pseudo element selectors:

::first-letter

Styles the first letter of a block element.

::first-line:

Styles the first line of a block element.

::before

Inserts generated content before an element.

::after

Inserts generated content after an element.

::selection

Styles text when it is highlighted (selected).

Examples:

```html
<h1>Pseudo Selectors😍</h1>
<div>
    <a href="https://www.google.com">Home</a>
    <a href="https://www.youtube.com"> About</a>
    <a href="https://www.faebook.com"> Products</a>
    <a href="https://www.google.com"> Blog</a>
</div>
```

```css
a:link{
    font-size: 50px;
    color: orchid;
    text-decoration: none;
}
a:visited{
    color: green;
}
a:active{
    color: red;
}
a:hover{
    color: orangered;
}
```

:checked

```html
<input type="checkbox" id="check">
<label for="check">Html completed</label>
```

```css
input:checked + label{
    text-decoration: line-through;
    color: purple;
}
```

Pseudo Selectors 😍

☑ ~~Html completed~~

z

:focus

```html
<input type="text" placeholder="Enter your name">
```

```css
input:focus{
    background-color: blue;
    border: 3px solid yellow;
    outline: none;
    padding: 10px;
    border-radius: 5px;
}
```

Pseudo Selectors 😍

Enter your name

:first-child

```html
<center>
    <h1>Pseudo Class selectors 😎</h1>
    <div>
        <p>Lorem ipsum dolor sit amet.</p>
        <p>Lorem ipsum dolor sit amet.</p>
        <p>Lorem ipsum dolor sit amet.</p>
        <p>Lorem ipsum dolor sit amet.</p>
        <p>Lorem ipsum dolor sit amet.</p>
    </div>
</center>
```

```css
p:first-child{
    color: orangered;
}
```

Pseudo Class selectors 😎

Lorem ipsum dolor sit amet.

Lorem ipsum dolor sit amet.

Lorem ipsum dolor sit amet.

Lorem ipsum dolor sit amet.

Lorem ipsum dolor sit amet.

:last-child

```html
<center>
    <h1>Pseudo Class selectors😎</h1>
    <div>
        <p>Lorem ipsum dolor sit amet.</p>
        <p>Lorem ipsum dolor sit amet.</p>
        <p>Lorem ipsum dolor sit amet.</p>
        <p>Lorem ipsum dolor sit amet.</p>
        <p>Lorem ipsum dolor sit amet.</p>
    </div>
</center>
```

```css
p:last-child{
    color: orangered;
}
```

Pseudo Class selectors 😎

Lorem ipsum dolor sit amet.

Lorem ipsum dolor sit amet.

Lorem ipsum dolor sit amet.

Lorem ipsum dolor sit amet.

Lorem ipsum dolor sit amet.

:nth-child()

```html
<center>
    <h1>Pseudo Class selectors😎</h1>
    <div>
        <p>Lorem ipsum dolor sit amet.</p>
        <p>Lorem ipsum dolor sit amet.</p>
        <p>Lorem ipsum dolor sit amet.</p>
        <p>Lorem ipsum dolor sit amet.</p>
        <p>Lorem ipsum dolor sit amet.</p>
    </div>
</center>
```

```css
p:nth-child(3){
    color: orangered;
}
```

Pseudo Class selectors 😎

Lorem ipsum dolor sit amet.

Lorem ipsum dolor sit amet.

Lorem ipsum dolor sit amet.

Lorem ipsum dolor sit amet.

Lorem ipsum dolor sit amet.

:nth-of-type()

```
<center>
    <h1>Pseudo Class selectors 😎</h1>
    <div>
        <p>Lorem ipsum dolor sit amet.</p>
        <p>Lorem ipsum dolor sit amet.</p>
        <p>Lorem ipsum dolor sit amet.</p>
        <p>Lorem ipsum dolor sit amet.</p>
        <p>Lorem ipsum dolor sit amet.</p>
    </div>
</center>
```

```
p:nth-of-type(4){
    color: orangered;
}
```

Pseudo Class selectors 😎

Lorem ipsum dolor sit amet.

Lorem ipsum dolor sit amet.

Lorem ipsum dolor sit amet.

Lorem ipsum dolor sit amet.

Lorem ipsum dolor sit amet.

```
p:nth-of-type(odd){
    color: orangered;
}
```

Pseudo Class selectors 😎

Lorem ipsum dolor sit amet.

Lorem ipsum dolor sit amet.

Lorem ipsum dolor sit amet.

Lorem ipsum dolor sit amet.

Lorem ipsum dolor sit amet.

```
p:nth-of-type(even){
    color: orangered;
}
```

Pseudo Class selectors 😎

Lorem ipsum dolor sit amet.

Lorem ipsum dolor sit amet.

Lorem ipsum dolor sit amet.

Lorem ipsum dolor sit amet.

Lorem ipsum dolor sit amet.

```html
<h1>Pseudo Class selectors😎</h1>
<div>
    <p>Lorem ipsum dolor sit amet.</p>
    <b>css</b>
    <p>Lorem ipsum dolor sit amet.</p>
    <p>Lorem ipsum dolor sit amet.</p>
    <b>css</b>
    <p>Lorem ipsum dolor sit amet.</p>
    <b>class</b>
    <p>Lorem ipsum dolor sit amet.</p>
</div>
```

```css
p:nth-child(3){
    color: orangered;
}
```

Pseudo Class selectors😎

Lorem ipsum dolor sit amet.

css

Lorem ipsum dolor sit amet.

Lorem ipsum dolor sit amet.

css

Lorem ipsum dolor sit amet.

class

Lorem ipsum dolor sit amet.

```css
p:nth-of-type(3){
    color: orangered;
}
```

Pseudo Class selectors😎

Lorem ipsum dolor sit amet.

css

Lorem ipsum dolor sit amet.

Lorem ipsum dolor sit amet.

css

Lorem ipsum dolor sit amet.

class

Lorem ipsum dolor sit amet.

Pseudo elements:

```css
p::first-letter{
    color: orangered;
    font-size: 25px;
    font-weight: bold;
}
```

Pseudo selectors😎

Lorem ipsum, dolor sit amet consectetur adipisicing elit. Eaque doloremque nihil aliquam unde molestiae, incidunt veniam autem pariatur obcaecati aliquid officia! Aperiam repellendus praesentium ea placeat hic voluptatem incidunt corporis.

```
p::first-line{
    color: orangered;
    font-size: 25px;
    font-weight: bold;
}
```

Pseudo selectors 😎

Lorem ipsum, dolor sit amet consectetur
adipisicing elit. Eaque doloremque nihil aliquam unde molestiae, incidunt veniam autem pariatur obcaecati aliquid officia! Aperiam repellendus praesentium ea placeat hic voluptatem incidunt corporis.

```
p::before{
    content: '🏀';
    font-size: 25px;
}
```

Pseudo selectors 😎

🏀 Lorem ipsum dolor sit amet.

🏀 Lorem ipsum dolor sit amet.

🏀 Lorem ipsum dolor sit amet.

🏀 Lorem ipsum dolor sit amet.

🏀 Lorem ipsum dolor sit amet.

```
p::after{
    content: '🏀';
    font-size: 25px;
}
```

Pseudo selectors 😎

Lorem ipsum dolor sit amet. 🏀

Lorem ipsum dolor sit amet. 🏀

Lorem ipsum dolor sit amet. 🏀

Lorem ipsum dolor sit amet. 🏀

Lorem ipsum dolor sit amet. 🏀

```
p::selection{
    color: yellow;
    background-color: red;
}
```

Pseudo selectors 😎

Lorem ipsum dolor sit amet.

Lorem ipsum dolor sit amet.

Lorem ipsum dolor sit amet.

Lorem ipsum dolor sit amet.

Lorem ipsum dolor sit amet.