

227A Final Project

Boying Gong (SID: 24967354)

May 8, 2017

1 Uncertainty Model

1.1 Auto-Regressive Model Parameter Estimation

1.1.1 Formulation of the Optimization Problem

Denote the number of historical data as n ($n = 60$ in our case). We write the auto-regressive model in the matrix form (note that the model depends on the order p)

$$\beta_p = \begin{pmatrix} \beta(p+1) \\ \beta(p+2) \\ \vdots \\ \beta(n) \end{pmatrix}, \theta_p = \begin{pmatrix} \theta(1) \\ \vdots \\ \theta(p) \end{pmatrix}, \epsilon_p = \begin{pmatrix} \epsilon(p+1) \\ \epsilon(p+2) \\ \vdots \\ \epsilon(n) \end{pmatrix},$$

$$H_p = \begin{pmatrix} \beta(p) & \beta(p-1) & \cdots & \beta(1) \\ \beta(p+1) & \beta(p) & \cdots & \beta(2) \\ \vdots & \vdots & \ddots & \vdots \\ \beta(n-1) & \beta(n-2) & \cdots & \beta(n-p) \end{pmatrix}.$$

$$\beta_p = H_p \theta_p + \sigma_p \epsilon_p, \quad \|\epsilon_p\|_\infty \leq 1.$$

Now we estimate the values of θ_p and σ_p by minimizing the infinity norm of the error

$$\min_{\hat{\theta}_p} \|\beta_p - \hat{\beta}_p\|_\infty, \quad \text{s.t. } \hat{\beta}_p = H_p \hat{\theta}_p,$$

This is equivalent to the following LP problem, where we use $\hat{\sigma}$ as an estimate of σ .

$$\min_{\hat{\theta}_p, \hat{\sigma}_p} \hat{\sigma}_p, \quad \text{s.t. } \hat{\beta}_p = H_p \hat{\theta}_p, |\beta_p - \hat{\beta}_p| \leq \hat{\sigma}_p. \quad (1)$$

1.1.2 Order Selection for the Auto-Regressive Model

The order p of the autoregressive model needs to be determined. Because our goal is to predict the cash flow requirement in the next 6 months, prediction error is important. We use cross-validation on a rolling basis to calculate the prediction error for $1 \leq p \leq 30$. The cross-validation procedure is described as follows.[1] For each p ,

1. Fit the model to the data β_1, \dots, β_t and let $\hat{\beta}_{t+1}^{(t)}, \dots, \hat{\beta}_{t+6}^{(t)}$ denote the forecasts of the next 6 months. Then compute the error ($e_{t+i}^{(t)} = \beta_{t+i} - \hat{\beta}_{t+i}^{(t)}$) for the forecast observations.
2. Repeat step 1 for $t = n - 15, \dots, n - 6$ (10-fold).
3. Compute : (I) the proportion of absolute error $|e_{t+i}^{(t)}|$ that are greater than the σ estimation $|\sigma^{(t)}|$. We call it out-of-bound error. (II) MAE (Mean Absolute Error) from the errors $e_{t+i}^{(t)}, t = n - 15, \dots, n - 6, i = 1, \dots, 6$.

Then, we choose p with the smallest out-of-bound error. For p 's with the same out-of-bound error, we choose p with the smallest MAE.

1.1.3 Results

The cross-validation results are shown in Figure 1, the minimum out-of-bound error and MAE are both attained when $p = 2$. We use $p = 2$ to solve the optimization problem (1). The solution is

$$\sigma^* = 3.24341242878, \theta_1^* = 0.44904669, \theta_2^* = 0.53272938.$$

And the corresponding auto-regressive model is given by

$$\beta(t+1) = \theta_1^* \beta(t) + \theta_2^* \beta(t-1) + \sigma^* \epsilon(t+1), \quad (2)$$

$$|\epsilon(t+1)| \leq 1.$$




Figure 1: Cross-validation Results for Order selection

1.2 Uncertainty Model

Let $u = (\epsilon(t+1), \dots, \epsilon(t+T))^T$. With the auto-regressive model (2), $\hat{b}(t)$ and $B(t)$ can be expressed as a function of $\beta(t), \beta(t-1), \theta_1^*, \theta_2^*$ and σ^* using recursive substitution. The derivation is given in Appendix A. From the historical data, $\beta(t) = 1.4880$ and $\beta(t-1) = 3.5112$. The numerical value is given below

$$\hat{b}(t) = (2.539 \quad 1.933 \quad 2.220 \quad 2.027 \quad 2.093 \quad 2.020)^T,$$

$$B(t) = \begin{pmatrix} 3.243 & 0 & 0 & 0 & 0 & 0 \\ 1.456 & 3.243 & 0 & 0 & 0 & 0 \\ 2.382 & 1.456 & 3.243 & 0 & 0 & 0 \\ 1.846 & 2.382 & 1.456 & 3.243 & 0 & 0 \\ 2.098 & 1.846 & 2.382 & 1.456 & 3.243 & 0 \\ 1.925 & 2.098 & 1.846 & 2.382 & 1.456 & 3.243 \end{pmatrix}.$$

2 Decision Making

2.1 Naive Strategy

Let $C_{initial}^{(1)} = 70.3$ be the amount that the company has at the beginning of the horizon. We assume the future liability be $\hat{b}(t)$ without error. We now describe the rolling-horizon naive strategy.

In January ($i = 1$), let $x^{(1)} = (x_{cash}^{(1)}, x_{cp}^{(1)}, x_{cre}^{(1)})$ be the decision variables, $x_{cash}^{(1)} \in \mathbb{R}^6, x_{cp}^{(1)} \in \mathbb{R}^3, x_{cre}^{(1)} \in \mathbb{R}^5$. The company can draw an amount $x_{cre}^{(1)}(1)$ from its line of credit and issue an amount $x_{cp}^{(1)}(1)$ of commercial paper. Together with the initial asset $C_{initial}^{(1)}$, $x_{cre}^{(1)}(1) + x_{cp}^{(1)}(1) + C_{initial}^{(1)}$ will be used for investment and meeting the liabilities. The balance equation is as follows,

$$x_{cre}^{(1)}(1) + x_{cp}^{(1)}(1) + C_{initial}^{(1)} \geq x_{cash}^{(1)}(1) + \hat{b}_1(t).$$

Similarly, we can get the equation for other months and obtain the following LP formulation:

$$\begin{aligned} \max_x \quad & x_{cash}^{(1)}(6) \\ \text{s.t.} \quad & x_{cre}^{(1)}(1) + x_{cp}^{(1)}(1) + C_{initial}^{(1)} - x_{cash}^{(1)}(1) \geq \hat{b}_1(t), \\ & x_{cre}^{(1)}(2) + x_{cp}^{(1)}(2) - 1.01x_{cre}^{(1)}(1) + 1.003x_{cash}^{(1)}(1) - x_{cash}^{(1)}(2) \geq \hat{b}_2(t), \\ & x_{cre}^{(1)}(3) + x_{cp}^{(1)}(3) - 1.01x_{cre}^{(1)}(2) + 1.003x_{cash}^{(1)}(2) - x_{cash}^{(1)}(3) \geq \hat{b}_3(t), \\ & x_{cre}^{(1)}(4) - 1.02x_{cp}^{(1)}(1) - 1.01x_{cre}^{(1)}(3) + 1.003x_{cash}^{(1)}(3) - x_{cash}^{(1)}(4) \geq \hat{b}_4(t), \\ & x_{cre}^{(1)}(5) - 1.02x_{cp}^{(1)}(2) - 1.01x_{cre}^{(1)}(4) + 1.003x_{cash}^{(1)}(4) - x_{cash}^{(1)}(5) \geq \hat{b}_5(t), \\ & -1.02x_{cp}^{(1)}(3) - 1.01x_{cre}^{(1)}(5) + 1.003x_{cash}^{(1)}(5) - x_{cash}^{(1)}(6) \geq \hat{b}_6(t), \\ & 0 \leq x_{cre}^{(1)}(i) \leq 1, i = 1, \dots, 5. \\ & x_{cp}^{(1)} \geq 0, i = 1, 2, 3. \\ & x_{cash}^{(1)}(i) \geq 0, i = 1, \dots, 6. \end{aligned}$$

Write this in LP format:

$$\min_x c_1^T x : A_1 x + l_1 \geq \hat{b}(t), 0 \leq x \leq \bar{x}_1. \quad (3)$$

where $l_1 = \begin{pmatrix} C_{initial}^{(1)} & 0 & 0 & 0 & 0 & 0 \end{pmatrix}^T$ and

$$A_1 = \begin{pmatrix} a_1^T \\ a_2^T \\ a_3^T \\ a_4^T \\ a_5^T \\ a_6^T \end{pmatrix} = \begin{pmatrix} -1 & 0 & 0 & 0 & 0 & 0 & 1 & 0 & 0 & 1 & 0 & 0 & 0 & 0 \\ 1.003 & -1 & 0 & 0 & 0 & 0 & 0 & 1 & 0 & -1.01 & 1 & 0 & 0 & 0 \\ 0 & 1.003 & -1 & 0 & 0 & 0 & 0 & 0 & 1 & 0 & -1.01 & 1 & 0 & 0 \\ 0 & 0 & 1.003 & -1 & 0 & 0 & -1.02 & 0 & 0 & 0 & 0 & -1.01 & 1 & 0 \\ 0 & 0 & 0 & 1.003 & -1 & 0 & 0 & -1.02 & 0 & 0 & 0 & 0 & -1.01 & 1 \\ 0 & 0 & 0 & 0 & 1.003 & -1 & 0 & 0 & -1.02 & 0 & 0 & 0 & 0 & -1.01 \end{pmatrix}$$

After solving the optimization problem (3), only the first of these decisions $x_{cre}^{(1)}(1)$, $x_{cp}^{(1)}(1)$ and $x_{cash}^{(1)}(1)$ will be implemented.

Assume the realization of the liability of January is β_1 . If $x_{cre}^{(1)}(1) + x_{cp}^{(1)}(1) + C_{initial}^{(1)} - x_{cash}^{(1)}(1) \leq \beta_1$, the company will not be able to meet the required liability, and the strategy will fail. If $x_{cre}^{(1)}(1) + x_{cp}^{(1)}(1) + C_{initial}^{(1)} - x_{cash}^{(1)}(1) \geq \beta_1$, the company will have $C_{initial}^{(2)} = x_{cre}^{(1)}(1) + x_{cp}^{(1)}(1) + C_{initial}^{(1)} - x_{cash}^{(1)}(1) - \beta_1$ at the beginning of February. Moreover, we can use β_1 to get the updated uncertainty model $\hat{b}(t+1) \in \mathbb{R}^5$ and $B(t+1) \in \mathbb{R}^{5 \times 5}$.

In February ($i = 2$), let $x^{(2)} = (x_{cash}^{(2)}, x_{cp}^{(2)}, x_{cre}^{(2)})$ be the decision variables, $x_{cash}^{(2)} \in \mathbb{R}^5$, $x_{cp}^{(2)} \in \mathbb{R}^2$, $x_{cre}^{(2)} \in \mathbb{R}^4$. The company can draw an amount $x_{cre}^{(2)}(2)$ from its line of credit and issue an amount $x_{cp}^{(2)}(2)$ of commercial paper. In addition, principal plus interest of $1.01x_{cre}^{(1)}(1)$ is due on the line of credit and $1.003x_{cash}^{(1)}(1)$ is received on the invested excess funds. Thus, $1.003x_{cash}^{(1)}(1) + x_{cre}^{(2)}(2) + x_{cp}^{(2)}(2) + C_{initial}^{(2)}$ will be used for investment, meeting the liabilities and payment of credit line. The balance equation is as follows,

$$1.003x_{cash}^{(1)}(1) + x_{cre}^{(2)}(2) + x_{cp}^{(2)}(2) + C_{initial}^{(2)} \geq x_{cash}^{(2)}(2) + \hat{b}_2(t+1) + 1.01x_{cre}^{(2)}(1).$$

The equation for other months will be the same as the optimization problem in January. We can obtain the following LP fomulation:

$$\min_x c_2^T x : A_2 x + l_2 \geq \hat{b}(t+1), 0 \leq x \leq \bar{x}_2. \quad (4)$$

where $l_2 = \begin{pmatrix} C_{initial}^{(2)} & 0 & 0 & 0 & 0 \end{pmatrix}^T$.

Similarly, only $x_{cre}^{(2)}(2)$, $x_{cp}^{(2)}(2)$, $x_{cash}^{(2)}(2)$ will be implemented. We can then solve similar problems in the following months and obtain the decision variables. Finally in June ($i = 6$), there will be only one decision variable $x_{cash}^{(6)}(6)$, and we need to solve the following problem:

$$\begin{aligned} \max_x \quad & x_{cash}^{(6)}(6) \\ \text{s.t.} \quad & -1.02x_{cp}^{(3)}(3) - 1.01x_{cre}^{(5)}(5) + 1.003x_{cash}^{(5)}(5) - x_{cash}^{(6)}(6) \geq \hat{b}_6(t+5), \\ & x_{cash}^{(6)}(6) \geq 0 \end{aligned}$$

Or equivalently,

$$\min_x c_6^T x : A_6 x + l_6 \geq \hat{b}(t+5), 0 \leq x \leq \bar{x}_5. \quad (5)$$

If feasible, this problem is trivial with $x_{cash}^{(6)}(6) = -1.02x_{cp}^{(3)}(3) - 1.01x_{cre}^{(5)}(5) + 1.003x_{cash}^{(5)}(5) - \hat{b}_6(t+5)$ being the final cash amount in the end of June.

2.2 Robust Strategy

We now consider the robust counterpart of the problem

$$\min_x c^T x : Ax + l \geq b(t), b(t) \in \mathcal{U}(t), 0 \leq x \leq \bar{x} \quad (6)$$

The constrains $Ax + l \geq b(t), b(t) \in \mathcal{U}(t)$ can be written as follows based on the autoregressive model assumption

$$\begin{aligned} Ax + l &\geq \hat{b}(t) + B(t)u, \forall \|u\|_\infty \leq 1 \\ \iff Ax + l &\geq \hat{b}(t) + \max_{\|u\|_\infty \leq 1} B(t)u \\ \iff Ax + l &\geq \hat{b}(t) + |B(t)|\mathbf{1} \end{aligned}$$

Thus, we can formulate the model as

$$\min_x c^T x : Ax + l \geq \hat{b}(t) + |B(t)|\mathbf{1}, 0 \leq x \leq \bar{x} \quad (7)$$

The optimal objective value is 10.2471. The optimal strategy is

$$x_{cash} = (64.518 \quad 58.079 \quad 48.951 \quad 38.144 \quad 25.141 \quad 10.247)^T,$$

x_{cp} and x_{cre} equals to 0. The results shows that if the company have sufficient amount of initial asset, the robust strategy will not turn to credit line nor commercial paper. The robust strategy is much more conservative than the naive strategy in that it uses less cash for investment and more for covering the liability.

Figure ?? shows the robust counterpart of Figure ?. As we decrease the amount of initial funds, the optimal amount for credit line X_{cre} and commercial paper X_{cp} will stay 0 as well. The optimal value of excess funds to be invested X_{cash} will decrease linearly. When the initial funds drops below 60.205 million, the problem will become infeasible.

2.3 Affine Strategy

Assume that at each time t , the information in previous time points (up to $t-1$) are available. We further assume that the decision variables are linear functions of previous information.

$$x_{cash}(u) = x_{cash} + X_{cash}u,$$

$$x_{cp}(u) = x_{cp} + X_{cp}u,$$

$$x_{cre}(u) = x_{cre} + X_{cre}u.$$

Let $X = (X_{cash}^T, X_{cp}^T, X_{cre}^T)^T$, the optimization problem can be formulated as

$$\begin{aligned} \max_x \quad & \min_{u: \|u\|_\infty \leq 1} c^T x(u) \\ \text{s.t.} \quad & X_{cash}, X_{cp}, X_{cre} \text{ strictly lower-triangular,} \\ & A(x + Xu) + l \geq b(t) + B(t)u, \forall b(t) \in \mathcal{U}, \\ & 0 \leq x + Xu \leq \bar{x}. \end{aligned}$$

The constraint $A(x + Xu) + l \geq b(t) + B(t)u, \forall b(t) \in \mathcal{U}$ can be written as follows

$$\begin{aligned} & A(x + Xu) + l \geq \hat{b}(t) + B(t)u, \forall \|u\|_\infty \leq 1 \\ \iff & Ax + l \geq \hat{b}(t) + (B(t) - AX)u, \forall \|u\|_\infty \leq 1 \\ \iff & Ax + l \geq \hat{b}(t) + \max_{\|u\|_\infty \leq 1} (B(t) - AX)u \\ \iff & Ax + l \geq \hat{b}(t) + |(B(t) - AX)|\mathbf{1} \end{aligned}$$

The objective function $\min_{u: \|u\|_\infty \leq 1} c^T x(u)$ is equivalent to

$$\begin{aligned} & c^T x - \max_{u: \|u\|_\infty \leq 1} c^T X(-u) \\ & = c^T x - \|X^T c\|_1 \end{aligned}$$

Thus, we can formulate the affine strategy as the following LP problem

$$\begin{aligned} \max_{x, X} \quad & c^T x - \|X^T c\|_1 \\ \text{s.t.} \quad & X_{cash}, X_{cp}, X_{cre} \text{ strictly lower-triangular,} \\ & Ax + l \geq \hat{b}(t) + |B(t) - AX|\mathbf{1}, 0 \leq x + Xu \leq \bar{x}. \end{aligned}$$

Introducing a slack variable γ that expresses an upper bound on the regret, we can equivalently reformulate this problem as follows,

$$\begin{aligned} \min_{x,y,\gamma} \quad & \gamma \\ \text{s.t.} \quad & Ax + l \geq \hat{b}(t) + B(t)u, \forall \|u\|_\infty \leq 1, \\ & 0 \leq x \leq \bar{x}, \\ & \gamma \geq c^T x + \max_{\|u\|_\infty \leq 1} \left\{ \max_{\{y: Ay + l \geq \hat{b}(t) + B(t)u, 0 \leq y \leq \bar{x}\}} -c^T y \right\}. \end{aligned}$$

Similar to the robust problem and the affine problem, this can also be expressed as follows

$$\begin{aligned} \min_{x,y,\gamma} \quad & \gamma \\ \text{s.t.} \quad & Ax + l \geq \hat{b}(t) + |B(t)|\mathbf{1}, \\ & 0 \leq x \leq \bar{x}, \\ & \gamma \geq c^T x + \max_{\|u\|_\infty \leq 1} \left\{ \max_{\{y: Ay + l \geq \hat{b}(t) + B(t)u, 0 \leq y \leq \bar{x}\}} -c^T y \right\}. \end{aligned} \tag{8}$$

Notice that the set $\{\|u\|_\infty \leq 1\}$ can be expressed as a convex hull of a finite number of extreme scenarios, namely

$$\{\|u\|_\infty \leq 1\} = \text{conv}(\{u^{[i]}, i = 1, \dots, 2^T\})$$

We have the following lemma:

Lemma 2.1 *The following are equivalent,*

1. $-c^T x + \gamma \geq \max_{\{y: Ay + l \geq \hat{b}(t) + B(t)u, 0 \leq y \leq \bar{x}\}} -c^T y, \forall \|u\|_\infty \leq 1,$
2. $-c^T x + \gamma \geq \max_{\{y: Ay + l \geq \hat{b}(t) + B(t)u^{[i]}, 0 \leq y \leq \bar{x}\}} -c^T y, i = 1, \dots, 2^T.$

Proof. For the proof, please refer to Corollary 4.1 in [2].

Thus, problem (8) is equivalent to

$$\begin{aligned} \min_{x,y,\gamma} \quad & \gamma \\ \text{s.t.} \quad & Ax + l \geq \hat{b}(t) + |B(t)|\mathbf{1}, \\ & 0 \leq x \leq \bar{x}, \\ & \gamma \geq c^T x + g(i), i = 1, \dots, 2^T, \\ & g(i) = \max_{\{y: Ay + l \geq \hat{b}(t) + B(t)u^{[i]}, 0 \leq y \leq \bar{x}\}} -c^T y. \end{aligned} \tag{9}$$

We can solve problem (9) with a two-step procedure where we first solve an LP problem for y (that is, solve $g(i)$), and then solve the LP problem for x and γ .

Notice that the optimal solution of (8) is equal to the optimal solution of the robust problem (7). To see this fact, let $g = \max_i g(i)$. g can be treated as a constant since $g(i)$ can be solved explicitly. Then (8) is equivalent to the following

$$\begin{aligned} \min_{x,y} \quad & c^T x + g \\ \text{s.t.} \quad & Ax + l \geq \hat{b}(t) + |B(t)|\mathbf{1}, \\ & 0 \leq x \leq \bar{x}. \end{aligned}$$

which is the same as (8). Note that the robust solution and relative robust optimization problem does not usually equivalent to each other without the linearity of object and constraints function.

3 Evaluation Metrics

3.1 Test Data

	Naive	Robust	Affine	Relative Robust
Regret	8.71	56.90	52.97	56.90

Table 1: Regret for test data

3.2 More Test Data

References

- [1] Cross-validation for time series. <http://robjhyndman.com/hyndsight/crossvalidation/>. Accessed: 2015-12-03.
- [2] Raphael Hauser, Vijay Krishnamurthy, and Reha Tütüncü. Relative robust portfolio optimization. *arXiv preprint arXiv:1305.0144*, 2013.

A Appendix: AR(2) Recursive Substitution

Let $u = (\epsilon(t+1), \dots, \epsilon(t+T))^T$. With the auto-regressive model (2), $\hat{b}(t)$ and $B(t)$ can be expressed as a function of $\beta(t), \beta(t-1), \theta_1^*, \theta_2^*$ and σ^* using recursive substitution.

$$\beta(t+1) = \theta_1\beta(t) + \theta_2\beta(t-1) + \sigma\epsilon(t+1)$$

$$\begin{aligned}\beta(t+2) &= \theta_1\beta(t+1) + \theta_2\beta(t) + \sigma\epsilon(t+2) \\ &= \theta_1[\theta_1\beta(t) + \theta_2\beta(t-1) + \sigma\epsilon(t+1)] + \theta_2\beta(t) + \sigma\epsilon(t+2) \\ &= (\theta_1^2 + \theta_2)\beta(t) + \theta_1\theta_2\beta(t-1) + \theta_1\sigma\epsilon(t+1) + \sigma\epsilon(t+2)\end{aligned}$$

$$\begin{aligned}\beta(t+3) &= \theta_1\beta(t+2) + \theta_2\beta(t+1) + \sigma\epsilon(t+3) \\ &= \theta_1[(\theta_1^2 + \theta_2)\beta(t) + \theta_1\theta_2\beta(t-1) + \theta_1\sigma\epsilon(t+1) + \sigma\epsilon(t+2)] + \\ &\quad \theta_2[\theta_1\beta(t) + \theta_2\beta(t-1) + \sigma\epsilon(t+1)] + \sigma\epsilon(t+3) \\ &= (\theta_1^3 + 2\theta_1\theta_2)\beta(t) + (\theta_1^2\theta_2 + \theta_2^2)\beta(t-1) + \\ &\quad (\theta_1^2 + \theta_2)\sigma\epsilon(t+1) + \theta_1\sigma\epsilon(t+2) + \sigma\epsilon(t+3)\end{aligned}$$

$$\begin{aligned}\beta(t+4) &= \theta_1\beta(t+3) + \theta_2\beta(t+2) + \sigma\epsilon(t+4) \\ &= \theta_1[(\theta_1^3 + 2\theta_1\theta_2)\beta(t) + (\theta_1^2\theta_2 + \theta_2^2)\beta(t-1) + \\ &\quad (\theta_1^2 + \theta_2)\sigma\epsilon(t+1) + \theta_1\sigma\epsilon(t+2) + \sigma\epsilon(t+3)] + \\ &\quad \theta_2[(\theta_1^2 + \theta_2)\beta(t) + \theta_1\theta_2\beta(t-1) + \theta_1\sigma\epsilon(t+1) + \sigma\epsilon(t+2)] + \sigma\epsilon(t+4) \\ &= (\theta_1^4 + 3\theta_1^2\theta_2 + \theta_2^2)\beta(t) + (\theta_1^3\theta_2 + 2\theta_1\theta_2^2)\beta(t-1) + \\ &\quad (\theta_1^3 + 2\theta_1\theta_2)\sigma\epsilon(t+1) + (\theta_1^2 + \theta_2)\sigma\epsilon(t+2) + \theta_1\sigma\epsilon(t+3) + \sigma\epsilon(t+4)\end{aligned}$$

$$\begin{aligned}\beta(t+5) &= \theta_1\beta(t+4) + \theta_2\beta(t+3) + \sigma\epsilon(t+5) \\ &= \theta_1[(\theta_1^4 + 3\theta_1^2\theta_2 + \theta_2^2)\beta(t) + (\theta_1^3\theta_2 + 2\theta_1\theta_2^2)\beta(t-1) + \\ &\quad (\theta_1^3 + 2\theta_1\theta_2)\sigma\epsilon(t+1) + (\theta_1^2 + \theta_2)\sigma\epsilon(t+2) + \theta_1\sigma\epsilon(t+3) + \sigma\epsilon(t+4)] + \\ &\quad \theta_2[(\theta_1^3 + 2\theta_1\theta_2)\beta(t) + (\theta_1^2\theta_2 + \theta_2^2)\beta(t-1) + \\ &\quad (\theta_1^2 + \theta_2)\sigma\epsilon(t+1) + \theta_1\sigma\epsilon(t+2) + \sigma\epsilon(t+3)] + \sigma\epsilon(t+5) \\ &= (\theta_1^5 + 4\theta_1^3\theta_2 + 3\theta_1\theta_2^2)\beta(t) + (\theta_1^4\theta_2 + 3\theta_1^2\theta_2^2 + \theta_2^3)\beta(t-1) + \\ &\quad (\theta_1^4 + 3\theta_1^2\theta_2 + \theta_2^2)\sigma\epsilon(t+1) + (\theta_1^3 + 2\theta_1\theta_2)\sigma\epsilon(t+2) + (\theta_1^2 + \theta_2)\sigma\epsilon(t+3) + \theta_1\sigma\epsilon(t+4) + \sigma\epsilon(t+5)\end{aligned}$$

$$\begin{aligned}\beta(t+6) &= \theta_1\beta(t+5) + \theta_2\beta(t+4) + \sigma\epsilon(t+6) \\ &= \theta_1[(\theta_1^5 + 4\theta_1^3\theta_2 + 3\theta_1\theta_2^2)\beta(t) + (\theta_1^4\theta_2 + 3\theta_1^2\theta_2^2 + \theta_2^3)\beta(t-1) \\ &\quad (\theta_1^4 + 3\theta_1^2\theta_2 + \theta_2^2)\sigma\epsilon(t+1) + (\theta_1^3 + 2\theta_1\theta_2)\sigma\epsilon(t+2) + (\theta_1^2 + \theta_2)\sigma\epsilon(t+3) + \theta_1\sigma\epsilon(t+4) + \sigma\epsilon(t+5)] + \\ &\quad \theta_2[(\theta_1^4 + 3\theta_1^2\theta_2 + \theta_2^2)\beta(t) + (\theta_1^3\theta_2 + 2\theta_1\theta_2^2)\beta(t-1) + \\ &\quad (\theta_1^3 + 2\theta_1\theta_2)\sigma\epsilon(t+1) + (\theta_1^2 + \theta_2)\sigma\epsilon(t+2) + \theta_1\sigma\epsilon(t+3) + \sigma\epsilon(t+4)] + \sigma\epsilon(t+6) \\ &= (\theta_1^6 + 5\theta_1^4\theta_2 + 6\theta_1^2\theta_2^2 + \theta_2^3)\beta(t) + (\theta_1^5\theta_2 + 4\theta_1^3\theta_2^2 + 3\theta_1\theta_2^3)\beta(t-1) \\ &\quad (\theta_1^5 + 4\theta_1^3\theta_2 + 3\theta_1\theta_2^2)\sigma\epsilon(t+1) + (\theta_1^4 + 3\theta_1^2\theta_2 + \theta_2^2)\sigma\epsilon(t+2) + \\ &\quad (\theta_1^3 + 2\theta_1\theta_2)\sigma\epsilon(t+3) + (\theta_1^2 + \theta_2)\sigma\epsilon(t+4) + \theta_1\sigma\epsilon(t+5) + \sigma\epsilon(t+6)\end{aligned}$$

Express the previous equation in the matrix form, we get

$$\begin{aligned}\hat{b}(t) &= \begin{pmatrix} \theta_1 & \theta_2 \\ \theta_1^2 + \theta_2 & \theta_1\theta_2 \\ \theta_1^3 + 2\theta_1\theta_2 & \theta_1^2\theta_2 + \theta_2^2 \\ \theta_1^4 + 3\theta_1^2\theta_2 + \theta_2^2 & \theta_1^3\theta_2 + 2\theta_1\theta_2^2 \\ \theta_1^5 + 4\theta_1^3\theta_2 + 3\theta_1\theta_2^2 & \theta_1^4\theta_2 + 3\theta_1^2\theta_2^2 + \theta_2^3 \\ \theta_1^6 + 5\theta_1^4\theta_2 + 6\theta_1^2\theta_2^2 + \theta_2^3 & \theta_1^5\theta_2 + 4\theta_1^3\theta_2^2 + 3\theta_1\theta_2^3 \end{pmatrix} \begin{pmatrix} \beta(t) \\ \beta(t-1) \end{pmatrix} \\ B(t) &= \sigma \begin{pmatrix} 1 & 0 & 0 & 0 & 0 & 0 \\ \theta_1 & 1 & 0 & 0 & 0 & 0 \\ \theta_1^2 + \theta_2 & \theta_1 & 1 & 0 & 0 & 0 \\ \theta_1^3 + 2\theta_1\theta_2 & \theta_1^2 + \theta_2 & \theta_1 & 1 & 0 & 0 \\ \theta_1^4 + 3\theta_1^2\theta_2 + \theta_2^2 & \theta_1^3 + 2\theta_1\theta_2 & \theta_1^2 + \theta_2 & \theta_1 & 1 & 0 \\ \theta_1^5 + 4\theta_1^3\theta_2 + 3\theta_1\theta_2^2 & \theta_1^4 + 3\theta_1^2\theta_2 + \theta_2^2 & \theta_1^3 + 2\theta_1\theta_2 & \theta_1^2 + \theta_2 & \theta_1 & 1 \end{pmatrix}\end{aligned}$$