

User story name: <Manage Contact(Admin)>

As a registered admin account(that has been created in database) , I want to login to be an authenticated account. As an authenticated account, I want to use all functions that have been pointed under my decentralization.

I. List all Category

1. Delete Contact

➤ Requirement

- As an admin, I want to show all contact that customer send via contact page. After accessing the administrator page, I select “manage contact”. A new page displays all contact. Click on button “delete” to remove the contact.
- A notification displays to make sure that I want to delete. I choose yes, the notification displays “delete successfully” and the system remove that payment

➤ Dev task

The solution is to create a function that will follow this event flow

- User access login page
- System show login card
- User input login information for system verify
- Of wrong information, system will notify and require user re-input
- Login Successfully
- Admin can access the contact manager page
- Admin can click on delete button to remove contact
- A notification displays to ensure admin wanna to delete
- Admin click yes the system query the database and remove the payment out of database and push notification “Successful delete”.

➤ Acceptance Criteria:

- Blank to type username, password.
- Check with database to verify the account admin

- Deny request to log in if check whether username's wrong or password's wrong. Notice the user to let them know the situation.
- Re-direct to confirm email page to get the new password.
- Notification will show in necessary cases.
- Delete Successfully Contact from database

➤ ***Definition of Done:***

- Passes all regression tests.
- Passes SQL injection test.
- Could type user name, password and verify it
- If verification is success, user could log in into system. If failed, they have to re-type or re-confirm the email.
- Display contact for admin
- Delete Successfully Contact from database and show notification