





# Setup Golang & Git

**Download:** 

Golang: <a href="https://golang.org/dl/">https://golang.org/dl/</a>

Git: https://git-scm.com/

downloads



### **Set GOPATH**

#### Windows:

setx GOPATH %USERPROFILE%/gopath

or

Control Panel -> System -> Advanced -> Environment

Variables

Linux/Mac:

export GOPATH=\$HOME/gopath

### check go environment:

>go env


>go version



# Install IDE(VSCode)

Download: <a href="https://code.visualstudio.com/">https://code.visualstudio.com/</a>

Install VSCode Go Plugin:





## Hello, World[1]

make working directory: [windows]

>md src\dojo\helloworld

make working directory: [linux/Mac]

>mkdir -p src/dojo/helloworld



# Hello, World[2]

### change directory and create new file: [windows]

- >cd src\dojo\helloworld
- >touch helloworld.go
- >code helloworld.go

### change directory and make working directory: [linux/Mac]

- >cd src/dojo/helloworld
- >touch helloworld.go



## Hello, World[3]

### open editor[vscode]

>code helloworld.go

```
package main
import "fmt"

func main() {
 fmt.Println("Hello, สวัสดีครับ.")
}
```



## Hello, World[4]

run:

>go run helloworld.go

build:

>go build helloworld.go

execute:

>helloworld.exe

build option [ -o name ]:

>go build -o myhello helloworld.go



## Hello, World[5]

#### build GOOS:

>GOOS=[platform] go build helloworld.go

GOOS	GOARCH
darwin	amd64/386
linux	amd65/386
windows	amd65/386

>GOOS=darwin go build helloworld.go

>GOOS=linux go build helloworld.go



## Hello, World[6]

```
    package package main
    import "fmt"
    func main() {
        fmt.Println("Hello, สวัสดีครับ.")
      }
```



# Hello, World[7]

```
package main
import "fmt"
func main() {
 fmt.Println("Hello, สวัสดีครับ.")
}
```


#### Go doc:

```
>godoc fmt
>godoc fmt Println
>godoc -http=:8888
```



## Hello, World[8]

### create github repository:



>git remote add origin https://github.com/<user>/
helloworld.git
>git remote -v



## Hello, World[9]

### git and go get:

- >git init
- >git add hello.go
- >git commit -m "Add helloworld.go."
- >git push

### go get:

>go get github.com/<user>/helloworld

#### run command:

>helloworld



### **Document and Tutorial**

Go documentation: <a href="https://golang.org/doc/">https://golang.org/doc/</a>

Go tour: https://tour.golang.org/welcome/1

Go by Example: <a href="https://gobyexample.com/">https://gobyexample.com/</a>



### Exercise

```
- - -
|_| c
|_ - ^23 v22
Bangkok few clouds
```

