"How to" in orgmode

Brice Ozenne

June 11, 2019

Round box

(see header for the definition of uppercol and lowercol)

Patient preference

1. increase survival by at least 2 months
2. otherwise, least serious adverse events

Set output size

```
summary(model)
```

```
_____
Layer (type)                        Output Shape                Param #
========================================================================
dense_22 (Dense)                    (None, 256)                 200960
_____
dense_23 (Dense)                    (None, 128)                 32896
_____
dense_24 (Dense)                    (None, 10)                  1290
========================================================================
Total params: 235,146
Trainable params: 235,146
Non-trainable params: 0
_____
```

```
model$weights[[1]]
```

```
<tf.Variable 'dense_4/kernel:0' shape=(784, 256) dtype=float32_ref>
```

Choose item

(A) yyy
(1) xxx

Nice latex table

(require booktabs)

A D	B (n=282)	C (n=280)
Grade 1	48 (17%)	69 (24.6%)
Grade 2	118 (41.8%)	89 (31.5%)
Grade 3	72 (25.5%)	47 (16.8%)
Grade 4	11 (3.9%)	6 (2.1%)
Grade 5	4 (1.4%)	3 (1.1%)

Inline latex

any arbitrary LaTeX code

Color tex

(see header for the definition of darkgreen)

- risk factor: adjust (will increase precision)

Footnote

This is a footnote[1].

---

[1]   blaa

Big centered text

Quiz

Change margin

(require changepage)

xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx

xxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxxx