

Supermarket Price Comparison API 1.0.0 OAS 3.1

/openapi.json

FastAPI backend for supermarket product comparison

Authorize



Authentication



POST **/auth/register** Register a new user



Creates a new user account. The password will be securely hashed before being stored in the database.

Parameters

Cancel

No parameters

Request body required

application/x-www-form-urlencoded

username * required
string

string

email * required

string

string

password * required

string

string

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'https://web-production-f914.up.railway.app/auth/register' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/x-www-form-urlencoded' \
  -d 'username=string&email=string&password=string'
```

Request URL

https://web-production-f914.up.railway.app/auth/register

Server response

Code

Details

200

Response body

```
{
  "id": 1,
  "username": "string",
  "email": "string"
}
```

Response headers

Download

Code	Details
	<pre>content-length: 45 content-type: application/json date: Tue,17 Mar 2026 22:25:09 GMT server: railway-edge x-railway-edge: railway/europe-west4-drams3a x-railway-request-id: 5USQphNbRuyKNa5Hss7a6g</pre>

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "id": 0, "username": "string", "email": "string" }</pre>	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", </pre>	No links

Code	Description	Links
<pre> "ctx": {} }] }</pre>		

POST

/auth/login

User login

^

Authenticates a user using their username and password and returns a JWT access token.

Parameters

Cancel

No parameters

Request body

required

application/x-www-form-urlencoded

username

* required

User's username

string

string

password

* required

User's password

string

string

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'https://web-production-f914.up.railway.app/auth/login' \
  -H 'accept: application/json' \
  -H 'Content-Type: application/x-www-form-urlencoded' \
  -d 'username=string&password=string'
```

Request URL

https://web-production-f914.up.railway.app/auth/login

Server response

Code	Details
200	Response body <pre>{ "access_token": "eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiJzdHJpbmciLCJleHAiOjE3NzM3ODk5MTd9.tYj8D2Ii6HZKesUC5nva1_5aWaz7pIu-Yc1uAFmsz94", "token_type": "bearer" }</pre> Download Response headers <pre>content-length: 166 content-type: application/json date: Tue,17 Mar 2026 22:25:16 GMT server: railway-edge x-railway-edge: railway/europe-west4-drams3a x-railway-request-id: 6otmJlBSQuCRKLWlss7a6g</pre>

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header.	No links

Code	Description	Links
	Example Value Schema	
	<pre>{ "access_token": "string", "token_type": "string" }</pre>	
422	Validation Error	No links
	Media type	
	application/json	
	Example Value Schema	
	<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	

Groups

GET	/groups/ Retrieve product groups	
Returns a list of product groups. Optional filters can be used to search by category or group name.		
Parameters		Cancel

Name

Description

skip

integer

(query)

0

limit

integer

(query)

50

category

string |

(string |

null)

(query)

category

search

string |

(string |

null)

(query)

search

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'https://web-production-f914.up.railway.app/groups/?skip=0&limit=50' \
  -H 'accept: application/json'
```

Request URL

https://web-production-f914.up.railway.app/groups/?skip=0&limit=50

Server response

Code

Details

200

Response body

```
[
  {
    "group_name": "This Isn T Beef Plant Based 226G",
    "category": "fresh_food",
    "quantity": "226g",
    "id": 11233
  },
  {
    "group_name": "Kucharek Chicken Cube 120G 120G",
    "category": "food_cupboard",
    "quantity": "120g",
    "id": 4790
  },
  {
    "group_name": "Johnson S Baby Shampoo 300Ml Gold 300Ml",
    "category": "baby_products",
    "quantity": "300ml",
    "id": 3936
  },
  {
    "group_name": "Tmnt Switch Kick Skaters Figure Assortment",
    "category": "home",
    "quantity": null,
    "id": 18803
  },
  {
    "group_name": "Maui Moisture Coconut Oil Curl Conditioner 385Ml",
    "category": "health_products",
```

Response headers

```
content-length: 5350
content-type: application/json
date: Tue,17 Mar 2026 22:25:50 GMT
server: railway-edge
x-railway-edge: railway/europe-west4-drams3a
x-railway-request-id: ftgxXAYRRhKvSxLZss7a6g
```

Download

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema [{ "group_name": "string", "category": "string", "quantity": "string", "id": 0 }]	No links
422	Validation Error Media type application/json Example Value Schema { "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }	No links

Creates a new product group in the database.

Parameters

Cancel

No parameters

Request body **required**

application/x-www-form-urlencoded

group_name * **required**

string

string

category * **required**

string

string

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'https://web-production-f914.up.railway.app/groups/' \
  -H 'accept: application/json' \
  -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiJzdHJpbmciLCJleHAiOiJlE3Nm3ODk5MTd9.tYj8D2Ii6HZKesUC5nva1_5' \
  -H 'Content-Type: application/x-www-form-urlencoded' \
  -d 'group_name=string&category=string'
```

Request URL

https://web-production-f914.up.railway.app/groups/

Server response

Code	Details
200	Response body <pre>{ "group_name": "string", "category": "string", "quantity": null, "id": 21656}</pre> Download Response headers <pre>content-length: 70content-type: application/jsondate: Tue,17 Mar 2026 22:26:09 GMTserver: railway-edgex-railway-edge: railway/europe-west4-drams3ax-railway-request-id: 01b0ex0vR60a8_3fss7a6g</pre>

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "group_name": "string", "category": "string", "quantity": "string", "id": 0}</pre> No links	

Code	Description	Links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }]}</pre>	No links

GET	/groups/{group_id}	Retrieve a product group	⌵
Returns the details of a specific product group using its ID.			
Parameters			Cancel

Name	Description
------	-------------

group_id * required

integer

(path)

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'https://web-production-f914.up.railway.app/groups/1' \
  -H 'accept: application/json'
```

Request URL

https://web-production-f914.up.railway.app/groups/1

Server response

Code	Details
------	---------

200

Response body

```
{
  "group_name": "Swan Vesta Matches 1 Box",
  "category": "household",
  "quantity": null,
  "id": 1
}
```

Download

Response headers

content-length: 87

Code

Details

content-type: application/json
date: Tue,17 Mar 2026 22:26:36 GMT
server: railway-edge
x-railway-edge: railway/europe-west4-drams3a
x-railway-request-id: Uo6M1vpIQPyQ3Yr_ss7a6g

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema { "group_name": "string", "category": "string", "quantity": "string", "id": 0 }	No links
422	Validation Error Media type application/json Example Value Schema { "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }	No links

Code	Description	Links
	<pre>}] }</pre>	

PUT

/groups/{group_id}

Update product group



Updates the details of an existing product group.

Parameters

Cancel

Reset

Name	Description
group_id * required integer (path)	21656

Request body required

application/x-www-form-urlencoded

group_name * required

string

test

category * required

string

test

Execute

Clear

Responses

Curl

```
curl -X 'PUT' \
  'https://web-production-f914.up.railway.app/groups/21656' \
  -H 'accept: application/json' \
  -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiJzZHJpbmciLCJleHAiOjE3NzM3ODk5MTd9.tYj8D2Ii6HZKesUC5nva1_5' \
  -H 'Content-Type: application/x-www-form-urlencoded' \
  -d 'group_name=test&category=test'
```

Request URL

https://web-production-f914.up.railway.app/groups/21656

Server response

Code

Details

200

Response body

```
{
  "group_name": "test",
  "category": "test",
  "quantity": null,
  "id": 21656
}
```

Download

Response headers

```
content-length: 66
content-type: application/json
date: Tue, 17 Mar 2026 22:26:55 GMT
server: railway-edge
x-railway-edge: railway/europe-west4-drams3a
x-railway-request-id: KsrWpCbrTwmOiXdZss7a6g
```

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "group_name": "string", "category": "string", "quantity": "string", "id": 0}</pre>	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }]}</pre>	No links

DELETE	/groups/{group_id}	Delete product group	 

Deletes a product group from the database using its ID.

Parameters

Cancel

Name

Description

group_id * required

integer

(path)

21656

Execute

Clear

Responses

Curl

```
curl -X 'DELETE' \
  'https://web-production-f914.up.railway.app/groups/21656' \
  -H 'accept: application/json' \
  -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiJzdHJpbmciLCJleHAiOiJlE3Nm3ODk5MTd9.tYj8D2Ii6HZKesUC5nva1_5'
```

Request URL

https://web-production-f914.up.railway.app/groups/21656

Server response

Code

Details

200

Response body

Code	Details	
	<pre>{ "message": "Group deleted successfully" }</pre>	Download
	Response headers content-length: 40 content-type: application/json date: Tue,17 Mar 2026 22:27:05 GMT server: railway-edge x-railway-edge: railway/europe-west4-drams3a x-railway-request-id: Ypv_uFYPQLeJaakgss7a6g	
Responses		
Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type application/json Example Value Schema { "detail": [{ "loc": [	No links

Code	Description	Links
	<pre>"string", 0], "msg": "string", "type": "string", "input": "string", "context": {} }]</pre>	

GET

/groups/{group_id}/cheapest

Retrieve cheapest retailer

^

Returns the retailer offering the lowest price for products within a specific group.

Parameters

Cancel

Name	Description
group_id * required integer (path)	1

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'https://web-production-f914.up.railway.app/groups/1/cheapest' \
  -H 'accept: application/json'
```

Request URL

https://web-production-f914.up.railway.app/groups/1/cheapest

Server response

Code	Details
200	Response body <pre>[{ "retailer": "Tesco", "min_price": 0.4 }]</pre> Download Response headers <pre>content-length: 38 content-type: application/json date: Tue,17 Mar 2026 22:27:19 GMT server: railway-edge x-railway-edge: railway/europe-west4-drams3a x-railway-request-id: OiArQRHTQFu1prp3ss7a6g</pre>

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links

Code	Description	Links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }]}</pre>	No links

GET	/groups/{group_id}/history	Retrieve price history	⌵
Returns historical price data for all products within a specific group.			
Parameters			Cancel

Name	Description
------	-------------

group_id * required
integer
(path)

Execute

Clear

Responses

Curl

```
curl -X 'GET' \  
  'https://web-production-f914.up.railway.app/groups/1/history' \  
  -H 'accept: application/json'
```

Request URL

https://web-production-f914.up.railway.app/groups/1/history

Server response

Code	Details
------	---------

200

Response body

```
[  
  {  
    "date": "2024-01-09",  
    "price": 0.4,  
    "retailer": "Tesco"  
  },  
  {  
    "date": "2024-01-10",  
    "price": 0.4,  
    "retailer": "Tesco"  
  }  
]
```



Code

Details

```
},
{
  "date": "2024-01-11",
  "price": 0.4,
  "retailer": "Tesco"
},
{
  "date": "2024-01-12",
  "price": 0.4,
  "retailer": "Tesco"
},
{
  "date": "2024-01-13",
  "price": 0.4,
  "retailer": "Tesco"
},
{
  "date": "2024-01-15"
```

Download

Response headers

```
content-length: 4400
content-type: application/json
date: Tue, 17 Mar 2026 22:27:29 GMT
server: railway-edge
x-railway-edge: railway/europe-west4-drams3a
x-railway-request-id: fcHvg9zNT6GLngGPss7a6g
```

Responses

Code

Description

Links

200

Successful Response

No links

Media type

application/json

Controls Accept header.

Example Value Schema

"string"

Code	Description	Links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }]}</pre>	No links

Retailers

GET	/retailers/ Retrieve retailers	
Returns a list of retailers stored in the database.		
Parameters		Cancel

Name

Description

skip
integer
(query)

0

limit
integer
(query)

50

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'https://web-production-f914.up.railway.app/retailers/?skip=0&limit=50' \
  -H 'accept: application/json'
```

Request URL

https://web-production-f914.up.railway.app/retailers/?skip=0&limit=50

Server response

Code

Details

200

Response body

```
[
  {
    "name": "Tesco",
    "id": 1
  },
```

Code

Details

```
{
  "name": "Morrisons",
  "id": 3
},
{
  "name": "ASDA",
  "id": 5
},
{
  "name": "Aldi",
  "id": 4
},
{
  "name": "Sains",
  "id": 2
}
]
```

Download

Response headers

```
content-length: 123
content-type: application/json
date: Tue,17 Mar 2026 22:27:42 GMT
server: railway-edge
x-railway-edge: railway/europe-west4-drams3a
x-railway-request-id: i7NSPoZhTAqXNjy0ss7a6g
```

Responses

Code

Description

Links

200

Successful Response

No links

Media type

application/json

Controls Accept header.

Example Value Schema

```
[
  {
    "name": "string",
    "id": 0
  }
]
```

Code	Description	Links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }]}</pre>	No links

POST	/retailers/ Create retailer	 
Creates a new retailer in the database.		
Parameters		Cancel
No parameters		
Request body	required	application/x-www-form-urlencoded

name * required Name of the retailer

string

string

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'https://web-production-f914.up.railway.app/retailers/' \
  -H 'accept: application/json' \
  -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiJzdHJpbmciLCJleHAiOjE3NzM3ODk5MTd9.tYj8D2Ii6HZKesUC5nva1_5' \
  -H 'Content-Type: application/x-www-form-urlencoded' \
  -d 'name=string'
```

Request URL

https://web-production-f914.up.railway.app/retailers/

Server response

Code

Details

200

Response body

```
{
  "name": "string",
  "id": 8
}
```

Download

Response headers

content-length: 24

Code

Details

content-type: application/json
date: Tue,17 Mar 2026 22:27:54 GMT
server: railway-edge
x-railway-edge: railway/europe-west4-drams3a
x-railway-request-id: 3WSatL9DRSWleX3jss7a6g

Responses

Code

Description

Links

200

Successful Response

No links

Media type

application/json

Controls Accept header.

Example Value Schema

```
{
  "name": "string",
  "id": 0
}
```

422

Validation Error

No links

Media type

application/json

Example Value Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ],
      "msg": "string",
      "type": "string",
      "input": "string",
      "ctx": {}
    }
  ]
}
```

Code	Description	Links
	<pre>] }</pre>	

GET

/retailers/{retailer_id}

Retrieve retailer

^

Returns the details of a specific retailer using its ID.

Parameters

Cancel

Name	Description
retailer_id * required integer (path)	1

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'https://web-production-f914.up.railway.app/retailers/1' \
  -H 'accept: application/json'
```

Request URL

https://web-production-f914.up.railway.app/retailers/1

Server response

Code	Details
200	Response body <pre>{ "name": "Tesco", "id": 1 }</pre> Response headers <pre>content-length: 23 content-type: application/json date: Tue, 17 Mar 2026 22:28:07 GMT server: railway-edge x-railway-edge: railway/europe-west4-drams3a x-railway-request-id: jH77JyPwTpKUefnEss7a6g</pre> Download

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "name": "string", "id": 0 }</pre>	No links
422	Validation Error Media type application/json	No links

Code	Description	Links
	Example Value Schema	
<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>		

PUT

/retailers/{retailer_id} Update retailer

🔒 ⤴

Updates the name of an existing retailer.

Parameters

CancelReset

Name	Description
retailer_id * required integer (path)	8

Request body required

application/x-www-form-urlencoded

name * required Updated retailer name

string

test

Execute

Clear

Responses

Curl

```
curl -X 'PUT' \
  'https://web-production-f914.up.railway.app/retailers/8' \
  -H 'accept: application/json' \
  -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiJzdHJpbmciLCJleHAiOjE3NmM3ODk5MTd9.tYj8D2Ii6HZKesUC5nva1_5' \
  -H 'Content-Type: application/x-www-form-urlencoded' \
  -d 'name=test'
```

Request URL

https://web-production-f914.up.railway.app/retailers/8

Server response

Code

Details

200

Response body

```
{
  "name": "test",
  "id": 8
}
```

Download

Response headers

content-length: 22

Code	Details	
	<pre>content-type: application/json date: Tue,17 Mar 2026 22:28:18 GMT server: railway-edge x-railway-edge: railway/europe-west4-drams3a x-railway-request-id: yL0U4m6-RvOKFftJss7a6g</pre>	
Responses		
Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "name": "string", "id": 0 }</pre>	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	No links

Code	Description	Links
	<pre>] }</pre>	

DELETE `/retailers/{retailer_id}` Delete retailer  

Deletes a retailer from the database using its ID.

Parameters Cancel

Name	Description
retailer_id * required integer (path)	8

Execute Clear

Responses

Curl

```
curl -X 'DELETE' \  
  'https://web-production-f914.up.railway.app/retailers/8' \  
  -H 'accept: application/json' \  
  -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiJzdHJpbmciLCJleHAiOiJlE3Nm3ODk5MTd9.tYj8D2Ii6HZKesUC5nva1_5'
```



Request URL

https://web-production-f914.up.railway.app/retailers/8

Server response

Code	Details
200	Response body <pre>{ "message": "Retailer deleted successfully" }</pre> Download Response headers<pre>content-length: 43 content-type: application/json date: Tue, 17 Mar 2026 22:28:27 GMT server: railway-edge x-railway-edge: railway/europe-west4-drams3a x-railway-request-id: nghlmEj2QFKSThYIss7a6g</pre>

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type application/json	No links

Code	Description	Links
	Example Value Schema	
	<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	

Listings



GET	/listings/ Retrieve product listings	^
Returns a paginated list of all product listings available in the database.		
Parameters		Cancel
Name	Description	
skip integer (query)	0	
limit integer	50	

Name	Description
------	-------------

(query)

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'https://web-production-f914.up.railway.app/listings/?skip=0&limit=50' \
  -H 'accept: application/json'
```

Request URL

https://web-production-f914.up.railway.app/listings/?skip=0&limit=50

Server response

Code	Details
------	---------

200

Response body

```
[
  {
    "id": 123353,
    "original_name": "Swan Vesta Matches 1 Box",
    "category": "household",
    "product_id": 1,
    "retailer_id": 1,
    "own_brand": false
  },
  {
    "id": 79803,
    "original_name": "Tesco 200 Cotton Buds",
    "category": "health_products",
    "product_id": 2,
    "retailer_id": 1,
  }
]
```

Code

Details

```
"own_brand": true
},
{
  "id": 3212,
  "original_name": "Tesco Nappy Bags 300",
  "category": "baby_products",
  "product_id": 3,
  "retailer_id": 1,
  "own_brand": true
},
{
  "id": 1678,
  "original_name": "Feed & Fle Cotton Buds 300 Pack"
```

Download

Response headers

```
content-length: 6988
content-type: application/json
date: Tue, 17 Mar 2026 22:28:38 GMT
server: railway-edge
x-railway-edge: railway/europe-west4-drams3a
x-railway-request-id: HwwxSO-LRDWWivGrss7a6g
```

Responses

Code

Description

Links

200

Successful Response

No link

Media type

application/json

Controls Accept header.

Example Value Schema

"string"

422

Validation Error

No links

Media type

application/json

Code	Description	Links
	Example Value Schema	
	<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	

POST

/listings/ Create a product listing

🔒 ⤴

Creates a new product listing associated with a retailer. If the product does not exist, a new product record will be created automatically.

Parameters

Cancel Reset

No parameters

Request body required

application/x-www-form-urlencoded

retailer_id * required

integer

original_name * required

string

string

own_brand * required

boolean

true

category * required

string

string

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'https://web-production-f914.up.railway.app/listings/' \
  -H 'accept: application/json' \
  -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiJzZdHJpbmciLCJleHAiOjE3NzM3ODk5MTd9.tYj8D2Ii6HZKesUC5nva1_5' \
  -H 'Content-Type: application/x-www-form-urlencoded' \
  -d 'retailer_id=1&original_name=string&own_brand=true&category=string'
```

Request URL

https://web-production-f914.up.railway.app/listings/

Server response

Code

Details

200

Response body

```
{
  "retailer_id": 1,
```

Code

Details

```
"original_name": "string",
"own_brand": true,
"category": "string",
"id": 130173,
"product_id": 25001
}
```

Download

Response headers

```
content-length: 110
content-type: application/json
date: Tue,17 Mar 2026 22:30:05 GMT
server: railway-edge
x-railway-edge: railway/europe-west4-drams3a
x-railway-request-id: xgJ5vzn6Sce0g56css7a6g
```

Responses

Code

Description

Links

200

Successful Response

No links

Media type

application/json

Controls Accept header.

Example Value Schema

```
{
  "retailer_id": 0,
  "original_name": "string",
  "own_brand": true,
  "category": "string",
  "id": 0,
  "product_id": 0
}
```

422

Validation Error

No links

Media type

application/json

Example Value Schema

Code	Description	Links
	<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	

GET

/listings/{listing_id}

Retrieve a product listing

^

Returns details of a specific product listing using its listing ID.

Parameters

Cancel

Name	Description
listing_id * required integer (path)	123353

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'https://web-production-f914.up.railway.app/listings/123353' \
  -H 'accept: application/json'
```

Request URL

https://web-production-f914.up.railway.app/listings/123353

Server response

Code	Details
200	Response body <pre>{ "id": 123353, "original_name": "Swan Vesta Matches 1 Box", "category": "household", "product_id": 1, "retailer_id": 1, "own_brand": false }</pre> Download Response headers <pre>content-length: 128 content-type: application/json date: Tue,17 Mar 2026 22:29:14 GMT server: railway-edge x-railway-edge: railway/europe-west4-drams3a x-railway-request-id: IWsFcV_4REa9EYT3ss7a6g</pre>

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header.	No links

Code	Description	Links
	Example Value Schema "string"	
422	Validation Error Media type application/json Example Value Schema { "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }	No links

DELETE

/listings/{listing_id}

Delete product listing



Deletes an existing product listing using its listing ID.

Parameters

Cancel

Name	Description
------	-------------

listing_id * required

integer

(path)

Execute

Clear

Responses

Curl

```
curl -X 'DELETE' \  
  'https://web-production-f914.up.railway.app/listings/130173' \  
  -H 'accept: application/json' \  
  -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiJzdHJpbmciLCJleHAiOjE3NzM3ODk5MTd9.tYj8D2Ii6HZKesUC5nva1_5'
```

Request URL

https://web-production-f914.up.railway.app/listings/130173

Server response

Code	Details
------	---------

200

Response body

```
{  
  "message": "Listing deleted"  
}
```

Download

Response headers

```
content-length: 29  
content-type: application/json
```

Code	Details	
	date: Tue,17 Mar 2026 22:32:05 GMT server: railway-edge x-railway-edge: railway/europe-west4-drams3a x-railway-request-id: Egcm0jZeTnmJ7P9jss7a6g	
Responses		
Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links
422	Validation Error Media type application/json Example Value Schema { "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }	No links

Code	Description	Links
	<pre>] }</pre>	

Prices



GET

/prices/ Retrieve price records

^

Returns a paginated list of price records stored in the database.

Parameters

Cancel

Name	Description
skip integer (query)	0
limit integer (query)	100

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'https://web-production-f914.up.railway.app/prices/?skip=0&limit=100' \
  -H 'accept: application/json'
```

Request URL

https://web-production-f914.up.railway.app/prices/?skip=0&limit=100

Server response

Code

Details

200

Response body

```
[
  {
    "listing_id": 123353,
    "date": "2024-01-09",
    "price": 0.4,
    "unit_price": null,
    "id": 55568
  },
  {
    "listing_id": 123353,
    "date": "2024-01-10",
    "price": 0.4,
    "unit_price": null,
    "id": 155365
  },
  {
    "listing_id": 123353,
    "date": "2024-01-11",
    "price": 0.4,
    "unit_price": null,
    "id": 207823
  },
  {
    "listing_id": 123353,
    "date": "2024-01-12",
    "price": 0.4,
    "unit_price": null,
    "id": 383074
  }
]
```

Response headers

Download

Code

Details

```
content-length: 8468
content-type: application/json
date: Tue,17 Mar 2026 22:29:45 GMT
server: railway-edge
x-railway-edge: railway/europe-west4-drams3a
x-railway-request-id: kkSC1e4pQcen0F8zss7a6g
```

Responses

Code

Description

Links

200

Successful Response

No links

Media type

application/json

Controls Accept header.

Example Value Schema

```
[
  {
    "listing_id": 0,
    "date": "2026-03-17",
    "price": 0,
    "unit_price": 0,
    "id": 0
  }
]
```

422

Validation Error

No links

Media type

application/json

Example Value Schema

```
{
  "detail": [
    {
      "loc": [
        "string",
        0
      ]
    }
  ]
}
```

Code	Description	Links
	<pre>[, "msg": "string", "type": "string", "input": "string", "ctx": {}]</pre>	

POST

/prices/

Create price record



Creates a new price entry for a product listing on a specific date.

Parameters

Cancel

Reset

No parameters

Request body required

application/x-www-form-urlencoded

listing_id * required

integer

price * required

number

date * required

string(\$date)

130173

500

2026-03-17

Execute

Clear

Responses

Curl

```
curl -X 'POST' \
  'https://web-production-f914.up.railway.app/prices/' \
  -H 'accept: application/json' \
  -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiJzdHJpbmciLCJleHAiOiJlE3NmM3ODk5MTd9.tYj8D2Ii6HZKesUC5nva1_5' \
  -H 'Content-Type: application/x-www-form-urlencoded' \
  -d 'listing_id=130173&price=500&date=2026-03-17'
```

Request URL

https://web-production-f914.up.railway.app/prices/

Server response

Code

Details

200

Response body

```
{
  "listing_id": 130173,
  "date": "2026-03-17",
  "price": 500,
  "unit_price": null,
  "id": 9505388
}
```

Download

Response headers

```
content-length: 86
content-type: application/json
date: Tue, 17 Mar 2026 22:30:30 GMT
server: railway-edge
x-railway-edge: railway/europe-west4-drams3a
x-railway-request-id: 0JSbjTE7TKqwaKugss7a6g
```

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "listing_id": 0, "date": "2026-03-17", "price": 0, "unit_price": 0, "id": 0}</pre>	No links
422	Validation Error Media type application/json Example Value Schema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }]}</pre>	No links

Returns a specific price entry using its unique price ID.

Parameters

Cancel

Name	Description
price_id * required integer (path)	9505388

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
'https://web-production-f914.up.railway.app/prices/9505388' \
-H 'accept: application/json'
```

Request URL

https://web-production-f914.up.railway.app/prices/9505388

Server response

Code	Details
200	Response body

Code

Details

```
{
  "listing_id": 130173,
  "date": "2026-03-17",
  "price": 500,
  "unit_price": null,
  "id": 9505388
}
```

Download

Response headers

```
content-length: 86
content-type: application/json
date: Tue, 17 Mar 2026 22:31:29 GMT
server: railway-edge
x-railway-edge: railway/europe-west4-drams3a
x-railway-request-id: nx7YFBemQsGvTaAXss7a6g
```

Responses

Code

Description

Links

200

Successful Response

No links

Media type

application/json

Controls Accept header.

Example Value Schema

```
{
  "listing_id": 0,
  "date": "2026-03-17",
  "price": 0,
  "unit_price": 0,
  "id": 0
}
```

422

Validation Error

No links

Media type

application/json

Example Value Schema

Code	Description	Links
	<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	

PUT

/prices/{price_id}

Update price record



Updates an existing price entry using its ID.

Parameters

Cancel

Reset

Name	Description
price_id * required integer (path)	9505388

Request body required

application/x-www-form-urlencoded

listing_id * required

integer

130173

price * required

number

1000

date * required

string(\$date)

2026-03-17

Execute

Clear

Responses

Curl

```
curl -X 'PUT' \
  'https://web-production-f914.up.railway.app/prices/9505388' \
  -H 'accept: application/json' \
  -H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiJzdHJpbmciLCJleHAiOjE3NzM3ODk5MTd9.tYj8D2Ii6HZKesUC5nva1_5' \
  -H 'Content-Type: application/x-www-form-urlencoded' \
  -d 'listing_id=130173&price=1000&date=2026-03-17'
```

Request URL

https://web-production-f914.up.railway.app/prices/9505388

Server response

Code

Details

200

Response body

Code	Details	
	<pre>{ "listing_id": 130173, "date": "2026-03-17", "price": 1000, "unit_price": null, "id": 9505388 }</pre>	Download
	Response headers content-length: 87 content-type: application/json date: Tue, 17 Mar 2026 22:31:38 GMT server: railway-edge x-railway-edge: railway/europe-west4-drams3a x-railway-request-id: C8nI3AhST5KgSeVHss7a6g	
Responses		
Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema <pre>{ "listing_id": 0, "date": "2026-03-17", "price": 0, "unit_price": 0, "id": 0 }</pre>	No links
422	Validation Error Media type application/json Example Value Schema	No links

Code	Description	Links
	<pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }] }</pre>	

DELETE

/prices/{price_id}

Delete price record



Deletes a price entry using its ID.

Parameters

Cancel

Name	Description
price_id * required integer (path)	9505388

Execute

Clear

Responses

Curl

```
curl -X 'DELETE' \
'https://web-production-f914.up.railway.app/prices/9505388' \
-H 'accept: application/json' \
-H 'Authorization: Bearer eyJhbGciOiJIUzI1NiIsInR5cCI6IkpXVCJ9.eyJzdWIiOiJzdHJpbmciLCJleHAiOiJlE3Nm3ODk5MTd9.tYj8D2Ii6HZKesUC5nva1_5'
```

Request URL

https://web-production-f914.up.railway.app/prices/9505388

Server response

Code	Details
200	Response body <pre>{ "message": "Price deleted" }</pre> Download Response headers <pre>content-length: 27 content-type: application/json date: Tue,17 Mar 2026 22:31:47 GMT server: railway-edge x-railway-edge: railway/europe-west4-drams3a x-railway-request-id: Vol-R7TxSrmMEVV_ss7a6g</pre>

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema	No links

Code	Description	Links
	<code>"string"</code>	
422	Validation Error	No links
	Media type application/json Example ValueSchema <pre>{ "detail": [{ "loc": ["string", 0], "msg": "string", "type": "string", "input": "string", "ctx": {} }]}</pre>	

default

GET / Root	
Parameters	Cancel
No parameters	

Execute

Clear

Responses

Curl

```
curl -X 'GET' \
  'https://web-production-f914.up.railway.app/' \
  -H 'accept: application/json'
```

Request URL

https://web-production-f914.up.railway.app/

Server response

Code

Details

200

Response body

```
{
  "message": "Supermarket API is running"
}
```

Download

Response headers

```
content-length: 40
content-type: application/json
date: Tue, 17 Mar 2026 22:32:31 GMT
server: railway-edge
x-railway-edge: railway/europe-west4-drams3a
x-railway-request-id: J0K07_dhRH25KIXlss7a6g
```

Responses

Code	Description	Links
200	Successful Response Media type application/json Controls Accept header. Example Value Schema "string"	No links

Schemas	
Body_create_group_groups__post ^ Collapse all object group_name* string category* string	
Body_create_listing_listings__post ^ Collapse all object retailer_id* integer original_name* string own_brand* boolean category* string	
Body_create_price_prices__post ^ Collapse all object	


```
listing_id* integer
price* number
date* string date
```

Body_create_retailer_retailers__post ^ [Collapse all](#) object

```
name* ^ Collapse all string
|Name of the retailer
```

Body_login_auth_login_post ^ [Collapse all](#) object

```
username* ^ Collapse all string
|User's username
password* ^ Collapse all string
|User's password
```

Body_register_auth_register_post ^ [Collapse all](#) object

```
username* string
email* string
password* string
```

Body_update_group_groups__group_id__put ^ [Collapse all](#) object

```
group_name* string
category* string
```

Body_update_price_prices__price_id__put ^ [Collapse all](#) object

```
listing_id* integer
price* number
```

date* string date

Body_update_retailer_retailers__retailer_id__put ^ Collapse all object

name* ^ Collapse all string

Updated retailer name

HTTPValidationError ^ Collapse all object

detail ^ Collapse all array<object>

Items ^ Collapse all object

loc* ^ Collapse all array<(string | integer)>

Items ^ Collapse all (string | integer)

Any of ^ Collapse all (string | integer)

#0 string

#1 integer

msg* string

type* string

input any

ctx object

Listing ^ Collapse all object

retailer_id* integer

original_name* string

own_brand* boolean

category* string

id* integer

product_id* integer

PriceResponse ^ Collapse all object

```
listing_id* integer
date* string date
price* number
unit_price* ^ Collapse all (number | null)
  Any of ^ Collapse all (number | null)
    #0 number
    #1 null
id* integer
```

ProductGroupResponse ^ Collapse all object

```
group_name* string
category* ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null
quantity* ^ Collapse all (string | null)
  Any of ^ Collapse all (string | null)
    #0 string
    #1 null
id* integer
```

RetailerResponse ^ Collapse all object

```
name* string
id* integer
```

Token ^ Collapse all object

```
access_token* string
token_type* string
```

UserResponse ^ Collapse all object

```
id* integer
username* string
email* string
```

ValidationError ^ Collapse all object

```
loc* ^ Collapse all array<(string | integer)>
  Items ^ Collapse all (string | integer)
    Any of ^ Collapse all (string | integer)
      #0 string
      #1 integer
msg* string
type* string
input any
ctx object
```