




DHARMa residuals: LABO










Residuals vs YearS
Quantile deviations detected (red curves)
Combined adjusted quantile test significant
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
YearS (rank transformed)



Residuals vs log(quad.nights)
Quantile deviations detected (red curves)
Combined adjusted quantile test significant
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
log(quad.nights) (rank transformed)



Residuals vs Nightly_Mean_Windsp
Quantile deviations detected (red curves)
Combined adjusted quantile test significant
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
Nightly_Mean_Windsp (rank transformed)



Residuals vs Distance_to_Clutter__m_
Quantile deviations detected (red curves)
Combined adjusted quantile test significant
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
Distance_to_Clutter__m_ (rank transformed)



Levene Test for homogeneity of variance n.s.
Within−group deviation from uniformity n.s.
simulationOutput$scaledResiduals
1.00
0.75
0.50
0.25
0.00
0.383304940374787
1
Water_Nearby (rank transformed) (catPred)



Residuals vs Nightly_Mean_Temp
Quantile deviations detected (red curves)
Combined adjusted quantile test significant
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
Nightly_Mean_Temp (rank transformed)



DHARMa nonparametric dispersion test via sd of
residuals fitted vs. simulated
Frequency
0
20
40
60
80
1
2
3
4
5
6
Simulated values, red line = fitted model. p−value (two.sided) = 0.636



DHARMa zero−inflation test via comparison to expected zeros with simulation under H0 = fitted model
Frequency
0
20
40
60
80
20
25
30
35
40
45
50
Simulated values, red line = fitted model. p−value (two.sided) = 0.194


Residuals vs. time
Scaled residuals
0.0
0.2
0.4
0.6
0.8
1.0
0
2
4
6
8
Time
Autocorrelation
ACF
−1.0
−0.5
0.0
0.5
1.0
Durbin−Watson test p= 0.08132
Deviation n.s.
0
2
4
6
8
Lag


Levene Test for homogeneity of variance significant
Within−group deviation from uniformity n.s.
simulationOutput$scaledResiduals
0.00
0.25
0.50
0.75
1.00
986
17706
47210
60586
93290
127850
175354
194666
226090
243562
283586
grp (catPred)


Levene Test for homogeneity of variance n.s.
Within−group deviation from uniformity n.s.
simulationOutput$scaledResiduals
0.00
0.25
0.50
0.75
1.00
110378_NE
145578_NW
17706_SE
194666_SW
230186_SE
283586_NE
37274_NE
47322_NE
93290_NW
grp (catPred)


Random intercept QQ: Quadrant:GRTS_Cell_ID (71 levels)
Sample Quantiles
Theoretical Quantiles
−2.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
−2
−1
0
1
2


Random intercept QQ: GRTS_Cell_ID (22 levels)
Sample Quantiles
Theoretical Quantiles
−2
−1
0
1
2
−2
−1
0
1