




DHARMa residuals: MYEV










Residuals vs YearS
Quantile deviations detected (red curves)
Combined adjusted quantile test significant
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
YearS (rank transformed)



Residuals vs log(quad.nights)
Quantile deviations detected (red curves)
Combined adjusted quantile test significant
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
log(quad.nights) (rank transformed)



Residuals vs Nightly_Mean_Windsp
Quantile deviations detected (red curves)
Combined adjusted quantile test significant
DHARMa residual
0.00
0.25
0.50
0.75
1.00
0.0
0.2
0.4
0.6
0.8
1.0
Nightly_Mean_Windsp (rank transformed)



Residuals vs Distance_to_Clutter__m_
Quantile deviations detected (red curves)
Combined adjusted quantile test significant
DHARMa residual
0.00
0.25
0.50
0.75
1.00
0.0
0.2
0.4
0.6
0.8
1.0
Distance_to_Clutter__m_ (rank transformed)



Levene Test for homogeneity of variance n.s.
Within−group deviations from uniformity significant (red)
simulationOutput$scaledResiduals
1.00
0.75
0.50
0.25
0.00
0.374149659863946
1
Water_Nearby (rank transformed) (catPred)



Residuals vs dd
Quantile deviations detected (red curves)
Combined adjusted quantile test significant
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
dd (rank transformed)



Residuals vs Nightly_Min_Temp
Quantile deviations detected (red curves)
Combined adjusted quantile test significant
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
Nightly_Min_Temp (rank transformed)



DHARMa nonparametric dispersion test via sd of residuals fitted vs. simulated
Frequency
0
10
20
30
1
2
3
4
Simulated values, red line = fitted model. p−value (two.sided) = 0.532



DHARMa zero−inflation test via comparison to expected zeros with simulation under H0 = fitted model
Frequency
0
10
20
30
40
50
60
110
120
130
140
150
160
170
Simulated values, red line = fitted model. p−value (two.sided) = 0.038


Residuals vs. time
Scaled residuals
1.0
0.8
0.6
0.4
0.2
0.0
0
2
4
6
8
Time
Autocorrelation
ACF
Durbin−Watson test p= 0.64649
Deviation n.s.
1.0
0.5
0.0
−0.5
−1.0
0
2
4
6
8
Lag


Levene Test for homogeneity of variance significant
Within−group deviation from uniformity n.s.
simulationOutput$scaledResiduals
0.00
0.25
0.50
0.75
1.00
986
16426
26170
47322
77162
93290
127850
143338
175354
212266
230186
268521
294832
grp (catPred)


Levene Test for homogeneity of variance n.s.
Within−group deviation from uniformity n.s.
simulationOutput$scaledResiduals
0.00
0.25
0.50
0.75
1.00
110378_NE
128058_NE
151210_NE2
20330_NE
218282_SE
265749_SE
317428_NE
60586_NW
86074_SW
grp (catPred)


Random intercept QQ: Quadrant:GRTS_Cell_ID (193 levels)
Sample Quantiles
Theoretical Quantiles
−3
−2
−1
0
1
2
3
−1
0
1
2


Random intercept QQ: GRTS_Cell_ID (58 levels)
Sample Quantiles
Theoretical Quantiles
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.5
−2.0
−2
−1
0
1
2