




DHARMa residuals: MYTH









Residuals vs YearS
Quantile deviations detected (red curves)
Combined adjusted quantile test significant
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
YearS (rank transformed)



Residuals vs log(quad.nights)
No significant problems detected
DHARMa residual
0.00
0.25
0.50
0.75
1.00
0.0
0.2
0.4
0.6
0.8
1.0
log(quad.nights) (rank transformed)



Residuals vs dd
No significant problems detected
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
dd (rank transformed)



DHARMa nonparametric dispersion test via sd of residuals fitted vs. simulated
Frequency
0
5
10
15
20
25
30
35
1
2
3
4
Simulated values, red line = fitted model. p−value (two.sided) = 0.796



DHARMa zero−inflation test via comparison to expected zeros with simulation under H0 = fitted model
Frequency
0
10
20
30
40
310
320
330
340
350
360
370
Simulated values, red line = fitted model. p−value (two.sided) = 0.298



Residuals vs. time
Scaled residuals
1.0
0.8
0.6
0.4
0.2
0.0
0
2
4
6
8
Time


Autocorrelation
Durbin−Watson test p= 0.40442
Deviation n.s.
ACF
1.0
0.5
0.0
−0.5
−1.0
0
2
4
6
8
Lag


Levene Test for homogeneity of variance n.s.
Within−group deviation from uniformity n.s.
simulationOutput$scaledResiduals
0.00
0.25
0.50
0.75
1.00
5994
20330
47210
70250
73786
89962
111466
143274
172090
226090
265749
grp (catPred)


Levene Test for homogeneity of variance n.s.
Within−group deviation from uniformity n.s.
simulationOutput$scaledResiduals
0.00
0.25
0.50
0.75
1.00
110378_NE
132650_SW
147306_SE2
20330_NE
243562_NE
268521_NE
47210_NW
73002_SE
89962_NW
grp (catPred)


Random intercept QQ: Quadrant:GRTS_Cell_ID (95 levels)
Sample Quantiles
Theoretical Quantiles
−1.0
−0.5
0.0
0.5
1.0
1.5
2.0
−2
−1
0
1
2


Random intercept QQ: GRTS_Cell_ID (28 levels)
Sample Quantiles
Theoretical Quantiles
−2
−1
0
1
2