DHARMa residuals: Kootenay Region_ANPA






Residuals vs YearS
Quantile deviations detected (red curves)
Combined adjusted quantile test significant
DHARMa residual
0.00
0.25
0.50
0.75
1.00
0.0
0.2
0.4
0.6
0.8
1.0
YearS (rank transformed)


Residuals vs log(quad.nights)
No significant problems detected
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
log(quad.nights) (rank transformed)


Residuals vs Nightly_Mean_Temp
No significant problems detected
DHARMa residual
0.00
0.25
0.50
0.75
1.00
0.0
0.2
0.4
0.6
0.8
1.0
Nightly_Mean_Temp (rank transformed)


DHARMa nonparametric dispersion test via sd of
residuals fitted vs. simulated
Frequency
0
10
20
30
40
50
60
0
1
2
3
4
5
6
Simulated values, red line = fitted model. p−value (two.sided) = 0.52


DHARMa zero−inflation test via comparison to expected zeros with simulation under H0 = fitted model
Frequency
0
20
40
60
80
100
15
20
25
30
Simulated values, red line = fitted model. p−value (two.sided) = 0.498


Residuals vs. time
Scaled residuals
0.0
0.2
0.4
0.6
0.8
1.0
0
2
4
6
8
Time
Autocorrelation
ACF
−1.0
−0.5
0.0
0.5
1.0
Durbin−Watson test p= 0.19388
Deviation n.s.
0
2
4
6
8
Lag


Levene Test for homogeneity of variance n.s.
Within−group deviation from uniformity n.s.
simulationOutput$scaledResiduals
1.00
0.75
0.50
0.25
0.00
111466
145578
20330
243562
5994
89962
grp (catPred)


Levene Test for homogeneity of variance n.s.
Within−group deviation from uniformity n.s.
simulationOutput$scaledResiduals
1.00
0.75
0.50
0.25
0.00
111466_NE
145578_NW
20330_NE
20330_SW2
243562_SW1
5994_SE
89962_NW
grp (catPred)


Random intercept QQ: Quadrant:GRTS_Cell_ID (20 levels)
Sample Quantiles
Theoretical Quantiles
−2
−1
0
1
2
−2
−1
0
1


Random intercept QQ: GRTS_Cell_ID (6 levels)
Sample Quantiles
0.10
0.05
0.00
−0.05
−1.0
−0.5
0.0
0.5
1.0
Theoretical Quantiles