




DHARMa residuals: Kootenay Region_COTO









Residuals vs YearS
No significant problems detected
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
YearS (rank transformed)



Residuals vs log(quad.nights)
No significant problems detected
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
log(quad.nights) (rank transformed)



Residuals vs dd
No significant problems detected
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
dd (rank transformed)



Residuals vs Nightly_Mean_Temp
No significant problems detected
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
Nightly_Mean_Temp (rank transformed)



DHARMa nonparametric dispersion test via sd of residuals fitted vs. simulated
Frequency
0
10
20
30
0.5
1.0
1.5
2.0
2.5
3.0
3.5
Simulated values, red line = fitted model. p−value (two.sided) = 0.632



DHARMa zero−inflation test via comparison to expected zeros with simulation under H0 = fitted model
Frequency
0
10
20
30
40
50
60
70
80
90
100
110
120
Simulated values, red line = fitted model. p−value (two.sided) = 0.35


Residuals vs. time
Scaled residuals
1.0
0.8
0.6
0.4
0.2
0.0
0
2
4
6
8
Time
Autocorrelation
ACF
Durbin−Watson test p= 0.22435
Deviation n.s.
1.0
0.5
0.0
−0.5
−1.0
0
2
4
6
8
Lag


Levene Test for homogeneity of variance n.s.
Within−group deviation from uniformity n.s.
simulationOutput$scaledResiduals
0.00
0.25
0.50
0.75
1.00
111466
1194
127850
147306
218282
243562
271731
5994
77162
79018
89962
grp (catPred)


Levene Test for homogeneity of variance n.s.
Within−group deviation from uniformity n.s.
simulationOutput$scaledResiduals
0.00
0.25
0.50
0.75
1.00
111466_NE
127850_NW
145578_SW
20330_SE
241002_NW
268521_NW
5994_SE
79018_NE
89962_SE
grp (catPred)


Random intercept QQ: Quadrant:GRTS_Cell_ID (49 levels)
Sample Quantiles
Theoretical Quantiles
1.0
0.5
0.0
−0.5
−1.0
−2
−1
0
1
2


Random intercept QQ: GRTS_Cell_ID (15 levels)
Sample Quantiles
Theoretical Quantiles
1.0
0.5
0.0
−0.5
−1.0
−1.5
−1
0
1