




DHARMa residuals: Kootenay Region_LANO









Residuals vs YearS
Quantile deviations detected (red curves)
Combined adjusted quantile test significant
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
YearS (rank transformed)



Residuals vs log(quad.nights)
No significant problems detected
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
log(quad.nights) (rank transformed)



Residuals vs Nightly_Mean_RH
No significant problems detected
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
Nightly_Mean_RH (rank transformed)



Residuals vs Nightly_Mean_Windsp
Quantile deviations detected (red curves)
Combined adjusted quantile test significant
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
Nightly_Mean_Windsp (rank transformed)



Residuals vs Distance_to_Clutter__m_
No significant problems detected
DHARMa residual
0.00
0.25
0.50
0.75
1.00
0.0
0.2
0.4
0.6
0.8
1.0
Distance_to_Clutter__m_ (rank transformed)



Levene Test for homogeneity of variance n.s.
Within−group deviation from uniformity n.s.
simulationOutput$scaledResiduals
1.00
0.75
0.50
0.25
0.00
0.364130434782609
1
Water_Nearby (rank transformed) (catPred)



Residuals vs Nightly_Min_Temp
Quantile deviations detected (red curves)
Combined adjusted quantile test significant
DHARMa residual
0.00
0.25
0.50
0.75
1.00
0.0
0.2
0.4
0.6
0.8
1.0
Nightly_Min_Temp (rank transformed)



DHARMa nonparametric dispersion test via sd of residuals fitted vs. simulated
Frequency
0
5
10
15
20
25
30
1
2
3
4
Simulated values, red line = fitted model. p−value (two.sided) = 0.472



DHARMa zero−inflation test via comparison to expected zeros with simulation under H0 = fitted model
Frequency
0
50
100
150
5
10
15
20
Simulated values, red line = fitted model. p−value (two.sided) = 0.184



Residuals vs. time
Scaled residuals
1.0
0.8
0.6
0.4
0.2
0.0
0
2
4
6
8
Time


Autocorrelation
Durbin−Watson test p= 0.76241
Deviation n.s.
ACF
1.0
0.5
0.0
−0.5
−1.0
0
2
4
6
8
Lag


Levene Test for homogeneity of variance significant
Within−group deviation from uniformity n.s.
simulationOutput$scaledResiduals
1.00
0.75
0.50
0.25
0.00
1194
127850
147306
218282
243562
271731
70250
77162
79018
89962
grp (catPred)


Levene Test for homogeneity of variance n.s.
Within−group deviation from uniformity n.s.
simulationOutput$scaledResiduals
0.00
0.25
0.50
0.75
1.00
1194_NW
127850_SW
147306_NE2
20330_SW2
243562_SE
271731_SE1
77162_NE
79018_SE
89962_SW
grp (catPred)


Random intercept QQ: Quadrant:GRTS_Cell_ID (48 levels)
Sample Quantiles
Theoretical Quantiles
−2
−1
0
1
2
−2
−1
0
1


Random intercept QQ: GRTS_Cell_ID (15 levels)
Sample Quantiles
Theoretical Quantiles
1
0
−1
−2
−1
0
1