




DHARMa residuals: Kootenay Region_MYTH










Residuals vs YearS
Quantile deviations detected (red curves)
Combined adjusted quantile test significant
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
YearS (rank transformed)



Residuals vs log(quad.nights)
No significant problems detected
DHARMa residual
0.00
0.25
0.50
0.75
1.00
0.0
0.2
0.4
0.6
0.8
1.0
log(quad.nights) (rank transformed)



Residuals vs dd
No significant problems detected
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
dd (rank transformed)



DHARMa nonparametric dispersion test via sd of residuals fitted vs. simulated
Frequency
0
10
20
30
40
50
60
0
1
2
3
4
5
6
Simulated values, red line = fitted model. p−value (two.sided) = 0.442



DHARMa zero−inflation test via comparison to expected zeros with simulation under H0 = fitted model
Frequency
0
10
20
30
40
50
60
70
100
110
120
130
140
Simulated values, red line = fitted model. p−value (two.sided) = 0.554



Residuals vs. time
Scaled residuals
0.0
0.2
0.4
0.6
0.8
1.0
0
2
4
6
8
Time


Autocorrelation
Durbin−Watson test p= 0.08041
Deviation n.s.
ACF
−1.0
−0.5
0.0
0.5
1.0
0
2
4
6
8
Lag


Levene Test for homogeneity of variance n.s.
Within−group deviation from uniformity n.s.
simulationOutput$scaledResiduals
0.00
0.25
0.50
0.75
1.00
111466
127850
145578
147306
20330
243562
268521
5994
60586
70250
89962
grp (catPred)


Levene Test for homogeneity of variance n.s.
Within−group deviation from uniformity n.s.
simulationOutput$scaledResiduals
0.00
0.25
0.50
0.75
1.00
111466_NE
127850_SE
145578_SE
147306_SE2
243562_NE
268521_NE
5994_SE
70250_SW
89962_SW
grp (catPred)


Random intercept QQ: Quadrant:GRTS_Cell_ID (35 levels)
Sample Quantiles
Theoretical Quantiles
−0.4
−0.2
0.0
0.2
0.4
0.6
0.8
−2
−1
0
1
2


Random intercept QQ: GRTS_Cell_ID (11 levels)
Sample Quantiles
Theoretical Quantiles
2
1
0
−1
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5