DHARMa residuals: Okanagan Region_ANPA






Residuals vs YearS
Quantile deviations detected (red curves)
Combined adjusted quantile test significant
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
YearS (rank transformed)


Residuals vs log(quad.nights)
No significant problems detected
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
log(quad.nights) (rank transformed)


Residuals vs Nightly_Mean_Temp
No significant problems detected
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
Nightly_Mean_Temp (rank transformed)


DHARMa nonparametric dispersion test via sd of residuals fitted vs. simulated
Frequency
0
5
10
15
20
25
0.5
1.0
1.5
2.0
2.5
Simulated values, red line = fitted model. p−value (two.sided) = 0.756


DHARMa zero−inflation test via comparison to expected zeros with simulation under H0 = fitted model
Frequency
0
20
40
60
80
100
120
140
5
10
15
20
25
Simulated values, red line = fitted model. p−value (two.sided) = 0.946


Residuals vs. time
Scaled residuals
1.0
0.8
0.6
0.4
0.2
0.0
0
2
4
6
8
Time
Autocorrelation
ACF
Durbin−Watson test p= 0.91935
Deviation n.s.
1.0
0.5
0.0
−0.5
−1.0
0
2
4
6
8
Lag


Levene Test for homogeneity of variance n.s.
Within−group deviation from uniformity n.s.
simulationOutput$scaledResiduals
1.00
0.75
0.50
0.25
0.00
110378
194666
47210
93290
grp (catPred)


Levene Test for homogeneity of variance n.s.
Within−group deviation from uniformity n.s.
simulationOutput$scaledResiduals
0.00
0.25
0.50
0.75
1.00
110378_NE
110378_SE
194666_NE
194666_SE2
47210_NE
47210_NW
47210_SW
93290_NW
93290_SW
grp (catPred)


Random intercept QQ: Quadrant:GRTS_Cell_ID (17 levels)
Sample Quantiles
Theoretical Quantiles
−0.5
0.0
0.5
−2
−1
0
1
2


Random intercept QQ: GRTS_Cell_ID (4 levels)
Sample Quantiles
Theoretical Quantiles
−2e−09
−1e−09
0e+00
1e−09
2e−09
3e−09
−1.0
−0.5
0.0
0.5
1.0