




DHARMa residuals: Okanagan Region_LABO









Residuals vs YearS
Quantile deviations detected (red curves)
Combined adjusted quantile test significant
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
YearS (rank transformed)



Residuals vs log(quad.nights)
Quantile deviations detected (red curves)
Combined adjusted quantile test n.s.
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
log(quad.nights) (rank transformed)



Residuals vs Nightly_Mean_Windsp
Quantile deviations detected (red curves)
Combined adjusted quantile test significant
DHARMa residual
0.00
0.25
0.50
0.75
1.00
0.0
0.2
0.4
0.6
0.8
1.0
Nightly_Mean_Windsp (rank transformed)



Residuals vs Distance_to_Clutter__m_
Quantile deviations detected (red curves)
Combined adjusted quantile test n.s.
DHARMa residual
0.00
0.25
0.50
0.75
1.00
0.0
0.2
0.4
0.6
0.8
1.0
Distance_to_Clutter__m_ (rank transformed)



Levene Test for homogeneity of variance n.s.
Within−group deviation from uniformity n.s.
simulationOutput$scaledResiduals
1.00
0.75
0.50
0.25
0.00
0.424710424710425
1
Water_Nearby (rank transformed) (catPred)



Residuals vs Nightly_Mean_Temp
Quantile deviations detected (red curves)
Combined adjusted quantile test n.s.
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
Nightly_Mean_Temp (rank transformed)



DHARMa nonparametric dispersion test via sd of residuals fitted vs. simulated
Frequency
0
5
10
15
20
0.5
1.0
1.5
2.0
2.5
3.0
Simulated values, red line = fitted model. p−value (two.sided) = 0.662



DHARMa zero−inflation test via comparison to expected zeros with simulation under H0 = fitted model
Frequency
0
20
40
60
80
100
120
140
5
10
15
20
Simulated values, red line = fitted model. p−value (two.sided) = 0.514


Residuals vs. time
Scaled residuals
1.0
0.8
0.6
0.4
0.2
0.0
0
2
4
6
8
Time
Autocorrelation
ACF
Durbin−Watson test p= 0.87346
Deviation n.s.
1.0
0.5
0.0
−0.5
−1.0
0
2
4
6
8
Lag


Levene Test for homogeneity of variance n.s.
Within−group deviation from uniformity n.s.
simulationOutput$scaledResiduals
1.00
0.75
0.50
0.25
0.00
110378
194666
212266
226090
230186
47210
93290
grp (catPred)


Levene Test for homogeneity of variance n.s.
Within−group deviation from uniformity n.s.
simulationOutput$scaledResiduals
1.00
0.75
0.50
0.25
0.00
110378_NE
110378_SW
194666_SW
212266_SE
226090_NW
230186_SE
47210_NW
93290_NE
93290_SW
grp (catPred)


Random intercept QQ: Quadrant:GRTS_Cell_ID (26 levels)
Sample Quantiles
Theoretical Quantiles
1.0
0.5
0.0
−0.5
−1.0
−2
−1
0
1
2


Random intercept QQ: GRTS_Cell_ID (7 levels)
Sample Quantiles
Theoretical Quantiles
2.0
1.5
1.0
0.5
0.0
−0.5
−1.0
−1.0
−0.5
0.0
0.5
1.0