




DHARMa residuals: Okanagan Region_LACI









Residuals vs YearS
No significant problems detected
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
YearS (rank transformed)



Residuals vs log(quad.nights)
Quantile deviations detected (red curves)
Combined adjusted quantile test significant
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
log(quad.nights) (rank transformed)



Residuals vs moon
No significant problems detected
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
moon (rank transformed)



Residuals vs Distance_to_Clutter__m_
No significant problems detected
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
Distance_to_Clutter__m_ (rank transformed)



Residuals vs dd
No significant problems detected
DHARMa residual
0.00
0.25
0.50
0.75
1.00
0.0
0.2
0.4
0.6
0.8
1.0
dd (rank transformed)



Residuals vs Nightly_Mean_Temp
No significant problems detected
DHARMa residual
0.00
0.25
0.50
0.75
1.00
0.0
0.2
0.4
0.6
0.8
1.0
Nightly_Mean_Temp (rank transformed)



Residuals vs I(YearS^2)
No significant problems detected
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
I(YearS^2) (rank transformed)



DHARMa nonparametric dispersion test via sd of
residuals fitted vs. simulated
Frequency
0
20
40
60
80
100
0
2
4
6
8
Simulated values, red line = fitted model. p−value (two.sided) = 0.438



DHARMa zero−inflation test via comparison to expected zeros with simulation under H0 = fitted model
Frequency
0
50
100
150
5
10
15
20
Simulated values, red line = fitted model. p−value (two.sided) = 0.004


Residuals vs. time
Scaled residuals
1.0
0.8
0.6
0.4
0.2
0.0
0
2
4
6
8
Time
Autocorrelation
ACF
Durbin−Watson test p= 0.73842
Deviation n.s.
1.0
0.5
0.0
−0.5
−1.0
0
2
4
6
8
Lag


Levene Test for homogeneity of variance significant
Within−group deviation from uniformity n.s.
simulationOutput$scaledResiduals
0.00
0.25
0.50
0.75
1.00
110378
132650
194666
212266
226090
230186
265749
38442
47210
73002
93290
grp (catPred)


Levene Test for homogeneity of variance n.s.
Within−group deviation from uniformity n.s.
simulationOutput$scaledResiduals
1.00
0.75
0.50
0.25
0.00
110378_NE
132650_SW
212266_NE
226090_NW
265749_NW
47210_NE
47210_SW
93290_NE
grp (catPred)


Random intercept QQ: Quadrant:GRTS_Cell_ID (37 levels)
Sample Quantiles
Theoretical Quantiles
−2
−1
0
1
2
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5


Random intercept QQ: GRTS_Cell_ID (11 levels)
Sample Quantiles
Theoretical Quantiles
1.0
0.5
0.0
−0.5
−1.0
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5