




DHARMa residuals: Okanagan Region_LANO









Residuals vs YearS
Quantile deviations detected (red curves)
Combined adjusted quantile test significant
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
YearS (rank transformed)



Residuals vs log(quad.nights)
Quantile deviations detected (red curves)
Combined adjusted quantile test significant
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
log(quad.nights) (rank transformed)



Residuals vs Nightly_Mean_RH
Quantile deviations detected (red curves)
Combined adjusted quantile test significant
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
Nightly_Mean_RH (rank transformed)



Residuals vs Nightly_Mean_Windsp
No significant problems detected
DHARMa residual
0.00
0.25
0.50
0.75
1.00
0.0
0.2
0.4
0.6
0.8
1.0
Nightly_Mean_Windsp (rank transformed)



Residuals vs Distance_to_Clutter__m_
Quantile deviations detected (red curves)
Combined adjusted quantile test n.s.
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
Distance_to_Clutter__m_ (rank transformed)



Levene Test for homogeneity of variance n.s.
Within−group deviation from uniformity n.s.
simulationOutput$scaledResiduals
1.00
0.75
0.50
0.25
0.00
0.428985507246377
1
Water_Nearby (rank transformed) (catPred)



Residuals vs Nightly_Min_Temp
Quantile deviations detected (red curves)
Combined adjusted quantile test significant
DHARMa residual
0.00
0.25
0.50
0.75
1.00
0.0
0.2
0.4
0.6
0.8
1.0
Nightly_Min_Temp (rank transformed)



DHARMa nonparametric dispersion test via sd of residuals fitted vs. simulated
Frequency
0
20
40
60
80
0
2
4
6
8
10
12
Simulated values, red line = fitted model. p−value (two.sided) = 0.952



DHARMa zero−inflation test via comparison to expected zeros with simulation under H0 = fitted model
Frequency
0
50
100
150
200
0
2
4
6
8
10
12
Simulated values, red line = fitted model. p−value (two.sided) = 0.006


Residuals vs. time
Scaled residuals
1.0
0.8
0.6
0.4
0.2
0.0
0
2
4
6
8
Time
Autocorrelation
ACF
Durbin−Watson test p= 0.00268
Deviation significant
1.0
0.5
0.0
−0.5
−1.0
0
2
4
6
8
Lag


Levene Test for homogeneity of variance significant
Within−group deviations from uniformity significant (red)
simulationOutput$scaledResiduals
1.00
0.75
0.50
0.25
0.00
110378
132650
194666
212266
226090
230186
265749
38442
47210
93290
grp (catPred)


Levene Test for homogeneity of variance significant
Within−group deviation from uniformity n.s.
simulationOutput$scaledResiduals
1.00
0.75
0.50
0.25
0.00
110378_NE
132650_SE
194666_SE2
212266_SE
226090_SE
265749_NW
38442_SW
47210_SE
93290_SE
grp (catPred)


Random intercept QQ: Quadrant:GRTS_Cell_ID (34 levels)
Sample Quantiles
Theoretical Quantiles
1.0
0.5
0.0
−0.5
−1.0
−2
−1
0
1
2


Random intercept QQ: GRTS_Cell_ID (10 levels)
Sample Quantiles
Theoretical Quantiles
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5
−1.0
−0.5
0.0
0.5