




DHARMa residuals: Okanagan Region_MYTH









Residuals vs YearS
No significant problems detected
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
YearS (rank transformed)



Residuals vs log(quad.nights)
No significant problems detected
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
log(quad.nights) (rank transformed)



Residuals vs dd
No significant problems detected
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
dd (rank transformed)



DHARMa nonparametric dispersion test via sd of residuals fitted vs. simulated
Frequency
0
10
20
30
40
1
2
3
4
Simulated values, red line = fitted model. p−value (two.sided) = 0.778



DHARMa zero−inflation test via comparison to expected zeros with simulation under H0 = fitted model
Frequency
0
10
20
30
40
50
60
70
90
100
110
120
Simulated values, red line = fitted model. p−value (two.sided) = 0.316


Residuals vs. time
Scaled residuals
1.0
0.8
0.6
0.4
0.2
0.0
0
2
4
6
8
Time
Autocorrelation
ACF
Durbin−Watson test p= 0.61654
Deviation n.s.
1.0
0.5
0.0
−0.5
−1.0
0
2
4
6
8
Lag


Levene Test for homogeneity of variance n.s.
Within−group deviation from uniformity n.s.
simulationOutput$scaledResiduals
0.00
0.25
0.50
0.75
1.00
110378
132650
194666
212266
226090
265749
38442
47210
73002
93290
grp (catPred)


Levene Test for homogeneity of variance n.s.
Within−group deviation from uniformity n.s.
simulationOutput$scaledResiduals
0.00
0.25
0.50
0.75
1.00
110378_NE
132650_SE
194666_SW
226090_NE
265749_SE
47210_NE
47210_SW
93290_NE
grp (catPred)


Random intercept QQ: Quadrant:GRTS_Cell_ID (35 levels)
Sample Quantiles
Theoretical Quantiles
−2
−1
0
1
2
−1
0
1
2


Random intercept QQ: GRTS_Cell_ID (10 levels)
Sample Quantiles
Theoretical Quantiles
0.6
0.4
0.2
0.0
−0.2
−0.4
−0.6
−1.5
−1.0
−0.5
0.0
0.5
1.0
1.5