




DHARMa residuals: South Coastal Region_MYTH









Residuals vs YearS
No significant problems detected
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
YearS (rank transformed)



Residuals vs log(quad.nights)
No significant problems detected
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
log(quad.nights) (rank transformed)



Residuals vs dd
No significant problems detected
DHARMa residual
0.00
0.25
0.50
0.75
1.00
0.0
0.2
0.4
0.6
0.8
1.0
dd (rank transformed)



DHARMa nonparametric dispersion test via sd of
residuals fitted vs. simulated
Frequency
0
10
20
30
40
50
60
0
2
4
6
8
Simulated values, red line = fitted model. p−value (two.sided) = 0.304



DHARMa zero−inflation test via comparison to expected zeros with simulation under H0 = fitted model
Frequency
0
20
40
60
80
85
90
95
100
105
110
115
Simulated values, red line = fitted model. p−value (two.sided) = 1


Residuals vs. time
Scaled residuals
1.0
0.8
0.6
0.4
0.2
0.0
0
2
4
6
8
Time
Autocorrelation
ACF
Durbin−Watson test p= 0.01686
Deviation significant
1.0
0.5
0.0
−0.5
−1.0
0
2
4
6
8
Lag


Levene Test for homogeneity of variance n.s.
Within−group deviation from uniformity n.s.
simulationOutput$scaledResiduals
1.00
0.75
0.50
0.25
0.00
143274
172090
249914
326072
73786
86074
grp (catPred)


Levene Test for homogeneity of variance n.s.
Within−group deviation from uniformity n.s.
simulationOutput$scaledResiduals
0.00
0.25
0.50
0.75
1.00
143274_NE
143274_SW
172090_SE
249914_SE
326072_NW
73786_NW
86074_NE
86074_SW
grp (catPred)


Random intercept QQ: Quadrant:GRTS_Cell_ID (22 levels)
Sample Quantiles
Theoretical Quantiles
2.0
1.5
1.0
0.5
0.0
−0.5
−1.0
−2
−1
0
1
2


Random intercept QQ: GRTS_Cell_ID (6 levels)
Sample Quantiles
Theoretical Quantiles
−0.5
0.0
0.5
−1.0
−0.5
0.0
0.5
1.0