






DHARMa residuals: LACI
QQ plot residuals
KS test: p= 0.16584
Deviation n.s.
Dispersion test: p= 0.458
Deviation n.s.
Outlier test: p= 1
Deviation n.s.
Observed
Expected
0.0
0.2
0.4
0.6
0.8
1.0
DHARMa residual vs. predicted
Quantile deviations detected (red curves)
Combined adjusted quantile test significant
DHARMa residual
Model predictions (rank transformed)
0.00
0.25
0.50
0.75
1.00



Levene Test for homogeneity of variance n.s.
Within−group deviation from uniformity n.s.
simulationOutput$scaledResiduals
0.00
0.25
0.50
0.75
1.00
0.0331325301204819
0.198795180722892
0.512048192771084
0.843373493975904
1
YearS (rank transformed) (catPred)



Residuals vs log(transect.length)
Quantile deviations detected (red curves)
Combined adjusted quantile test significant
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
log(transect.length) (rank transformed)



Residuals vs Nightly_Mean_Temp
Quantile deviations detected (red curves)
Combined adjusted quantile test significant
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
Nightly_Mean_Temp (rank transformed)



Residuals vs Nightly_Mean_RH
Quantile deviations detected (red curves)
Combined adjusted quantile test significant
DHARMa residual
0.00
0.25
0.50
0.75
1.00
0.0
0.2
0.4
0.6
0.8
1.0
Nightly_Mean_RH (rank transformed)



Residuals vs Nightly_Mean_Windsp
Quantile deviations detected (red curves)
Combined adjusted quantile test n.s.
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
Nightly_Mean_Windsp (rank transformed)



DHARMa nonparametric dispersion test via sd of residuals fitted vs. simulated
Frequency
0
5
10
15
20
0.5
1.0
1.5
2.0
2.5
Simulated values, red line = fitted model. p−value (two.sided) = 0.458


DHARMa zero−inflation test via comparison to expected zeros with simulation under H0 = fitted model
Frequency
0
20
40
60
80
90
95
100
105
110
115
120
Simulated values, red line = fitted model. p−value (two.sided) = 0.878


Residuals vs. time
Scaled residuals
0.0
0.2
0.4
0.6
0.8
1.0
2
4
6
8
Time


Autocorrelation
Durbin−Watson test p= 0.22808
Deviation n.s.
ACF
−1.0
−0.5
0.0
0.5
1.0
0
2
4
6
8
Lag


Levene Test for homogeneity of variance n.s.
Within−group deviation from uniformity n.s.
simulationOutput$scaledResiduals
0.00
0.25
0.50
0.75
1.00
1194
9466
17706
38442
60586
79018
93290
127850
145578
194666
230186
265749
294832
grp (catPred)


Random intercept QQ: GRTS_Cell_ID (45 levels)
Sample Quantiles
Theoretical Quantiles
−2
−1
0
1
2
−1
0
1
2