




DHARMa residuals: MYSE









Residuals vs YearS
No significant problems detected
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
YearS (rank transformed)



Residuals vs log(transect.length)
No significant problems detected
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
log(transect.length) (rank transformed)



Residuals vs Nightly_Mean_Windsp
No significant problems detected
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
Nightly_Mean_Windsp (rank transformed)


DHARMa nonparametric dispersion test via sd of residuals fitted vs. simulated
Frequency
0
10
20
30
40
50
60
0
2
4
6
8
10
Simulated values, red line = fitted model. p−value (two.sided) = 0.748


DHARMa zero−inflation test via comparison to expected zeros with simulation under H0 = fitted model
Frequency
0
50
100
150
200
250
196
198
200
202
204
Simulated values, red line = fitted model. p−value (two.sided) = 1


Residuals vs. time
Scaled residuals
1.0
0.8
0.6
0.4
0.2
0.0
2
4
6
8
10
Time
Autocorrelation
Durbin−Watson test p= 0.61901
Deviation n.s.
ACF
1.0
0.5
0.0
−0.5
−1.0
0
2
4
6
8
Lag


Levene Test for homogeneity of variance n.s.
Within−group deviation from uniformity n.s.
simulationOutput$scaledResiduals
0.00
0.25
0.50
0.75
1.00
986
6202
16426
37274
60586
86074
110378
137274
147306
212266
241002
268521
317428
grp (catPred)


Random intercept QQ: GRTS_Cell_ID (48 levels)
Sample Quantiles
Theoretical Quantiles
0
2
4
6
8
−2
−1
0
1
2