






DHARMa residuals: MYTH
QQ plot residuals
KS test: p= 0.70819
Deviation n.s.
Dispersion test: p= 0.632
Deviation n.s.
Outlier test: p= 1
Deviation n.s.
Observed
Expected
0.0
0.2
0.4
0.6
0.8
1.0
DHARMa residual vs. predicted
Quantile deviations detected (red curves)
Combined adjusted quantile test significant
DHARMa residual
Model predictions (rank transformed)
0.00
0.25
0.50
0.75
1.00



Residuals vs YearS
No significant problems detected
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
YearS (rank transformed)



Residuals vs log(transect.length)
No significant problems detected
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
log(transect.length) (rank transformed)



Residuals vs moon
No significant problems detected
DHARMa residual
1.00
0.75
0.50
0.25
0.00
0.0
0.2
0.4
0.6
0.8
1.0
moon (rank transformed)


DHARMa nonparametric dispersion test via sd of residuals fitted vs. simulated
Frequency
0
50
100
150
0
1
2
3
4
5
Simulated values, red line = fitted model. p−value (two.sided) = 0.632


DHARMa zero−inflation test via comparison to expected zeros with simulation under H0 = fitted model
Frequency
0
50
100
150
200
246
248
250
252
254
Simulated values, red line = fitted model. p−value (two.sided) = 0.384


Residuals vs. time
Scaled residuals
1.0
0.8
0.6
0.4
0.2
0.0
−15
−10
−5
0
5
10
Time
Autocorrelation
ACF
Durbin−Watson test p= 0.53881
Deviation n.s.
1.0
0.5
0.0
−0.5
−1.0
0
2
4
6
8
10
Lag


Levene Test for homogeneity of variance n.s.
Within−group deviation from uniformity n.s.
simulationOutput$scaledResiduals
0.00
0.25
0.50
0.75
1.00
986
6202
17706
38442
60586
77162
93290
127850
143338
175354
212906
243562
269777
326072
grp (catPred)


Random intercept QQ: GRTS_Cell_ID (52 levels)
Sample Quantiles
Theoretical Quantiles
0
1
2
3
4
−2
−1
0
1
2