

Task 1: Installation of Arch Linux

1. Introduction

Arch Linux is a lightweight, flexible, and highly customizable Linux distribution designed for advanced users. It follows a rolling release model, ensuring that users always have the latest software updates without needing to upgrade to a new version. Arch Linux provides a minimal base system, allowing users to build their setup according to their needs.


2. System Requirements

- Host Operating System: Windows
- Virtualization Software: VMware Workstation
- ISO File: [archlinux-2025.02.01-x86_64.iso](#)

3. Steps for Installation:

3.1 Setting up a new virtual machine:


- Open VMware Workstation and click Create a New Virtual Machine
- Choose ISO image file and browse to select the Arch Linux ISO
- Select Linux as the guest OS and Other Linux 5.x later kernel 64-bit as the version
- Set the virtual machine name as Arch Linux and specify the disk size as 20GB
- Choose Store virtual disk as a single file and click Finish



3.2 Booting into Arch Linux Live Environment

- Power on the virtual machine


- Select Boot Arch Linux from the ISO boot menu



3.4 Configuring the System

- Run archinstall command to initiate install
- Add user with username as "Archlinux" and set a password for the root user
- Create a user account
- Go to profile and select Gnome
- With "Additional Packages", we can specify a list of tools to be installed such as git, fastfetch, htop
- Click 'Install'


Fastfetch:



[illegible][illegible]

- Exit from the chroot environment
- Use “shutdown now” command to shut down the virtual machine
- After rebooting log in as the new user

Reboot the system:



The screenshot shows a terminal window within a VMware Workstation environment. The terminal displays the output of the 'archinstall' script. It lists various steps such as updating caches, installing packages, and checking for conflicts. The installation is progressing smoothly, with progress bars indicating 100% completion for several steps. The terminal output includes the following text:

```
qtl-multimedia: for Qt6 desktop integration
rhino: for JavaScript support
(6/64) reinstalling gcc
(6/64) reinstalling apt
:: Running post-transaction hooks...
(1/7) Running ConditionNeedsUpdate...
(2/7) Updating the MIME type database...
(3/7) Updating fontconfig cache...
(4/7) Updating icon theme caches...
(5/7) Updating the info directory file...
(6/7) Updating the desktop file MIME type cache...
(7/7) Updating the xic plugin cache...
[rooth@archiso ~/] pacman -S flatpak
warning: flatpak-1:1.16.0-1 is up to date -- reinstalling
resolving dependencies...
looking for conflicting packages...

Packages (1) flatpak-1:1.16.0-1
Total Installed Size: 7.24 MiB
Net Upgrade Size: 0.00 MiB

:: Proceed with installation? [Y/n] y
(1/1) checking keys in keyring
(1/1) checking package integrity
(1/1) loading package files
(1/1) checking for file conflicts
(1/1) checking available disk space
:: Processing package changes...
(1/1) reinstalling flatpak
:: Running post-transaction hooks...
(1/7) Creating system user accounts...
(2/7) Reloading system manager configuration...
Skipped: Running in chroot.
Skipped: Reloading user manager configuration...
Skipped: Running in chroot.
(4/7) Restarting marked services...
Skipped: Running in chroot.
(5/7) Creating temporary files...
(6/7) Running ConditionNeedsUpdate...
(7/7) Reloading system bus configuration...
Skipped: Running in chroot.
[rooth@archiso ~/] exit
exit
Installation completed without any errors.
Log files temporarily available at /var/log/archinstall.
You may reboot when ready.

archinstall 137.22s user 232.00s system 0; cpu 21:30:44.57 total
root@archiso ~ #
```

Login to archlinux:

