

HTML Basics

Last Updated : 17 Jul, 2025

- **HTML (Hyper Text Markup Language)** is the standard markup language used to create and structure web pages.
 - It defines the layout of a webpage using elements and tags, allowing for the display of text, images, [links](#), and [multimedia](#) content.
 - As the foundation of nearly all [websites](#), HTML is used in over 95% of all [web pages](#) today, making it an essential part of modern [web development](#).

In this guide, we learn the basics of HTML, which includes HTML tags (`<h1>`, `<p>`, `<img>`, etc), attributes, elements, and document structure which collectively form a working web page.

HTML Basic Document and Structure

Every HTML document begins with a document type declaration, setting the foundation for the webpage. This section introduces basic [HTML tags](#) that structure the page, such as `<head>`, `<body>`, and `<title>`. Although this is not mandatory, it is a good convention to start the document with the below-mentioned tag.



HTML Structure

Below mentioned are the basic HTML tags that divide the whole page into various parts like head, body, etc.

Basic HTML Tags for Document Structure	
Tags	Descriptions
<u><html></u>	Encloses the entire HTML document, serving as the root element for all HTML content.
<u><head></u>	Contains header information about the webpage, including title, meta tags, and linked stylesheets. It is part of the document's structure but is not displayed on the webpage.
<u><title></u>	Used within the <head> section to define the title of the HTML document. It appears in the browser tab or window and provides a brief description of the webpage's content.
<u><body></u>	Encloses the visible content of the webpage, such as text, images, audio, videos, and links. All elements within this tag are displayed on the actual webpage when viewed in a browser.

Example:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport"
    content="width=device-width, initial-scale=1.0">
  <title>HTML</title>
</head>
<body>
  <!--Contents of the webpage-->
  <p>GeeksforGeeks is a online study platform</p>
</body>
</html>
```

Code Overview:

- This HTML document defines a basic webpage with a responsive design using <meta> tags, ensuring it adjusts well to different devices.
- The content includes a paragraph <p> displaying "GeeksforGeeks is an online study platform," and the title "HTML" appears in the browser tab.

HTML Headings

The [HTML heading](#) tags are used to create headings for the content of a webpage. These tags are typically placed inside the body tag. HTML offers six heading tags, from <h1> to <h6>, each displaying the heading in a different font size.

Syntax:

```
<h1></h1>
<h2></h2>
<h3></h3>
<h4></h4>
<h5></h5>
<h6></h6>
```

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport"
    content="width=device-width, initial-scale=1.0">
  <title>HTML</title>
</head>
<body>
  <h1>Heading 1 (h1)</h1>
  <h2>Heading 2 (h2)</h2>
  <h3>Heading 3 (h3)</h3>
  <h4>Heading 4 (h4)</h4>
  <h5>Heading 5 (h5)</h5>
  <h6>Heading 6 (h6)</h6>
</body>
</html>
```

Code Overview:

- This code displays six headings (<h1> to <h6>) on the webpage, with <h1> being the largest and most prominent and <h6> being the smallest.
- The headings are used to define text hierarchy and emphasize content based on importance.

HTML Paragraph and Break Elements

HTML <p> tags are used to write paragraph statements on a webpage. They start with the <p> tag and end with </p>. The HTML
 tag is used to insert a single line break and does not require a closing tag. In HTML, the break tag is written as
.

Syntax:

```
// for Paragraph
<p> Content... </p>
// for Break
<br>
```

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport"
    content="width=device-width, initial-scale=1.0">
  <title>HTML</title>
</head>
<body>
  <p>
    HTML stands for HyperText Markup Language.<br>
    It is used to design web pages using a markup
    language.<br>HTML is a combination of Hypertext
    and Markup language.<br>Hypertext defines the
    link between web pages.<br>A markup language
    is used to define the text document within the
    tag which defines the structure of web pages.
  </p>
</body>
</html>
```

Code Overview:

- This HTML code uses a <p> tag to display a paragraph of text, providing an overview of what HTML is and its purpose.
- The
 tags are used to insert line breaks, making the text more readable by separating each sentence onto a new line within the paragraph.

HTML Horizontal Line

The HTML <hr> tag is used to divide a page into sections by creating a horizontal line that spans from the left to the right side of the page. This is an empty tag and does not require a closing tag or any additional attributes.

Syntax:

<hr>

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport"
    content="width=device-width, initial-scale=1.0">
  <title>HTML</title>
</head>
<body>
  <p>
    A Computer Science portal for geeks<br>
    A Computer Science portal for geeks<br>
    A Computer Science portal for geeks<br>
  </p>
  <hr>
  <p>
    A Computer Science portal for geeks<br>
    A Computer Science portal for geeks<br>
    A Computer Science portal for geeks<br>
  </p>
  <hr>
  <p>
    A Computer Science portal for geeks<br>
    A Computer Science portal for geeks<br>
    A Computer Science portal for geeks<br>
  </p>
  <hr>
</body>
</html>
```

Code Overview:

- <h1> to <h6> tags are used to define headings, with <h1> being the largest and <h6> the smallest.
- Each tag displays "Hello World!" in decreasing font sizes, illustrating the hierarchy of headings in HTML.

HTML Comments

HTML comments are annotations in your code that are not displayed in the browser. They are enclosed within <!-- and --> tags and are primarily used for documentation, explanation, or temporarily disabling code during debugging.

Syntax of HTML Comments

- **Single-line comment:**

```
<!-- This is a single-line comment -->
```

- **Multi-line comment:**

```
<!--  
This is a multi-line comment  
spanning multiple lines  
-->
```

Example Usage of HTML Comments

```
<!DOCTYPE html>  
<html lang="en">  
<head>  
  <meta charset="UTF-8">  
  <meta name="viewport"  
    content="width=device-width, initial-scale=1.0">  
  <title>HTML</title>  
</head>  
<body>  
  <!-- This is a heading tag -->  
  <h1>Welcome to GeeksforGeeks</h1>  
  <!-- This is a paragraph tag -->  
  <p>Learn HTML, CSS, and JavaScript here.</p>  
</body>  
</html>
```

In this example, the comments provide context about the purpose of each HTML element.

Best Practices for Using HTML Comments

- **Be concise and relevant:** Write comments that explain the "why" behind the code in a brief and clear manner.
- **Avoid over-commenting:** Do not state the obvious. Let the code itself explain when possible.
- **Keep comments up-to-date:** Ensure comments reflect changes in the code to avoid confusion.

HTML Images

The [tag](#) is used to insert an image into a webpage. The source of the image is specified within the `src` attribute, like this: ``.

Syntax:

```

```

- This HTML code uses the `<img>` tag to display an image on a webpage.