PERFORMANCE WORK STATEMENT
JANITORIAL AND GROUNDS MAINTENANCE SERVICES

National Park Service · Tamarack Lakes National Recreation Area · Aitkin and Itasca Counties, Minnesota

PART 1 – GENERAL

1.1 Location. Tamarack Lakes National Recreation Area (TALA) is located 14 miles north of Tamarack, Minnesota, on State Highway 65. The park consists of 61,800 acres, 9,400 of which are lake, and received approximately 412,000 recreation visits in 2025. Park Headquarters and the Lakeview Visitor Center are located at mile 0.4 of the Park Road:

National Park Service
Tamarack Lakes National Recreation Area
4120 Lakeview Visitor Center Road
Tamarack, Minnesota

1.2 Background. TALA operates a year-round visitor center and headquarters, a 96-site campground with two shower houses, a swim beach, two day use areas, a marina operated by a concessioner, and vault toilets at trailheads, overlooks and boat accesses. Campgrounds, day use areas and most restroom buildings are open seasonally; when the water systems are winterized, only the year-round buildings and selected vault toilets remain open. All flush toilets are on the park wastewater system; vault toilets are pumped under a separate contract.

1.3 Scope. The Contractor shall provide all management, supervision, labor, transportation, equipment, cleaning chemicals and materials (except as stated in 1.8) necessary to perform (a) janitorial services at the facilities listed in Technical Exhibit 1, Facility Schedule, at the frequencies stated there, and (b) grounds maintenance at the areas listed in Technical Exhibit 3, Grounds Maintenance Schedule. The Contractor shall perform the work in a manner that maintains the sanitary condition and the appearance of park facilities and protects park resources.

1.4 Period of Performance. This requirement is for a base year, with the potential for up to four option years, exercised at the discretion of the National Park Service:

Period	Dates
Base Year	April 1, 2027 – March 31, 2028
Option Year 1	April 1, 2028 – March 31, 2029
Option Year 2	April 1, 2029 – March 31, 2030
Option Year 3	April 1, 2030 – March 31, 2031
Option Year 4	April 1, 2031 – March 31, 2032

The Government may also extend services for up to six (6) months under FAR 52.217-8, Option to Extend Services.

1.5 Seasons of Operation. Cleaning frequencies in Technical Exhibit 1 are stated for three seasons. Season dates for the base year are shown below; in option years the Peak season moves with Memorial Day and Labor Day.

Season	Definition	Base-year dates
Peak	Friday before Memorial Day through Labor Day	May 28, 2027 – September 6, 2027 (102 days)
Shoulder	May 1 to the start of Peak, and the day after Labor Day through October 15	May 1 – May 27, 2027 and September 7 – October 15, 2027
Winter	October 16 through April 30	April 1 – April 30, 2027 and October 16, 2027 – March 31, 2028

Each facility is serviced only while it is open (Technical Exhibit 1, Column 11). Opening and closing dates may be changed by the COR by up to 14 days because of weather, ice-out or water-system conditions; the Contractor will be notified in writing (e-mail) at least 48 hours in advance.

1.6 Hours of Work. Work at the Visitor Center and Headquarters shall be performed between 06:00 and 09:00 or after 16:30, except restroom service required 2X/DAY. Restroom buildings in campgrounds and day use areas shall be serviced between 07:00 and 13:00 so that facilities are clean for afternoon and evening use. Quiet hours in Birch Point Campground (22:00 – 06:00) shall be observed.

1.7 Holidays. Facilities scheduled 7X/WK are serviced on Federal holidays. Facilities scheduled 5X/WK (M–F) are not serviced on Federal holidays; work scheduled on a holiday shall be performed the workday before or the workday after.

1.8 Government-Furnished Supplies. The Government will furnish toilet tissue, paper towels, hand soap, hand sanitizer, trash liners and vault-toilet deodorant, stored at the Maintenance Shop (Bldg. 120). The Contractor shall furnish all other cleaning chemicals, which shall be EPA Safer Choice or biobased products approved by the COR, and all equipment, including mowers, tractors, trimmers, blowers and a boat (with operator) for Pine Island (VT-58).

1.9 Wage Determination. Service Contract Act Wage Determination No. 2015-5013, Revision 27 (Minnesota – Aitkin, Itasca Counties) applies. Janitor (11150) and Laborer, Grounds Maintenance (11030) are the principal classes.

PART 2 – JANITORIAL SERVICES

2.1 Facilities. Technical Exhibit 1 lists 34 buildings and structures. Facilities with a frequency code (Technical Exhibit 2) in Columns (12) through (14) are serviced under this contract. Rows marked N/S (no service), OPT (option) or CONC (concessioner) are listed for reference and are not serviced unless added by modification. All buildings and structures are single-story except the Lakeview Visitor Center (Bldg. 101, two levels with elevator) and the Park Headquarters (Bldg. 102, two stories). Facility types are:

a. **Visitor center, contact station, administrative and entrance buildings** (VC, ADM, FEE): offices, lobbies, exhibit areas, restrooms and break rooms; carpet, resilient tile and sealed concrete floors.
b. **Comfort stations** (CS): flush-toilet restroom buildings with sinks, and at Sandy Bay, changing rooms.
c. **Shower houses** (SH): campground flush-toilet buildings with shower stalls.
d. **Vault toilet buildings** (VT-S single riser, VT-D double riser): precast concrete buildings without water. Cleaning includes risers, seats, floors, walls, vents and screens, removal of trash from vaults by grabber, and restocking; it does <u>not</u> include pumping.
e. **Picnic shelters and fish cleaning station** (PS, FCS): open-sided roofed structures. Cleaning includes sweeping the slab, washing tables and counters, cleaning grills and sinks, removing spider webs and emptying trash.

2.2 Square Footage. Column (6), Gross SF, is the building gross area recorded in the NPS Facility Management Software System (FMSS). For picnic shelters and the fish cleaning station, Gross SF is the roofed area measured at the drip line; for vault toilet buildings it is the exterior footprint. Unless a note limits service to part of a building, the entire building is serviced. The Contractor shall bill only for facilities and seasons actually serviced.

2.3 Cleaning Frequencies.

2.3.1 Columns (12) – (14) of Technical Exhibit 1 give the minimum cleaning frequency for each facility in each season, using the codes defined in Technical Exhibit 2. A dash (—) means the facility is closed in that season. The frequencies listed are the minimum and are in no way intended to limit the frequency that may be necessary to meet the performance standards in Part 4.

2.3.2 A frequency followed by “(d)” in the Winter column applies only while the facility is open (for example, North Arm Boat Launch VT-41 is open through November 15).

2.3.3 During the Peak season the main-level public restrooms of the Lakeview Visitor Center (Bldg. 101) shall be serviced 2X/DAY; the rest of the building is cleaned 7X/WK.

2.3.4 Periodic tasks (floor scrubbing and refinishing, pressure washing of comfort station and shower house floors, window washing, carpet extraction) are scheduled in Technical Exhibit 2, Table 2-B.

2.4 Opening and Closing Cleans. Each seasonal facility shall receive one opening clean within the five (5) days before its open date and one closing clean within three (3) days after its close date. The NPS performs water-system start-up and winterization; the Contractor shall not operate valves or drain lines.

2.5 Areas and Services Not Included. The following are not part of this contract:

a. the Sandy Bay Concession Stand and Beach Store (Bldg. 312) and the North Arm Marina Store and Restrooms (Bldg. 412), which are cleaned by the park concessioners under their concession contracts;
b. the Fire Cache / Cold Storage building (Bldg. 121), and the shop bays, wash bay, welding area and parts storage of the Maintenance Shop (Bldg. 120) – service in Bldg. 120 is limited to the office, break room and locker/restroom area of approximately 1,240 SF (Technical Exhibit 1, Note (b));
c. the Pelican Point Comfort Station (Bldg. 413), which is closed and scheduled for demolition;
d. the Birch Point Group Camp Shower House (Bldg. 214), unless Optional CLIN 0004 is exercised (Note (c));
e. composting toilets at the 14 backcountry campsites and the 3 portable toilets at the North Arm ice-fishing access, which are serviced by NPS staff or under separate contract;
f. pumping of vault toilets, septic tanks and lift stations (separate blanket purchase agreement).

2.6 Changes in Facilities. Facilities may be added, deleted or closed during the contract because of construction, high water, fire danger, lapse in appropriations or other conditions. The Contracting Officer (CO) will advise the Contractor in writing as far in advance as possible, but no less than forty-eight (48) hours in advance of stop-service and when service should be resumed. Additions and deletions will be priced by modification using the unit prices for the facility type and season in the Schedule of Items.

2.7 Restocking and Reporting. Dispensers shall be fully stocked at the end of each service. The Contractor shall report plugged fixtures, vandalism, graffiti, wildlife in buildings and vaults more than three-quarters full to the COR by e-mail the same day and shall post an “Out of Order” sign on any unusable fixture.

PART 3 – GROUNDS MAINTENANCE

3.1 Mowing Season. Mowing and trimming are performed from May 1 through October 15 (approximately 24 weeks). Areas, acreages and frequencies are listed in Technical Exhibit 3, Table 3-A. The grounds types are:

a. **Type I – Improved:** mow at 3 inches when grass reaches 4 inches, not less than once per week (1X/WK); trim around buildings, signs, tables, fire rings and posts at each mowing; edge walks 1X/MO.
b. **Type II – Semi-improved:** mow at 4 – 6 inches once every three weeks (1X/3 WKS, eight cycles per season) with tractor-mounted equipment; no trimming except around signs and guardrail ends.
c. **Type III – Unimproved:** mow once per year (1X/YR), not before August 1, to protect nesting grassland birds.

3.2 Paved Areas. Parking lots, the Visitor Center plaza and the Lakeshore Paved Trail (Table 3-B) shall be kept free of litter and debris; parking lots shall be swept with a mechanical sweeper at the frequencies shown. Snow and ice removal is performed by the NPS and is not part of this contract.

3.3 Campsite and Site Policing. The Contractor shall police campsites, remove ashes from fire rings and empty bear-resistant trash and recycling containers at the quantities and frequencies in Table 3-C.

3.4 Grounds Work Not Included. Natural-surface trails (approximately 41 miles), trail brushing, hazard tree removal, beach sand grooming at Sandy Bay, prairie restoration units and the Park Road right-of-way beyond the 8-foot shoulder swath are maintained by NPS crews and are not part of this contract.

3.5 Protection of Resources. Mowing equipment shall not be operated within 50 feet of the lakeshore (except established lawns at Sandy Bay and North Arm) or in the archeological sites flagged by the COR. Clippings shall not be blown into the lake.

PART 4 – QUALITY CONTROL AND PERFORMANCE STANDARDS

4.1 Quality Control Plan. The Contractor shall submit a Quality Control Plan (QCP) with its quote and a final QCP within 30 calendar days after award. The QCP shall describe how each facility and grounds area will be inspected after service, how deficiencies will be corrected, and how service logs (date, time, facility, initials) will be kept in each restroom building and provided to the COR weekly.

4.2 Performance Requirements Summary. The Government will evaluate performance using the standards below. When a standard is not met, the deduction shown may be taken from the monthly invoice.

Task	Standard	Frequency	AQL / Deductions
Clean and disinfect restroom fixtures (toilets, vault risers, urinals, sinks, showers)	Fixtures and seats free of soil, stains, scale, urine and odor; partitions and walls free of graffiti; floors free of standing water and debris.	As stated in Tech. Exhibit 1	100% – $50 per facility for each service not performed or not meeting the standard.
Replenish supplies	All dispensers stocked at completion of each service; no empty dispenser reported.	Each service	100% – $50 for each instance when standard is not met.
Empty trash and recycling	Containers no more than 3/4 full; liners replaced; no litter within 25 ft of building.	Each service	95% – $25 per container.
Shower stalls	Free of hair, soap film, mildew and scale; drains flowing.	Each service	100% – $50 per shower house per day.
Interior floors (VC, ADM, FEE, MS)	Free of obvious dirt, water streaks, mop marks and build-up.	As stated	95% – $1.50 per sq. ft. for the entire room or area being serviced when standards are not met.
Picnic shelters and fish cleaning station	Tables and counters washed; slab swept; grills free of grease and ash build-up; fish waste removed to the grinder.	As stated	95% – $25 per structure.
Mowing and trimming	Grass within height range for the type; no uncut strips; trimmed to the same height; walks and lots blown clean.	Table 3-A	95% – $40 per acre not meeting the standard.
Parking lots and walks	No more than 5 pieces of litter per 1,000 SF; swept per schedule.	Table 3-B	95% – $0.02 per SF of lot not meeting the standard.
Service logs and reports	Logs current in each building; reports in 2.7 made the same day.	Weekly	100% – $100 per missing weekly log.

4.3 Inspections. The COR or a designated Government inspector will inspect a random sample of facilities each week and all facilities at least monthly. Deficiencies identified before 12:00 shall be corrected the same day; those identified after 12:00 by 10:00 the next day.

4.4 Key Control. The Contractor will be issued keys for the buildings in Technical Exhibit 1 and gate keys for the Park Road winter closure gates. Lost keys shall be reported within 24 hours; the cost of re-keying will be deducted from the invoice.

4.5 Technical Exhibits. Technical Exhibit 1 – Facility Schedule (3 pages); Technical Exhibit 2 – Frequency Codes and Task Frequencies; Technical Exhibit 3 – Grounds Maintenance Schedule. Facility location maps are posted as a separate attachment (J-2).

TECHNICAL EXHIBIT 1 – FACILITY SCHEDULE (JANITORIAL)

Page 1 of 3 · Areas A – B

Facility Identification					Size	Plumbing Fixtures (each)[1]				Operating Season	Cleaning Frequency by Season[2]			Notes
Item No.	FMSS Loc. No.	Bldg./ Asset No.	Facility Name / Location	Type[3]	Gross SF[4]	Toilets	Urinals	Sinks	Showers	Open – Close	Peak	Shoulder	Winter	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
AREA A – HEADQUARTERS / LAKEVIEW VISITOR CENTER (Park Road mile 0.4)														
1	108214	101	Lakeview Visitor Center	VC	11,860	8	3	8	—	Year-round	7X/WK	7X/WK	5X/WK (W–Su)	Two levels, elevator. Main-level public restrooms 2X/DAY in Peak (PWS 2.3.3).
2	108215	102	Park Headquarters / Administration Building	ADM	6,420	4	1	4	—	Year-round	5X/WK (M–F)	5X/WK (M–F)	5X/WK (M–F)	Two stories, no elevator. Service after 16:30.
3	108219	104	Ranger Station / Law Enforcement Office	ADM	2,180	2	—	2	1	Year-round	3X/WK (M/W/F)	3X/WK (M/W/F)	3X/WK (M/W/F)	Escort required in evidence room.
4	108230	105	Main Entrance Station (Fee Booth)	FEE	168	1	—	1	—	Memorial Day wknd – Labor Day	7X/WK	—	—	Staff restroom only.
5	108241	120	Maintenance Shop	MS	8,960	2	1	2	1	Year-round	1X/WK	1X/WK	1X/WK	Note (b): office, break room and locker/restrooms only.
6	*108243*	*121*	*Fire Cache / Cold Storage*	*STG*	*3,200*	—	—	—	—	*Year-round*	*N/S*	*N/S*	*N/S*	*Listed for reference only. No janitorial service.*
Area A Subtotal – serviced facilities (5)[5]					**29,588**	**17**								
AREA B – BIRCH POINT CAMPGROUND AND BOAT LAUNCH (96 sites, Loops A–C)														
7	108310	210	Birch Point Shower House A (Loop A, sites A1–A34)	SH	1,420	4	1	4	6	05/14 – 10/15	7X/WK	7X/WK	—	Coin-op showers; 1 family/ADA room.
8	108311	211	Birch Point Shower House B (Loop B, sites B1–B32)	SH	1,420	4	1	4	6	05/14 – 10/15	7X/WK	7X/WK	—	
9	108312	212	Birch Point Comfort Station (Loop C, sites C1–C30)	CS	640	4	1	4	—	05/14 – 10/15	7X/WK	7X/WK	—	Flush; no showers.
10	108315	213	Birch Point Campground Registration Office	FEE	320	1	—	1	—	05/14 – 10/15	7X/WK	5X/WK (Th–M)	—	Host/registration; staff restroom.
11	*108318*	*214*	*Birch Point Group Camp Shower House*	*SH*	*980*	*2*	*1*	*2*	*4*	*Closed*	*OPT*	*OPT*	*OPT*	*Note (c): Optional CLIN 0004 only.*
12	108320	VT-21	Birch Point Boat Launch Vault Toilet	VT-D	144	2	—	—	—	05/01 – 10/31	7X/WK	3X/WK	1X/WK (d)	
13	108322	PS-22	Birch Point Picnic Shelter	PS	1,200	—	—	—	—	05/14 – 10/15	2X/WK	1X/WK	—	8 tables, 2 grills.
14	108325	FC-23	Birch Point Fish Cleaning Station	FCS	288	—	—	—	—	05/08 – 10/15	7X/WK	3X/WK	—	Open-sided; 2 cleaning sinks and grinder (not restroom fixtures).
Area B Subtotal – serviced facilities (7)[5]					**5,432**	**15**								

Continued on Technical Exhibit 1, page 2

TECHNICAL EXHIBIT 1 – FACILITY SCHEDULE (JANITORIAL) (continued)

Page 2 of 3 · Areas C – D

Facility Identification					Size	Plumbing Fixtures (each)[1]				Operating Season	Cleaning Frequency by Season[2]			Notes
Item No.	FMSS Loc. No.	Bldg./ Asset No.	Facility Name / Location	Type[3]	Gross SF[4]	Toilets	Urinals	Sinks	Showers	Open – Close	Peak	Shoulder	Winter	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
AREA C – SANDY BAY DAY USE AREA AND SWIM BEACH														
15	108410	310	Sandy Bay Beach House (Changing Rooms and Restrooms)	CS	2,240	6	2	6	2	05/28 – 09/06	2X/DAY	—	—	Interior rinse showers counted; 4 exterior foot showers are not.
16	108412	311	Sandy Bay Comfort Station (Picnic Area)	CS	560	3	1	3	—	05/15 – 09/30	7X/WK	3X/WK (M/W/F)	—	
17	*108415*	*312*	*Sandy Bay Concession Stand and Beach Store*	*CON*	*1,860*	*2*	*1*	*2*	*—*	*05/28 – 09/06*	*CONC*	*CONC*	*CONC*	*Cleaned by concessioner.*
18	108420	PS-31	Sandy Bay Picnic Shelter No. 1 (Group, reservable)	PS	2,400	—	—	—	—	05/15 – 09/30	2X/WK (e)	1X/WK	—	24 tables; electrical outlets.
19	108421	PS-32	Sandy Bay Picnic Shelter No. 2	PS	960	—	—	—	—	05/15 – 09/30	1X/WK	1X/WK	—	
Area C Subtotal – serviced facilities (4)[5]					**6,160**	**9**								
AREA D – NORTH ARM DAY USE AREA AND MARINA														
20	108510	410	North Arm Comfort Station	CS	720	4	1	3	—	05/01 – 10/15	7X/WK	3X/WK	—	
21	108512	411	North Arm Contact Station (Seasonal Visitor Contact)	VC	1,350	2	—	2	—	05/28 – 09/06	5X/WK (Th–M)	—	—	Staffed by NPS interpreters Thu–Mon.
22	*108515*	*412*	*North Arm Marina Store and Restrooms*	*CON*	*2,080*	*2*	*1*	*2*	*—*	*05/01 – 10/15*	*CONC*	*CONC*	*CONC*	*Cleaned by marina concessioner.*
23	*108517*	*413*	*Pelican Point Comfort Station*	*CS*	*480*	*2*	*1*	*2*	*—*	*Closed*	*N/S*	*N/S*	*N/S*	*Closed 2025; scheduled for demolition FY 2027.*
24	108520	VT-41	North Arm Boat Launch Vault Toilet	VT-D	156	2	—	—	—	04/15 – 11/15	7X/WK	2X/WK	1X/WK (d)	Open through ice-fishing access closure.
25	108522	PS-42	North Arm Picnic Shelter	PS	1,200	—	—	—	—	05/01 – 10/15	2X/WK	1X/WK	—	
Area D Subtotal – serviced facilities (4)[5]					**3,426**	**8**								

Continued on Technical Exhibit 1, page 3

TECHNICAL EXHIBIT 1 – FACILITY SCHEDULE (JANITORIAL) (continued)

Page 3 of 3 · Area E and Totals

Facility Identification					Size	Plumbing Fixtures (each)[1]				Operating Season	Cleaning Frequency by Season[2]			Notes
Item No.	FMSS Loc. No.	Bldg./ Asset No.	Facility Name / Location	Type[3]	Gross SF[4]	Toilets	Urinals	Sinks	Showers	Open – Close	Peak	Shoulder	Winter	
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)
AREA E – OUTLYING TRAILHEADS, OVERLOOKS AND BOAT ACCESSES														
26	108610	VT-51	Eagle Bluff Overlook Vault Toilet	VT-S	72	1	—	—	—	Year-round	3X/WK	1X/WK	1X/WK	Winter access by Park Road (plowed).
27	108612	VT-52	Cedar Creek Trailhead Vault Toilet	VT-D	156	2	—	—	—	Year-round	3X/WK	1X/WK	1X/WK	
28	108614	VT-53	Tamarack Ski Trail Trailhead Vault Toilet	VT-S	64	1	—	—	—	Year-round	1X/WK	1X/WK	1X/WK	Heaviest use Dec–Mar (ski trail).
29	108616	VT-54	Mud Lake Boat Access Vault Toilet	VT-S	72	1	—	—	—	05/01 – 10/31	1X/WK	1X/WK	1X/WK (d)	Gravel access road, 2.3 mi.
30	108618	VT-55	Hidden Falls Trailhead Vault Toilet	VT-D	144	2	—	—	—	05/01 – 10/31	2X/WK	2X/WK	2X/WK (d)	
31	108620	VT-56	Loon Narrows Boat Access Vault Toilet	VT-S	72	1	—	—	—	05/01 – 10/31	1X/WK	1X/WK	1X/WK (d)	
32	108622	VT-57	Old Mill Picnic Area Vault Toilet	VT-D	144	2	—	—	—	05/15 – 10/15	2X/WK	1X/WK	—	
33	108624	VT-58	Pine Island Boat-in Campsites Vault Toilet	VT-S	64	1	—	—	—	05/28 – 09/06	1X/WK (f)	—	—	Boat access only; 6 campsites.
34	108626	PS-59	Old Mill Picnic Shelter (CCC-era, historic)	PS	880	—	—	—	—	05/15 – 10/15	1X/WK	1X/WK	—	Note (g): no pressure washing of log walls.
Area E Subtotal – serviced facilities (9)[5]					**1,668**	**11**								
TOTAL – ALL AREAS: 34 facilities listed; 29 serviced[5]					**46,274**	**60**	**12**	**44**	**16**					

[1] Plumbing fixtures are those in the restroom, locker and changing areas serviced. For vault toilet buildings, "Toilets" is the number of risers (1 = single riser, 2 = double riser). A dash (—) is zero or not applicable.

[2] Seasons are defined in PWS 1.5 (Peak 05/28 – 09/06, Shoulder 05/01 – 05/27 and 09/07 – 10/15, Winter 10/16 – 04/30 for the base year). Frequency codes are defined in Technical Exhibit 2. — = closed; N/S = no service; OPT = option only; CONC = cleaned by concessioner.

[3] Type codes: VC visitor center / contact station; ADM administrative; FEE entrance or registration station; MS maintenance shop; SH shower house; CS comfort station; VT-S / VT-D vault toilet, single / double riser; PS picnic shelter; FCS fish cleaning station; CON concession-operated; STG storage.

[4] Gross SF per FMSS (PWS 2.2). Picnic shelters and FCS: roofed area at drip line. Vault toilets: exterior footprint.

[5] Subtotals and totals include only serviced facilities; rows marked N/S, OPT or CONC are excluded.

(b) Bldg. 120: service limited to the office, break room and locker/restroom area, approx. 1,240 SF; shop bays, wash bay, welding area and parts storage are excluded (PWS 2.5(b)). (c) Bldg. 214: Group Camp closed pending water system replacement; priced as Optional CLIN 0004 only. (d) Winter frequency applies only while the facility is open (PWS 2.3.2). (e) Plus one clean after each reservation (approx. 40 per season), included in price. (f) Contractor-furnished boat; service on Thursday. (g) Historic structure: hand-clean only.

Summary by Facility Type (serviced facilities)

Type	Description	No. Serviced	Gross SF	Toilets / Risers
VC	Visitor Center / Contact Station	2	13,210	10
ADM	Administrative / Office	2	8,600	6
FEE	Entrance or Registration Station	2	488	2
MS	Maintenance Shop	1	8,960	2
SH	Shower House (flush toilets + showers)	2	2,840	8
CS	Comfort Station (flush toilets)	4	4,160	17
VT-S	Vault Toilet Building, single riser	5	344	5
VT-D	Vault Toilet Building, double riser	5	744	10
PS	Picnic Shelter (open-sided)	5	6,640	—
FCS	Fish Cleaning Station (open-sided)	1	288	—
Total serviced		**29**	**46,274**	**60**

TECHNICAL EXHIBIT 2 – FREQUENCY CODES AND TASK FREQUENCIES

Table 2-A – Frequency Codes (used in Technical Exhibits 1 and 3)

Code	Meaning
2X/DAY	Twice daily, 7 days per week, including holidays. First service complete by 10:00; second between 14:00 and 16:00.
7X/WK	Once daily, 7 days per week, including Federal holidays.
5X/WK (M–F)	Monday through Friday, excluding Federal holidays.
5X/WK (W–Su), (Th–M)	Five consecutive days as shown, including holidays that fall on those days.
3X/WK	Three non-consecutive days per week; Monday, Wednesday and Friday unless the COR approves other days. One service shall fall on Friday or Saturday for public facilities.
2X/WK	Two non-consecutive days per week, one of which shall be Friday or Saturday.
1X/WK	Once per week, on Thursday or Friday.
BW / MO / QTR	Every other week / once per month / once per quarter (periodic tasks, Table 2-B).
SEAS	Once per season (opening clean and closing clean, PWS 2.4).
1X/3 WKS, 1X/YR	Grounds only: once every three weeks / once per year (Table 3-A).
— / N/S / OPT / CONC	Closed in that season / no service under this contract / option only (not serviced unless the option is exercised) / cleaned by concessioner.

Table 2-B – Task Frequencies by Facility Type (“Each service” = at every scheduled service in Technical Exhibit 1)

Task	VC / ADM / FEE / MS	CS / SH	Beach House (310)	VT-S / VT-D	PS / FCS
Clean and disinfect toilets, risers, urinals, sinks	Each service	Each service	Each service	Each service	—
Clean shower stalls, benches and drains	—	Each service	Each service (Bldg. 310)	—	—
Sweep and wet-mop floors	Each service	Each service	Each service	Each service	Sweep each service
Vacuum carpet and walk-off mats	Each service	—	—	—	—
Empty trash and recycling; replace liners	Each service	Each service	Each service	Each service	Each service
Remove trash from vault by grabber	—	—	—	Each service	—
Wash tables, counters, grills, cleaning sinks	—	—	—	—	Each service
Spot-clean walls, doors, partitions; remove graffiti	1X/WK	Each service	Each service	Each service	Each service
Remove cobwebs, wasp nests (non-chemical)	MO	1X/WK	1X/WK	1X/WK	1X/WK
Pressure wash floors and walls	—	MO (Peak), SEAS	BW (Peak)	SEAS	MO (Peak)
Scrub and recoat resilient floors	QTR (Bldg. 101), 2X/YR other	—	—	—	—
Carpet hot-water extraction	2X/YR	—	—	—	—
Clean interior windows and lobby glass	MO	—	—	—	—
Clean light fixtures, vents and screens	QTR	QTR	QTR	MO	—

Periodic tasks (BW, MO, QTR, 2X/YR, SEAS) are performed only while a facility is open and are included in the price for the facility; they do not change the facility’s routine frequency in Technical Exhibit 1. “(Peak)” means during the Peak season only.

TECHNICAL EXHIBIT 3 – GROUNDS MAINTENANCE SCHEDULE

Table 3-A – Mowing and Trimming (season May 1 – October 15)

Item	Location / Area	Type[a]	Acres	Frequency	Remarks
G-1	Lakeview Visitor Center, Headquarters and Ranger Station grounds (Bldgs. 101, 102, 104)	I	6.4	1X/WK	Includes VC entry lawn and flagpole circle.
G-2	Maintenance compound perimeter (Bldg. 120)	II	2.2	1X/3 WKS	Inside security fence only.
G-3	Birch Point Campground, Loops A–C (campsite pads and loop interiors)	I	9.8	1X/WK	Mow Mon–Thu only (campers).
G-4	Sandy Bay Day Use Area lawns (excludes sand beach)	I	7.5	1X/WK	Complete before 10:00 in Peak.
G-5	North Arm Day Use Area	I	3.6	1X/WK	
G-6	Park Road shoulders, 8-ft swath both sides (11.2 mi)	II	21.7	1X/3 WKS	Tractor/flail; flaggers per MUTCD.
G-7	Old Mill historic meadow and picnic area margins	III	14.0	1X/YR	Not before August 1 (grassland bird nesting).
G-8	Trailhead and boat-access parking islands (8 sites, Area E)	II	1.9	1X/3 WKS	
	Subtotal, Type I – Improved	**I**	**27.3**		
	Subtotal, Type II – Semi-improved	**II**	**25.8**		
	Subtotal, Type III – Unimproved	**III**	**14.0**		
	TOTAL MOWING AREA		**67.1**		

[a] Type I Improved, Type II Semi-improved, Type III Unimproved, as defined in PWS 3.1. Acreages are approximate, measured from GIS; quantities will not be re-measured for payment.

Table 3-B – Parking Lots, Walks and Paved Trail

Item	Location	Surface	Quantity	Unit	Service / Frequency
P-1	Lakeview Visitor Center parking lot (incl. bus/RV row)	Asphalt	52,800	SF	Litter 3X/WK; sweep 1X/MO (May–Oct)
P-2	Headquarters / Ranger Station employee lot	Asphalt	14,600	SF	Litter 1X/WK; sweep 1X/MO (May–Oct)
P-3	Birch Point day-use and boat launch trailer lot	Asphalt	38,400	SF	Litter 7X/WK Peak, 2X/WK Shoulder
P-4	Sandy Bay Beach Lots 1 and 2	Asphalt	71,500	SF	Litter 7X/WK Peak; sweep 2X/MO Peak
P-5	North Arm boat launch and trailer parking	Asphalt	46,200	SF	Litter 3X/WK Peak, 1X/WK Shoulder
W-1	Visitor Center plaza and sidewalks	Concrete	9,850	SF	Blow/sweep 3X/WK; edge 1X/MO
W-2	Lakeshore Paved Trail, VC to Sandy Bay, 8 ft wide (1.8 mi)	Asphalt	9,504	LF	Blow 1X/WK; litter 1X/WK
	Total paved parking (Items P-1 – P-5)		**223,500**	**SF**	

Sweeping and litter pickup May 1 – October 15; litter pickup at P-1, P-2 and W-1 continues 1X/WK in Winter when the lots are open. Snow removal is not included (PWS 3.2).

Table 3-C – Campsite and Site Policing (counts, not areas)

Location	Campsites	Fire Rings / Grills / Containers	Frequency
Birch Point Campground Loop A	34 sites	34 fire rings	7X/WK Peak, 3X/WK Shoulder
Birch Point Campground Loop B	32 sites	32 fire rings	7X/WK Peak, 3X/WK Shoulder
Birch Point Campground Loop C	30 sites	30 fire rings	7X/WK Peak, 3X/WK Shoulder
Pine Island boat-in campsites	6 sites	6 fire rings	1X/WK (with VT-58)
Picnic areas (Sandy Bay, North Arm, Birch Point, Old Mill)	—	18 grills	With shelter service
Bear-resistant trash / recycling containers, all areas	—	46 containers	Empty when 3/4 full; min. with each service

Natural-surface trails, beach sand grooming and snow removal are excluded (PWS 3.4). The Old Mill historic meadow (G-7) is mowed under Type III only; no trimming of the stone foundations.

AMENDMENT OF SOLICITATION / MODIFICATION OF CONTRACT	2. Amendment/Modification No. **0001**	3. Effective Date **12/08/2026**	4. Requisition/Purchase Req. No. 0021947731
6. Issued By NPS Midwest Acquisition Buying Office (MWR-MABO) Omaha, Nebraska	9A. Amendment of Solicitation No. **140P6127Q0018**		9B. Dated 11/16/2026
11. The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of offers **is not extended** (quotes remain due January 12, 2027, 2:00 p.m. Central Time). Offerors must acknowledge receipt of this amendment prior to the hour and date specified, by signing and returning this amendment or by acknowledging it in the quote.			

14. DESCRIPTION OF AMENDMENT. The purpose of this amendment is to (1) revise Attachment J-1, Technical Exhibits 1 and 3, and (2) provide answers to questions received by December 1, 2026. Except as provided herein, all terms and conditions of the solicitation remain unchanged.

PART I – CHANGES TO ATTACHMENT J-1

Change 1. Technical Exhibit 1, Item 1, Bldg. 101 Lakeview Visitor Center: Column (6) Gross SF is changed from **11,860** to **12,940**, and Columns (7) – (10) are changed from 8 / 3 / 8 / — to **10 / 3 / 10 / —**. The FMSS record omitted the lower-level classroom and staff restrooms (1,080 SF), which are to be serviced at the frequencies already shown for Bldg. 101.

Change 2. Technical Exhibit 1, Item 31, VT-56 Loon Narrows Boat Access Vault Toilet, is **DELETED**. The building was removed in October 2026 because of shoreline erosion. A portable toilet will be provided at the site under a separate contract; no service is required under this contract.

Change 3. Technical Exhibit 1, Item 13, PS-22 Birch Point Picnic Shelter: Column (13) Shoulder frequency is changed from 1X/WK to **2X/WK**. Peak remains 2X/WK.

Change 4. Technical Exhibit 1, Area E: **ADD** Item 35 as follows:

Item No.	FMSS Loc. No.	Bldg./ Asset No.	Facility Name / Location	Type	Gross SF	Toilets	Urinals	Sinks	Showers	Open – Close	Peak	Shoulder	Winter	Notes
35	118734	VT-60	Lost Creek Trailhead Vault Toilet	VT-D	144	2	—	—	—	Year-round	3X/WK	1X/WK	1X/WK	New building, completed Sept. 2026.

Change 5. Technical Exhibit 3, Table 3-B: **ADD** Item P-6, Lost Creek Trailhead parking lot, aggregate surface, **12,400 SF**; service: Litter 1X/WK Peak and Shoulder; no sweeping. The total line of Table 3-B is revised from "Total paved parking (Items P-1 – P-5), 223,500 SF" to "Total parking (Items P-1 – P-6), **235,900 SF**". Table 3-A is unchanged; there is no mowing at the Lost Creek Trailhead.

Change 6. Revised totals for Technical Exhibit 1 (serviced facilities only):

Line	As issued	As amended
Area A Subtotal	5 facilities, 29,588 SF	5 facilities, 30,668 SF
Area E Subtotal	9 facilities, 1,668 SF	9 facilities, 1,740 SF
TOTAL – ALL AREAS	34 listed; 29 serviced, 46,274 SF	35 listed (1 deleted); 29 serviced, 47,426 SF
Vault toilet buildings (VT-S + VT-D)	10	10
Visitor centers / contact stations (VC)	2, 13,210 SF	2, 14,290 SF

PART II – QUESTIONS AND ANSWERS

Q1. Is this a new requirement? Who is the incumbent, and what is the current contract value?
A1. This is a follow-on requirement. Janitorial services are currently provided by North Country Facility Services, LLC under contract 140P6122C0009, awarded in March 2022 for a base year (April 1, 2022 – March 31, 2023) and four option years ending March 31, 2027. The total value of the contract, including all option years exercised, is **$2,731,460** over 60 months; the Option Year 4 price (April 1, 2026 – March 31, 2027) is **$574,920**. The current contract covers janitorial services only. Grounds maintenance is currently performed by NPS staff and is added to this requirement, and the Sandy Bay Beach House (Bldg. 310) was cleaned by NPS seasonal staff until 2026. This information is provided for reference only.

Q2. Technical Exhibit 1 lists Bldg. 120 Maintenance Shop at 8,960 SF. Should the full 8,960 SF be priced?
A2. No. 8,960 SF is the FMSS gross area of the building. Only the office, break room and locker/restroom area, approximately 1,240 SF, is serviced (Note (b) and PWS 2.5(b)).

Q3. Should the Group Camp Shower House (Bldg. 214) be included in the base-year price?
A3. No. Price Bldg. 214 only under Optional CLIN 0004. The Government does not expect to exercise the option before Option Year 2, when the water system replacement is scheduled to be complete.

Q4. Does the contract include pumping of the vault toilets?
A4. No. Vault pumping is performed under a separate blanket purchase agreement (PWS 2.5(f)). The Contractor reports vaults more than three-quarters full (PWS 2.7).

Q5. The Sandy Bay Beach House is scheduled 2X/DAY. Is that seven days a week?
A5. Yes. 2X/DAY is twice daily, 7 days per week, including holidays, for the whole Peak season (Technical Exhibit 2, Table 2-A). The building is closed outside Peak.

Q6. How many mowing cycles should be priced for Type I and Type II areas?
A6. Price 24 cycles for Type I (1X/WK, May 1 – October 15) and 8 cycles for Type II (1X/3 WKS). Type III (G-7) is one cycle per year.

Q7. Are the picnic shelters at Sandy Bay heated or enclosed in winter?
A7. No. All picnic shelters are open-sided and close October 15 or earlier (Technical Exhibit 1, Column 11).

Q8. Will the Government provide a site visit?
A8. A site visit was held on December 1, 2026; 7 firms attended. No further site visits will be held. Facility location maps are in Attachment J-2.

15A. Name and title of signer: _____ **16A.** Contracting Officer: Renée K. Halvorsen

END OF AMENDMENT 0001