API:

# 1. Login

Url: <host>/app/login
Method: POST

Body:
```
{
        "username": "<username>",
        "password": "<password>"
}
```

Header:
        Content-Type: application/json

Response:

```
{
   "token": "a7b3f6941d9876ba08d152527cf1105b01689afd"
}
```

## 2. Get Records

Url: <host>/app/getrecords/
Method: GET
Headers:
        Authantication: Token <login token>

Response:
```
[
   {
      "user_id": 2,
      "date": "2018-06-14",
      "weight": 95,
      "record_date": "2018-06-14T16:26:33+00:00"
   },
   ….
]
```

## 3. Set Record

Url: <host>/app/record/
Method: POST

Headers:
    Authantication: Token <login token>
    Content-Type: application/json

Body:
{
    "date": "<YYYY-DD-MM>",
    "weight": <weight>,
    "record time": "<YYYY-DD-MM HH:mm:SS+ZZ>"
}

Response:
if succesful:
    {"response": "Success! your record saved!"}
else:
    {"error": "body could not be parsed"}


## 4. Delete Record

Url: <host>/app/record/
Method: DELETE

Headers:
    Authantication: Token <login token>
    Content-Type: application/json

Body:
{
    "date": "<YYYY-DD-MM>"
}

Response:
if succesful:
    {"response": "Success, your record deleted!"}
else:
    {"error": "body could not be parsed"}


## 5. Logout

Url: <host>/app/logout
Method: POST
Headers:

Authantication: Token <login token>

no response