

# **Oracle**

### **Exam Questions 1z0-241**

PeopleSoft Application Develoer I: PeopleTools&PeopleCode

Version:Demo

		<del></del>		4 \
1.	- (	10	pic	1)

Select the two true statements about the Web server and the application server. (Choose two.)

- A. Executables reside on the application server.
- B. PeopleSoft services generally run from the Web server.
- C. The Web server caches images, style sheets, and JavaScript.
- D. The application server stores user data until the Web server connects with and writes the values to the database server.
- E. Under certain development configurations, you can connect the browser directly to the database server for testing purposes.

Answer: A,C

2. - (Topic 1)

What type of PeopleCode looping construct continues to loop as long as the logical\_expression evaluates to TRUE?

- A. For
- B. While
- C. Do While
- D. Do Until
- E. Repeat-Until

Answer: B

3. - (Topic 1)

Signon PeopleCode is commonly used to .

- A. validate page data
- B. audit data changes
- C. migrate user profiles between databases
- D. apply personalizations to the user home pageapply personalizations to the user? home page
- E. validate a user ID and password against a directory server

Answer: E

4. - (Topic 1)

Examine this PeopleCode snippet: SetDefault(ORDER.DATE);

Select the object-oriented equivalent.

A. &Field = GetField(ORDER.DATE);&Field.SetDefault();

B. &Field = CreateField(ORDER.DATE);&Field.SetDefault();

C. &Field = GetField(ORDER.DATE);&Field(SetDefault);

D. &Field = CreateField(ORDER.DATE);&Field.SetDefault = True;

E. &Field = CreateField();&Field.SetDefault(ORDER.DATE);

Answer: A

5. - (Topic 1)

You can print the report after running the Crystal report and saving the file. Which three options are true when printing a Crystal report? (Choose three.)

A. To print HTML reports from Crystal Reports, open the appropriate HTML file and print it from the browser.

B. Before you print a Crystal report, you must modify a query to include additional fields and you need to modify the report definition in Crystal Reports.

C. As with many Microsoft Windows applications, you can choose to print the entire report or only a few pages, specify the number of copies to print, and indicate whether you want the copies collated.

D. If you want to update and print the report from within Crystal Reports, the query and report names must match touse the formatting that you just created in Crystal Reports every time you print the report.

E. If you want to run your report directly from Microsoft Windows-based PeopleSoft Query, the query and report names must match to use the formatting that you justcreated in Crystal Reports every time you print the report.

Answer: A,C,E

6. - (Topic 1)

Select the four items that you can use as translate values for the COLOR field. (Choose four.)

A. BLK

B. W-02

C. BRWN



E. BLACK

D. PURPL


F. 1-BL

**Answer:** A,B,C,F

7. - (Topic 1)

View the Exhibit.

Select the SQL statement that corresponds to the record definition.



A. SELECT A.PRODUCT\_ID, A.CUSTOMER, B.DESCR, A.PLATFORM, A.PRODUCTION\_STATUSFROM PS PSU CUST PROD A, PS PSU CUST TBL BWHERE A.CUSTOMER ID = B.CUSTOMER ID

B. SELECT A.PRODUCT, A.CUSTOMER\_ID, B.DESCR, A.PRODUCTION\_STATUSFROM PS\_PSU\_CUST\_PROD A, PS\_PSU\_CUST\_TBL BWHERE A.CUSTOMER\_ID = B.CUSTOMER\_ID

C. SELECT A.PRODUCT, A.CUSTOMER\_ID, B.DESCR, A.PLATFORM, A.PRODUCTION\_STATUSFROM PS\_PSU\_CUST\_PROD A, PS\_PSU\_CUST\_TBL BWHERE A.CUSTOMER\_ID = B.CUSTOMER\_ID

D. SELECT A.PRODUCT, A.CUSTOMER\_ID, B.DESCR, A.PLATFORM, A.PRODUCTION\_STATUSFROM PS\_PSU\_CUST\_PROD A, PS\_PSU\_CUST\_TBL BWHERE A.CUSTOMER\_ID = A.CUSTOMER\_ID

Answer: C

8. - (Topic 1)

The Run Status column on the Process List page indicates the current state of a process. Assume that the Process Scheduler server is running, which three statements are true

regarding the Run Status column on the Process List page? (Choose three.)

A. Initiated status indicates that a PeopleSoft Process Scheduler Server has acknowledged the new request. At this time, PeopleSoft Process Scheduler validates the parameters that are associated with this request and submits the command line to start the process.

- B. Queued status indicates that this process has successfully initiated the program and the program is running.
- C. Pending status indicates that this item is waiting for a previous item in the job before PeopleSoft Process Scheduler releases this item. When the previous item has completed successfully, PeopleSoft Process Scheduler changes the status of the item to Queued.
- D. Processing status indicates that PeopleSoft ProcessScheduler has successfully initiated the program, and that the program is running.
- E. No Success status is same as the Error status, which indicates that the program that is associated with the process request encountered an error while processing transactions within the program.

Answer: A,C,D

9. - (Topic 1)

Select the two true statements about the PeopleSoft application development process. (Choose two.)

- A. The steps build on each other and should be completed in a definite order.
- B. The process can be divided into four phases: planning, data design, user interface design, testing.
- C. During the process, you define or use fields, records, pages, component interfaces, and menus.
- D. During the process, you use Application Designer to manipulate the structure of the PeopleTools tables.
- E. During the process, you use Application Designer to create pages, which are stored as HTML in the PeopleTools tables.

Answer: A,B

10. - (Topic 1)

Select four PeopleSoft field definition types. (Choose four.)

- A. VarChar
- B. Integer
- C. Number
- D. Binary
- E. Long Character
- F. BLOB
- G. Image

H. ImageReference

Answer: C,E,G,H
11 (Topic 1)
Which definition potentially has the most far-reaching consequences if it is modified?
A. Field definition
B. Record definition
C. Page definition
D. Component definition
E. Menu definition
Answer: A
12 (Topic 1)
What is the maximum number of duplicate levels that you can place on a page?
A. Zero
B. One
C. Two
D. Three
E. Four
F. As many as the page real estate can support
Answer: F
13 (Topic 1)
View the Exhibit.
As the Component Processor loads a component, it executes PeopleCode programs according to buffer allocation rules.
Each row in the table represents a PeopleCode program and its associated definition, scroll level, and event.

In what order will the programs execute?

CertShai	ഘവ
	CU

Program	Definition	Level	Event
Α	Record	Level 0 Record	FieldDefault
В	Component	Level 0 Record	Rowlnit
С	Component	Level 0 Record	FieldDefault
D	Record	Level 1 Record	FieldDefault
E	Record	Level 1 Record	Rowlnit

A. A, B, C, D, E

B. A, D, E, B, C

C. B, C, A, D, E

D. A, C, D, B, E


E. E, D, C, B, A

Answer: D

14. - (Topic 1)

View the Exhibit.

You begin to register a component using the registration wizard. Based on the values that appear in the dialog box, select the best course of action.



- A. Continue registering the component as it is.
- B. Stop the registration process to investigate why this component isalready registered.
- C. Change the user-facing fields to mixed case and make them less technical and then continue registering the component.


#### Answer: A

15. - (Topic 1)

View the Exhibit.

You are testing an application that you just completed. You access the content reference and select a search key. When you click the Search button, you see the error shown in the image.

Select the next course of action.



- A. Remove the PS\_TS\_EMP\_REVIEW field from the record definition.
- B. Run the Alter process for the PS\_TS\_EMP\_REVIEW record definition.
- C. Run the Build process for the PS\_TS\_EMP\_REVIEW record definition.
- D. Examine the record definition properties and manually create a BUILD script.
- E. Verify that you created and properly configured the PS\_TS\_EMP\_REVIEW page.

Answer: C

16. - (Topic 1)

Examine this PeopleCode snippet:

Local Rowset &RSCUST, &RSSTUD;

&RSCUST = GetRowset(RECORD.CUST\_TBL);

&RSSTUD = CreateRowset(RECORD.STUDENT\_TBL);

&RSCUST.CopyTo(&RSSTUD, RECORD.CUST\_TBL, RECORD.STUDENT\_TBL);

Select the two correct statements. (Choose two.)

- A. &RSCUST is a stand-alone rowset object that references the rows in PS\_CUST\_TBL.
- B. &RSSTUD is a stand-alone rowset object that references the rows in PS\_STUDENT\_TBL.
- C. &RSCUST is a rowset object that references the component buffer data for the CUST\_TBL record.
- D. &RSCUST is a stand-alone rowset object based on the structure of the CUST\_TBL record definition.
- E. &RSSTUD is a rowset object that references the component buffer data for the STUDENT\_TBL record.
- F. &RSSTUD is a stand-alone rowset object based on the structure of the STUDENT\_TBL record definition.

Answer: C,F

17. - (Topic 1)

Examine this PeopleCode snippet:

class OCP\_ROWSET extends Rowset; property integer FilledRowCount get;

method OCP\_ROWSET(&strRecName As string, &strDataFld As string, &strGetOrCreate As string);

method InsertRow(&iRow As integer) Returns boolean;

Select the correct statements. (Choose all that apply.)

- A. OCP ROWSET is the constructor method for the OCP ROWSET class.
- B. Executing the RO\_ROWSET method instantiates an object of the OCP\_ROWSET class.
- C. The OCP\_ROWSET method runs automatically whenever an object is instantiated using the OCP\_ROWSET class.
- D. The OCP\_ROWSET method must initialize the ROWSET class.
- E. The OCP\_ROWSET method is added to the ROWSET class, and, by extension, to any instances of the ROWSET class.

Answer: A,C,D

18. - (Topic 1)

Are parameters passed to user-defined internal and external PeopleCode functions by reference or by value?

- A. The first parameter is the input parameter, and the second parameter is output parameter.
- B. User-defined internal and external PeopleCode functionparameters are always passed by value.
- C. User-defined internal and external PeopleCode function parameters are always passed by reference.
- D. User-defined internal and external PeopleCode function parameters can be passed as input or as output, depending on the function.
- E. User-defined internal and external PeopleCode function parameters can be passed by reference or by value, depending on the function.

Answer: C

19. - (Topic 1)

Select the two characteristics of summary pages that set them apart from non-summary pages. (Choose two.)

- A. They are display-only.
- B. They contain only level zero.

- C. They typically contain no related fields.
- D. They reference one record definition.

Answer: A,C

20. - (Topic 2)

Fill in the blanks using PeopleCode data buffer access classes.

A record object contains at least one object.

One object can be instantiated to represent the entire component buffer. A row object contains at least one object or object.

A rowset object contains at least one object.

A. field, rowset, rowset, record, row

B. row, component, record, field, record

C. scroll, rowset, row, record, row

D. field, page, rowset, row, record

E. row, record, record, field, row

Answer: A

## **Thank You for Trying Our Product**

### We offer two products:

1st - We have Practice Tests Software with Actual Exam Questions

2nd - Questons and Answers in PDF Format

#### 1z0-241 Practice Exam Features:

- \* 1z0-241 Questions and Answers Updated Frequently
- \* 1z0-241 Practice Questions Verified by Expert Senior Certified Staff
- \* 1z0-241 Most Realistic Questions that Guarantee you a Pass on Your FirstTry
- \* 1z0-241 Practice Test Questions in Multiple Choice Formats and Updatesfor 1 Year

100% Actual & Verified — Instant Download, Please Click Order The 1z0-241 Practice Test Here