A)‘Select firstname , lastname , salary from employees’ komutu ile sadece belirttiğimiz kolonları istiyoruz.



	firstname character varying (50)	lastname character varying (50)	salary numeric (10,2)
1	John	Doe	55000.00
2	Jane	Smith	65000.00
3	Sam	Brown	52000.00
4	Lisa	White	70000.00
5	Mark	Black	75000.00
6	Lucy	Green	60000.00

B)select DISTINCT departmentid from employees komutunu kullanıyoruz



	departmentid integer
1	3
2	2
3	1

C)select *

From employees

Where departmentid = 1;

Komutu ile sadece IT departmanındaki çalışanları listeleyeceğiz.



	employeeid [PK] integer	firstname character varying (50)	lastname character varying (50)	age integer	departmentid integer	salary numeric (10,2)	joindate date
1	1	John	Doe	30	1	55000.00	2020-01-15
2	3	Sam	Brown	28	1	52000.00	2021-04-25
3	5	Mark	Black	50	1	75000.00	2015-11-05

D)select *

from employees

Order by salary DESC;

Komutu ile maaş a göre en yüksekten en düşüğe göre sıralayacağız.



	employeeid [PK] integer	firstname character varying (50)	lastname character varying (50)	age integer	departmentid integer	salary numeric (10,2)	joindate date
1	5	Mark	Black	50	1	75000.00	2015-11-05
2	4	Lisa	White	35	3	70000.00	2019-03-18
3	2	Jane	Smith	45	2	65000.00	2018-07-20
4	6	Lucy	Green	40	2	60000.00	2017-10-10
5	1	John	Doe	30	1	55000.00	2020-01-15
6	3	Sam	Brown	28	1	52000.00	2021-04-25

E)select CONCAT(firstname,’ ’,lastname) as fullname from employees;

Query | Query History

```
1 select concat(firstname,' ',lastname) as fullname
2 from employees;
```

Data Output | Messages | Notifications

	fullname text
1	John Doe
2	Jane Smith
3	Sam Bro…
4	Lisa White
5	Mark Black
6	Lucy Green