



Passo-a-passo para uso da Ferramenta de Validação em Produção (FVP).

RESUMO

<u>CONCESSÃO DE ACESSO À FVP</u>	03
<u>ACESSO À FVP</u>	07
<u>PLANEJAR TESTES NA FVP</u>	15
<u>EXECUTAR TESTES NA FVP</u>	25

CONCESSÃO DE ACESSO À FVP

Guia para conceder acesso à ferramenta pelo Diretório de Participantes.

Para realizar a concessão de acesso à FVP, o usuário precisa acessar o Diretório de Participantes. Para mais informações, [consulte o guia Vinculando um usuário técnico à Organização participante do OPIN](#).

1. Para conceder um novo acesso, selecione a aba “Papéis”, selecione um papel e clique em “Ver”

Contatos

Domínios

Papéis

Servidores de Autorização

Status	Domínio de Autorização	Papel	Ações
Active	Raidiam	SSO Provider	⋮
Active	Open Insurance Brasil	FORTEC	⋮

Ver

Editar

2. Selecione a aba “Usuários do Domínio” e “+ Novo usuário de domínio de autorização”

OPEN INSURANCE BR...

Organização > OPEN INSURANCE BRASIL - PEERS > Reivindicações de autoridade > FORTEC

FORTEC

Usuários do Domínio

Histórico de Alterações de Função

Usuários do domínio da organização

Status	Papel de domínio de autorização	Sistema	Função de contato	Email	Ações
--------	---------------------------------	---------	-------------------	-------	-------

+ Novo usuário de domínio de autorização

3. Dentro da caixa “Novo usuário de domínio de autorização”, selecione as opções da imagem abaixo e clique em “Salvar”

Novo usuário de domínio de autorização

Informação de domínio de autorização

Domínio de Autorização: Open Insurance Brasil

Papel de domínio de autorização *: FORTEC

Informações dos usuários do domínio da organização

Sistema *: Production Validation Tool (FVP)

Função de contato *: PFVPC

Email *: exemplo@exemplo.com

Cancelar Salvar

No campo “SISTEMA”
selecionar “Production
Validation Tool (FVP)”

No campo “FUNÇÃO DE
CONTATO”
selecionar “PFVPC”

Neste campo, insira o e-mail do
novo contato

Obs: Podem ser cadastrados mais de um usuário para a instituição.

Um novo usuário com acesso à FVP foi adicionado no final da tabela, com o status “Ativo”. **Para desativar o acesso** do usuário, basta **clicar no botão de desativação**, sinalizado na figura abaixo.

Usuários do domínio da organização + Novo usuário de domínio de autorização

Status	Papel de domínio de autorização	Sistema	Função de contato	Email	Ações
Active	FORTEC	Metrics Control Platform	PPCMC	exemplo@exemplo.com	⋮
Active	FORTEC	Metrics Control Platform	PPCMC	exemplo@exemplo.com	⋮
Active	FORTEC	Metrics Control Platform	PPCMC	exemplo@exemplo.com	⋮
Active	FORTEC	Metrics Control Platform	PPCMC	exemplo@exemplo.com	⋮
Active	FORTEC	Directory	PTC	exemplo@exemplo.com	⋮
Active	FORTEC	Directory	PTC	exemplo@exemplo.com	⋮
Active	FORTEC	Metrics Control Platform	PPCMC	exemplo@exemplo.com	⋮
Active	FORTEC	Directory	SBC	exemplo@exemplo.com	⋮
Active	FORTEC	Metrics Control Platform	PPCMC	exemplo@exemplo.com	⋮
Active	FORTEC	Metrics Control Platform	PPCMC	exemplo@exemplo.com	⋮
Active	FORTEC	Production Validation Tool (FVP)	PFVPC	exemplo@exemplo.com	⋮
Active	FORTEC	Metrics Control Platform	PPCMC	exemplo@exemplo.com	⋮
Active	FORTEC	Directory	PTC	exemplo@exemplo.com	⋮ Ver Desativar


POWERED BY RADIAN

ACESSO À FVP

Guia para acesso à ferramenta.

Ao digitar o [link](#) para acesso à ferramenta (web.fvp.directory.opinbrasil.com.br), é preciso realizar o login com o mesmo acesso do Diretório de Participantes.

1. Informe o login utilizado para acessar o Diretório de Participantes e clique no botão “Acesse aqui”



OpenInsurance BR

Entrar

Email
Email é obrigatório

Senha
Senha é obrigatório

[Esqueceu a senha?](#)

[Cancelar](#) [Acesse aqui](#)

Não possui uma conta? [Cadastre-se](#)

Ao prosseguir, você concorda com o uso de cookies. Por favor, leia o nosso [política de privacidade](#) para maiores informações.
Termos e condições completos estão disponíveis [aqui](#)
Monitore o serviço [aqui](#)
Procurando pelo ambiente sandbox? Clique [aqui](#)

[Terminar sessão](#) [Powered by Raidiam](#)

OpenInsurance

Diretório de Participantes:

O seu portal para o ecossistema

Para mais informações sobre o Open Insurance, acessar o [Portal do Cidadão](#). Para informações sobre utilização do Diretório de Participantes, consultar a [Documentação de referência](#).

O compartilhamento de dados, produtos e serviços pelas diferentes sociedades autorizadas e credenciadas ...de forma segura, ágil e conveniente.

2. Realize a autenticação de dois fatores, digitando a senha exposta no aplicativo de autenticação e clique no botão “Acesse aqui”

OpenInsurance

BR

Autenticação de dois fatores

Abra seu aplicativo de autenticação e digite a senha de uso único.

Senha de uso único

Cancelar

Acesse aqui


Faça download do Google Authenticator em:

GET IT ON
Google Play

Download on the
App Store

Apple® e o Apple logo® são marcas registradas da Apple Inc. Google Play e o logotipo do Google Play são marcas registradas da Google LLC.

[Terminar sessão](#)



OpenInsurance

Diretório de Participantes:

O seu portal para o ecossistema

Para mais informações sobre o Open Insurance, acessar o [Portal do Cidadão](#). Para informações sobre utilização do Diretório de Participantes, consultar a [Documentação de referência](#).

O compartilhamento de dados, produtos e serviços pelas diferentes sociedades autorizadas e credenciadas ... de forma segura. [Aqui](#) e

3. Na nova janela, realize o login com o Open Insurance clicando em “Login with Open Insurance Brazil”

OpenInsurance
FVP

Login to the Open Insurance Brazil Functional Conformance Suite

(OPIN FVP Prod)

Login with Open Insurance Brazil

Admin Login - Raidiam


View published logs

View published plans

Open Insurance Brazil Functional Conformance Suite - Brought to you by Raidiam, with thanks to the OpenID Foundation

RAIDIAM

4. Na nova janela, marque “Consinto em compartilhar os dados acima” e clique em “Continuar”



BR ▾

Consentimento para compartilhamento de dados.

gostaria que você compartilhasse as seguintes informações

Perfil da conta
Informações básicas da conta, incluindo cpf, seu nome e sobrenome.

☐

Trust Framework Profile
As organizações às quais você está associado no diretório.

☐


☒ **Consinto em compartilhar os dados acima.**

Cancelar

Continuar

[Terminar sessão](#)

Powered by [Raidiam](#)



OpenInsurance

Diretório de Participantes:

O seu portal para o ecossistema


Para mais informações sobre o Open Insurance, acessar o [Portal do Cidadão](#). Para informações sobre utilização do Diretório de Participantes, consultar a [Documentação de referência](#).

O compartilhamento de dados, produtos e serviços pelas diferentes sociedades autorizadas e credenciadas ...de forma segura, ágil e conveniente.

OpenInsurance

3

Caso ocorra o erro 403, isso representa que o usuário não tem acesso a FVP. Para aprender a conceder acesso a um usuário pelo Diretório do Participante, clique [aqui](#).



5. Na janela de “Termos e Condições de Uso” , leia o termo com atenção e marque a alternativa “Eu concordo com os termos”

9.2. Reprodução de conteúdo para uso próprio:

9.2.1. A reprodução de qualquer conteúdo da FVP é proibida, salvo mediante prévia autorização por escrito da Estrutura Inicial. Em nenhum dos casos, o usuário adquirirá qualquer Direito de Propriedade Intelectual sobre referido conteúdo.

9.2.2. Em caso de violação pelo usuário de qualquer Direito de Propriedade Intelectual da Estrutura Inicial, o usuário assume toda e qualquer responsabilidade, de caráter civil e/ou criminal advindos de referida violação.

9.3. Envio de informações não solicitadas

9.3.1. Não serão aceitos ou considerados ideais, sugestões ou materiais criativos, incluindo, entre outros, anotações, desenhos, conceitos, comentários, sugestões de técnicas, informações sobre know-how, material publicitário, de vídeo ou outras informações.

10. Lei aplicável e jurisdição

10.1. Os presentes Termos serão interpretados de acordo com as leis da República Federativa do Brasil. Fica eleito o Foro da Comarca da Capital do Estado de São Paulo para dirimir qualquer divergência oriunda dos presentes Termos, com renúncia expressa a qualquer outro, por mais privilegiado que seja.

11. Disposições gerais

11.1. Se qualquer disposição destes Termos se tornar inválida ou inexecutável, tal disposição será anulada e as demais disposições serão mantidas.

11.2. As seções destes Termos são apenas para efeitos de referência e de forma alguma definem, limitam, determinam a interpretação ou descrevem o âmbito ou extensão da respectiva seção.

11.3. A omissão da Estrutura Inicial com relação a qualquer falha do usuário ou de outros em cumprir com estes Termos não significa renúncia dos direitos da Estrutura Inicial de agir em relação às falhas subsequentes ou similares.

Eu concordo com os termos

Eu não concordo com os termos

RAIDIAM

Neste momento, você conseguiu acessar à FVP e está pronto para planejar um teste na ferramenta.

OpenInsurance
FVP

Logged In as

TokensLogout

Create a new test plan

View all available test logs

View published test logs

View all available test plans

View published test plans

View API Documentation

Open Insurance Brazil Functional Conformance Suite - Brought to you by Raidiam, with thanks to the OpenID Foundation

RAIDIAM

External IP: 35.167.100.197 - Version: 4.1.43 buildId: e8ae370727f96d9130b9a66ecf701d4eb3ef7d80

PLANEJAR TESTES NA FVP

Guia para planejamento de testes na ferramenta.

1. Clique no botão “Create a new test plan” para criar o plano de teste

The screenshot displays the OpenInsurance FVP (Functional Verification Platform) interface. In the top left corner, the logo 'OpenInsurance FVP' is visible. In the top right corner, the text 'Logged In as' is followed by a 'Tokens' button and a 'Logout' button. The main content area features a vertical stack of seven blue buttons, each with a document icon and text. The first button, 'Create a new test plan', is highlighted with a red rectangular border. The subsequent buttons are 'View all available test logs', 'View published test logs', 'View all available test plans', 'View published test plans', and 'View API Documentation'. At the bottom of the page, a footer section contains the text 'Open Insurance Brazil Functional Conformance Suite - Brought to you by Raidiam, with thanks to the OpenID Foundation', the 'RAIDIAM' logo, and a line of technical information: 'External IP: 35.167.100.197 - Version: 4.1.43 build: e8ae370727f96d9130b9a66ecf701d4eb3ef7d80'.

OpenInsurance
FVP

Logged In as

Tokens Logout

Create a new test plan

View all available test logs

View published test logs

View all available test plans

View published test plans

View API Documentation

Open Insurance Brazil Functional Conformance Suite - Brought to you by Raidiam, with thanks to the OpenID Foundation

RAIDIAM

External IP: 35.167.100.197 - Version: 4.1.43 build: e8ae370727f96d9130b9a66ecf701d4eb3ef7d80

2. Na janela da FVP, selecione o Plano de Testes desejado no campo “Test Plan”

OpenInsurance
FVP

Logged in as

Tokens

Logout

For General Guidance over the certification process, please check the [Developer Portal Certification Page](#). For details about the test maturity and details, see the [Test Release Notes](#). For Examples of how to fill out the test configuration, see the [Mock Bank reference Payloads](#).

Test Plan

--- Select A Test Plan ---

Open Insurance Brazil Functional Conformance Suite - Brought to you by Raidiam, with thanks to the OpenID Foundation

RAIDIAM

External IP: 35.167.100.197 - Version: 4.1.43 build: e8ae370727f96d9130b9a66ecf701d4eb3ef7d80

3. No campo “Client Authentication Type”, selecione o tipo de autenticação do cliente conforme os métodos suportados pelo servidor

OpenInsurance
FVP

Logged in as

Tokens

Logout

For General Guidance over the certification process, please check the [Developer Portal Certification Page](#). For details about the test maturity and details, see the [Test Release Notes](#). For Examples of how to fill out the test configuration, see the [Mock Bank reference Payloads](#).

Test Plan	<div><div></div>Production Functional Tests for Consents and Resources API</div>
Client Authentication Type	<div><div></div><div>--- Select A Variant ----</div><div>--- Select A Variant ----</div><div>private_key_jwt</div><div>mtls</div></div>
Request Object Method	
FAPI Response Mode	<div><div></div>--- Select A Variant ----</div>

Open Insurance Brazil Functional Conformance Suite - Brought to you by Raidiam, with thanks to the OpenID Foundation

RAIDIAM

External IP: 35.167.100.197 - Version: 4.1.43 buildId: e8ae370727f96d9130b9a66ecf701d4eb3ef7d80

4. No campo “Request Object Method”, selecione o método adequado de solicitação do objeto.

OpenInsurance
FVP

Logged In as

TokensLogout

For General Guidance over the certification process, please check the [Developer Portal Certification Page](#). For details about the test maturity and details, see the [Test Release Notes](#). For Examples of how to fill out the test configuration, see the [Mock Bank reference Payloads](#).

Test Plan	<div><div></div>Production Functional Tests for Consents and Resources API</div>
Client Authentication Type	<div><div></div>mtls</div>
Request Object Method	<div><div></div><div>--- Select A Variant --- --- Select A Variant --- by_value pushed</div></div>
FAPI Response Mode	<div><div></div></div>

Open Insurance Brazil Functional Conformance Suite - Brought to you by Raidiam, with thanks to the OpenID Foundation

RAIDIAM

External IP: 35.167.100.197 - Version: 4.1.43 build: e8ae370727f96d9130b9a66ect701d4eb3ef7d80

5. No campo “FAPI Response Mode”, selecione o método adequado de resposta do FAPI

OpenInsurance
FVP

Logged in as

TokensLogout

For General Guidance over the certification process, please check the [Developer Portal Certification Page](#). For details about the test maturity and details, see the [Test Release Notes](#). For Examples of how to fill out the test configuration, see the [Mock Bank reference Payloads](#).

Test Plan	<div><div></div>Production Functional Tests for Consents and Resources API</div>
Client Authentication Type	<div><div></div>mtls</div>
Request Object Method	<div><div></div>by_value</div>
FAPI Response Mode	<div><div></div><div>--- Select A Variant ---- --- Select A Variant ---- plain_response jarm</div></div>

Open Insurance Brazil Functional Conformance Suite - Brought to you by Raidiam, with thanks to the OpenID Foundation

RAIDIAM

External IP: 35.167.100.197 - Version: 4.1.43 build: e8ae370727f96d9130b9a66ecf701d4eb3ef7d80

6. No campo obrigatório “alias”, informe o OrganisationID do servidor em que o usuário está cadastrado.

OpenInsurance
FVP

Logged in as Tokens Logout

For General Guidance over the certification process, please check the [Developer Portal Certification Page](#). For details about the test maturity and details, see the [Test Release Notes](#). For Examples of how to fill out the test configuration, see the [Mock Bank reference Payloads](#).

Test Plan Production Functional Tests for Consents and Resources API

Client Authentication Type mtls

Request Object Method by_value

FAPI Response Mode plain_response

Configure Test

Form JSON

Test Information

alias xxxxxxxx-xxxxx-xxxxx-xxxxxx-xxxxxx

description

publish No

Server

discoveryUrl

Resource

brazilCpf

brazilCnpj

Create Test Plan

7. No campo obrigatório “discoveryURL”, informe o URL completo para o well-known/openid-configuration do servidor

OpenInsurance
FVP

Logged in as

Tokens

Logout

For General Guidance over the certification process, please check the [Developer Portal Certification Page](#). For details about the test maturity and details, see the [Test Release Notes](#). For Examples of how to fill out the test configuration, see the [Mock Bank reference Payloads](#).

Test Plan

Production Functional Tests for Consents and Resources API

Client Authentication Type

mtls

Request Object Method

by_value

FAPI Response Mode

plain_response

Configure Test

Form

JSON

Test Information

alias

xxxxxx-xxxxx-xxxxx-xxxxxx-xxxxxx

description

publish

No

Server

discoveryUrl

https://api.seguradora.teste.com.br/well-known/openid-configuration

Resource

brazilCpf

brazilCnpj

Create Test Plan

8. No campo obrigatório “brazilCPF”, informe o CPF do usuário logado. Para testar o compartilhamento de dados com uma pessoa jurídica, também preencha o CNPJ no campo “brazilCnpj”.

OpenInsurance
FVP

Logged in as Tokens Logout

For General Guidance over the certification process, please check the [Developer Portal Certification Page](#). For details about the test maturity and details, see the [Test Release Notes](#). For Examples of how to fill out the test configuration, see the [Mock Bank reference Payloads](#).

Test Plan Production Functional Tests for Consents and Resources API

Client Authentication Type mtls

Request Object Method by_value

FAPI Response Mode plain_response

Configure Test

Form JSON

Test Information

alias xxxxxxxx-xxxxxx-xxxxxx-xxxxxx-xxxxxx

description

publish No

Server

discoveryUrl https://api.seguradora.teste.com.br/well-known/openid-configuration

Resource

brazilCpf 123456789

brazilCnpj

Create Test Plan

9. Para finalizar o planejamento, clique em “Create Test Plan” para criar o plano de testes

OpenInsurance
FVP

Logged in as

Tokens

Logout

For General Guidance over the certification process, please check the [Developer Portal Certification Page](#). For details about the test maturity and details, see the [Test Release Notes](#). For Examples of how to fill out the test configuration, see the [Mock Bank reference Payloads](#).

Test Plan

Production Functional Tests for Consents and Resources API

Client Authentication Type

mtls

Request Object Method

by_value

FAPI Response Mode

plain_response

Configure Test

Form

JSON

Test Information

alias

xxxxxx-xxxxx-xxxxx-xxxxxx-xxxxxx

description

publish

No

Server

discoveryUrl

https://api.seguradora.teste.com.br/well-known/openid-configuration

Resource

brazilCpf

123456789

brazilCnpj


Create Test Plan

EXECUTAR TESTES NA FVP

Guia para execução de testes na ferramenta.

1. Planejado os testes, confira o nome dos testes criados e clique em “Run Test” para executar o teste desejado

Nome do Teste



Em seguida, o teste estará em andamento, apresentando os status "Created" e "Running"

OpenInsurance

FVP

Logged in as

Nome.sobrenome@seguradora.com.br

Tokens

Logout

CREATED

UNKNOWN

Test Name:

dc_r_api_fvp-happy-path_test_module

Variant:

client_auth_type=mtls,

fapi_auth_request_method=by_value,

fapi_profile=openinsurance_brazil,

fapi_response_mode=plain_response

Test ID:

xkDoluHbod5pRC9

Created:

Thu Apr 04 2024 11:36:53 GMT-0300 (Horário Padrão de Brasília)

Description:

Test Version:

4.1.43 build:

d0617362f4f2fd65b1791007888f592cfb8ec660

Plan ID:

7dLl9UsxnhPMh

OpenInsurance

FVP

Logged in as

Nome.sobrenome@seguradora.com.br

Tokens

Logout

RUNNING

UNKNOWN

Test Name:

dc_r_api_fvp-happy-path_test_module

Variant:

client_auth_type=mtls,

fapi_auth_request_method=by_value,

fapi_profile=openinsurance_brazil,

fapi_response_mode=plain_response

Test ID:

xkDoluHbod5pRC9

Created:

Thu Apr 04 2024 11:36:53 GMT-0300 (Horário Padrão de Brasília)

Description:

Test Version:

4.1.43 build:

d0617362f4f2fd65b1791007888f592cfb8ec660

Plan ID:

7dLl9UsxnhPMh

2. Caso o status da execução seja “Waiting”, desça para o final da página e clique no botão “Proceed with test” para ser redirecionado para a página da instituição. Dê o consentimento diretamente na página da instituição.

Logged in as
Nome.sobrenome@seguradora.com.br

Tokens Logout

WAITING

UNKNOWN

Test Name:
opin-fvp-resources-api-test

Variant:
client_auth_type=mtls,
fapi_auth_request_method=by_value,
fapi_profile=openinsurance_brazil,
fapi_response_mode=plain_response

Test ID:
qNodtFqBpOnVbuc

Created:
Thu Apr 04 2024 11:39:58 GMT-0300 (Horário
Padrão de Brasília)

Description:
Test Version:
4.1.43 build:
d0617362f4f2fd65b1791007888f592cfb8ec660

Plan ID:
ZdLJ9UsxnhPMh

Validates the structure of all resources API
resources

- Creates a Consent will all of the existing

2e4a898b-7d94-4ce1-a6a2-789e0dd8f81c


Browser Interaction:

Proceed with test

https://auth-opin.bradescoseguros.com.br/open-insurance/authorization/v1/authorize?request=eyJraWQiOiJCT2wwLU5UTUVXN2ltRXh0dKo4SFBRRI1qRkUUVWR5ZGF3MVJlcmhaNEE4IiwiaWY3R5IjoiaSldUliWZlW5jljoQTl1NkdDTSlmFsZyl6IUTQSlPQUVQIn0JR3gHBLs8GsuGZXHEC5PDuzp_zlBcw4OpgX5ycnVlqP06ABeNtKLBPpLpa6NLOinSd11BNSzojCq7OCm12_W7C9LAdUN3QAypK-HjiiBYyJgKKVqTHkQTIFPzlaEqbzszG7Ozb5y1X49wl61oAplipjA6B7ivdv99Wz9EyRIOhoWXFbkMs nVmsf1DP7cWq5DPCI0vb1hFcf6q2v2KhvuQIt09lW16uOxT78-ZvqGd12zNk_MQ4AION8st5uBFaXx-JzVMeo0TleeFTVvjW2sky8QQ-hwlaPHFcCi-e_3EPQLfUBUiv_utclSg2iiljPKaei1s4cvlR01lpfC4XJpg.8udorWdWPFjwalCj.nCBmdROvgEbkD9D08bjoEdXF25vIMdH3m_Wpne8aZFfewwzjozoJW-2FoycClcpt7rXtBCICmzE_bZIDFe5nvROU3t1DWOnYGVUYZTFYVEYhfOW2dOVWcEKN7WysutmZeLHVXGxgwjZE3VgIA41U2mv1QrPXbOREdl1uspdm-OFRnE1yl68WDSfkjQxXeK2Oh2hD-iISfvhUf54-BXnNjQ9YUsgOshsQWIAjll6gPTp6QdliRRst4R4SP2135xQFNQpQzPFGsv5vMWLA_LWjuCwIqDHY2xe6c4vhr7nBwHl89Opi-IA569yUbPvqHp94vPBF1LTvCIRV3hfk3UsyNkEIXGh2OXF_01jd-z9cnSIzqoAnlUB3plAxHrO8KfKMRq3XSdHAGH9V3v8mTKXx-6L6TZUeSflW4Njeyu64wQ-CzY-v7AKVQMBDF1H8fld-CUpoUbu1evOIOIs

Go to Top

3. Dado o consentimento diretamente na instituição, você será redirecionado para janela abaixo. Para voltar ao resultado do teste, clique no link contido na frase “the test results page”.



Após a conclusão do teste, será possível conferir se o resultado final foi positivo. Além disso, no final da página, é possível conferir todas as chamadas e validações que foram realizadas no teste.

OpenInsurance
FVP

Logged in as
[Nome.sobrenome@seguradora.com.br](#)

Tokens Logout

FINISHED ⓘ

PASSED ⓘ

Test Name:
dcr_api_fvp-happy-path_test_module

Variant:
client_auth_type=mtls,
fapi_auth_request_method=by_value,
fapi_profile=openinsurance_brazil,
fapi_response_mode=plain_response

Test ID:
xkDoluHbod5pRC9

Created:
Thu Apr 04 2024 11:36:53 GMT-0300 (Horário Padrão de Brasília)

Description:
Test Version:
4.1.43 build:
d0617362f4f2fd65b1791007888f592cfb8ec660

Plan ID:
7d10UkxkDMh

Found a static client object

11:40:05
SUCCESS
AddOpenIdScope
More ▾

Added scope of 'openid' to client's scope

11:40:05
SUCCESS
ValidateMTLSCertificatesHeader
More ▾

MTLS certificates header is valid

11:40:05
ExtractMTLSCertificatesFromConfiguration
More ▾

Adding mtl alias

11:40:05
SUCCESS
ExtractMTLSCertificatesFromConfiguration
More ▾

Mutual TLS authentication credentials loaded

Exemplo de chamada

2. Para retornar à janela do plano de testes, vá para o final da página e clique em “Return to Plan”



O plano de testes estará concluído quando todos os testes estiverem com o status de “Passed”.

4.1.43 build:
d0617362f4f2fd65b1791007888f592cfb8ec660

FINISHED ?

PASSED ?

► Run Test

View Logs

Download Logs

Test Name:
opin-fvp-preflight-check-test-v2 ?

Variant:
fapi_profile=openinsurance_brazil

Test ID:
9WqT87Xp1QjRGlh

Test Version:
4.1.43 build:
d0617362f4f2fd65b1791007888f592cfb8ec660

FINISHED ?

PASSED ?

► Run Test

View Logs

Download Logs

Test Name:
opin-fvp-resources-api-test ?

Variant:
fapi_profile=openinsurance_brazil

Test ID:

3. Para conferir o log executado no teste, clique em “View logs”

4.1.43 build:
d0617362f4f2fd65b1791007888f592cfb8ec660

FINISHED ?

PASSED ?

► Run Test

📄 View Logs

📄 Download Logs

Test Name:
opin-fvp-preflight-check-test-v2 ?

Variant:
fapi_profile=openinsurance_brazil

Test ID:
9WqT87Xp1Qjrlh

Test Version:
4.1.43 build:
d0617362f4f2fd65b1791007888f592cfb8ec660

FINISHED ?

PASSED ?

► Run Test

📄 View Logs


📄 Download Logs

Test Name:
opin-fvp-resources-api-test ?

Variant:
fapi_profile=openinsurance_brazil

Test ID:

Aqui estão disponibilizados os logs do teste realizado.



Obs: Os logs dos testes estarão disponíveis somente por 5 minutos após o fim do teste, o que reforça a importância de consultar os logs imediatamente após a realização dos testes

FICOU COM ALGUMA DÚVIDA?

Abra um chamado no [portal do Service Desk](#).

OpenInsurance