



A partire dagli anni Settanta la nostra azienda è cresciuta nel mercato delle vernici e dei polimeri. Le nostre radici affondano nei valori etici e imprenditoriali del Made in Italy: le risorse umane e la ricerca tecnologica sono la nostra linfa vitale. La mission: essere leader del settore e per fare questo mettiamo in gioco quotidianamente tutto il nostro patrimonio di energie, tecnologie, conoscenze e competenze innescando una continua circolazione interna di idee e risorse.


Since the 70s our company has grown in the market of paints and polymers, we are rooted in the ethical and entrepreneurial values of Made in Italy. Human resources and technological research are our lifeblood. The mission: being a leading company; to do that every day we bring into play all our wealth of energy, technology, knowledge and skills, triggering a continuous internal circulation of ideas and resources.





VERNICI PER MACCHINE
AGRICOLE E MOVIMENTO TERRA
Gru, aratri, scavatori, ruspe,
compattatori

PAINTS FOR AGRICULTURAL
& EARTH-MOVING MACHINES
Cranes, ploughs, diggers,
excavators, compactors



VERNICI PER MACCHINE AGRICOLE E MOVIMENTO TERRA

CICLO	APPLICAZIONI	PRODOTTO	DESCRIZIONE	CODICE PRODOTTO	MICRON
STANDARD	I° MANO	Fondo epossidico	EPOTECH 2K	f330spxxxx cat.20% f903ct	60 – 80
	II° MANO	Smalto Poliuretano	POLITECH 2K	f420spxxxx cat.50% f900ct	40 – 60
MONO COMPONENTE	I° MANO	Fondo Alchidico	TECHNOPRIMER	f311pcxxxx	50 – 70
	II° MANO	Finitura Alchidica	SINTORAPID	f410spxxxx	40 – 60

AGRICULTURAL & EARTH-MOVING MACHINES

CYCLE	APPLICATIONS	PRODUCT	DESCRIPTION	PRODUCT CODE	MICRON
STANDARD	I° COAT	Epoxy sealer	EPOTECH 2K	f330spxxxx cat.20% f903ct	60 – 80
	II° COAT	Polyurethane enamel	POLITECH 2K	f420spxxxx cat.50% f900ct	40 – 60
MONO COMPONENT	I° COAT	Alkyd sealer	TECHNOPRIMER	f311pcxxxx	50 – 70
	II° COAT	Alkyd top coat	SINTORAPID	f410spxxxx	40 – 60



VERNICI PER VEICOLI
INDUSTRIALI
Cabinati, camion, betoniere,
carrelli elevatori

PAINTS FOR INDUSTRIAL
VEHICLES
trucks, concrete mixers,
lift trucks



VEICOLI INDUSTRIALI

CICLO	APPLICAZIONI	PRODOTTO	DESCRIZIONE	CODICE PRODOTTO	MICRON
SUPER	I° MANO	Zincante epossidico	EPOTECH 2K Zn	f332sp0703 cat.10% f915ct	100 – 150
	II° MANO	Fondo epossidico	EPOTECH 2K	f330spxxxx cat.20% f903ct	60 – 80
	III° MANO	Smalto Poliuretano	POLITECH 2K	f420spxxxx cat.50% f900ct	40 – 60
STANDARD	I° MANO	Fondo epossidico	EPOTECH 2K	f330spxxxx cat.20% f903ct	60 – 80
	II° MANO	Smalto Poliuretano	POLITECH 2K	f420spxxxx cat.50% f900ct	40 – 60

INDUSTRIAL VEHICLES

CYCLE	APPLICATIONS	PRODUCT	DESCRIPTION	PRODUCT CODE	MICRON
SUPER	I° COAT	Epoxy zinc-based sealer	EPOTECH 2K Zn	f332sp0703 cat.10% f915ct	100 – 150
	II° COAT	Epoxy sealer	EPOTECH 2K	f330spxxxx cat.20% f903ct	60 – 80
	III° COAT	Polyurethane enamel	POLITECH 2K	f420spxxxxcat.50% f900ct	40 – 60
STANDARD	I° COAT	Epoxy sealer	EPOTECH 2K	f330spxxxx cat.20% f903ct	60 – 80
	II° COAT	Polyurethane enamel	POLITECH 2K	f420spxxxx cat.50% f900ct	40 – 60



VERNICI PER MECCANICA
PESANTE
Carpenteria, travi, chassis,
cisterne, pali elettrici, ponteggi

PAINTS FOR HEAVY MECHANICS
Carpentry, beams, chassis,
tanks, electricity poles,
scaffoldings



VERNICI PER MECCANICA PESANTE

CICLO	APPLICAZIONI	PRODOTTO	DESCRIZIONE	CODICE PRODOTTO	MICRON
STANDARD	I° MANO	Fondo epossidico	EPOTECH 2K	f330spxxxx cat.20% f903ct	60 – 80
	II° MANO	Smalto Poliuretano	POLITECH 2K	f420spxxxx cat.50% f900ct	40 – 60
MANO UNICA	I° MANO	Fondo Finitura Acrilico	TECHNO 2K FF	f303ffxxxx cat.20% f901ct	60 – 80

HEAVY MECHANICS

CYCLE	APPLICATIONS	PRODUCT	DESCRIPTION	PRODUCT CODE	MICRON
STANDARD	I° COAT	Epoxy sealer	EPOTECH 2K	f330spxxxx cat.20% f903ct	60 – 80
	II° COAT	Polyurethane enamel	POLITECH 2K	f420spxxxx cat.50% f900ct	40 – 60
SINGLE COAT	I° COAT	Acrylic self sealer	TECHNO 2K FF	f303ffxxxx cat.20% f901ct	60 – 80



VERNICI PER MECCANICA
LEGGERA
Fusti, estintori, scaffalature,
quadri elettrici, componentistica

*PAINTS FOR LIGHT MECHANICS
Drums, fire extinguishers,
shelvings, electric boards,
components*



VERNICI PER MECCANICA LEGGERA

CICLO	APPLICAZIONI	PRODOTTO	DESCRIZIONE	CODICE PRODOTTO	MICRON
STANDARD	I° MANO	Fondo epossidico	EPOTECH 2K	f330spxxxx cat.20% f903ct	60 – 80
	II° MANO	Smalto Poliuretano	POLITECH 2K	f400spxxxx cat.20% f901ct	40 – 60
MANO UNICA	I° MANO	Fondo Finitura Acrilico	TECHNO 2K FF	f303ffxxxx cat.20% f901ct	60 – 80
MONO COMPONENTE	I° MANO	Fondo Alchidico	TECHNOPRIMER	f311pcxxxx	50 – 70
	II° MANO	Finitura Alchidica	SINTORAPID	f410spxxxx	40 – 60

LIGHT MECHANICS

CYCLE	APPLICATIONS	PRODUCT	DESCRIPTION	PRODUCT CODE	MICRON
STANDARD	I° COAT	Epoxy sealer	EPOTECH 2K	f330spxxxx cat.20% f903ct	60 – 80
	II° COAT	Polyurethane enamel	POLITECH 2K	f400spxxxx cat.20% f901ct	40 – 60
SINGLE COAT	I° COAT	Acrylic self sealer	TECHNO 2K FF	f303ffxxxx cat.20% f901ct	60 – 80
MONO COMPONENT	I° COAT	Alkyd sealer	TECHNOPRIMER	f311pcxxxx	50 – 70
	II° COAT	Alkyd top coat	SINTORAPID	f410spxxxx	40 – 60



VERNICI PER PRODOTTI SPECIALI

SPECIAL PAINTS



VERNICI PER PRODOTTI SPECIALI

PRODOTTO	DESCRIZIONE	CODICE PRODOTTO	UTILIZZO
Spartitraffico	URBANOVA HS	f306spxxxx	Segnaletica stradale e industriale
Ferromicaceo 1k	Technofast FM	f404fmxxxx	Cancellate, ringhiere, corrimani, infissi,oggettistica. ...
Ferromicaceo 2k	Technofer 2K FM	f406fmxxxx	Cancellate, ringhiere, corrimani, infissi,oggettistica. ...
Smalto siliconico	Technosil 600	f447spxxxx	Particolari a contatto con fonti di calore fino a 600°C
Epossidico esente solvente	Technofood 2k	f435sp0900	Macchinari, cisterne o particolari a contatto con alimenti
Vernice per manti erbosi	Sportpaint	f490sp0900	Campi da calcio, campi da tennis

SPECIAL PAINTS

<i>PRODUCT</i>	<i>DESCRIPTION</i>	<i>PRODUCT CODE</i>	<i>USE</i>
<i>Road marking paint</i>	<i>URBANOVA HS</i>	<i>f306spxxxx</i>	<i>Industrial and road markings</i>
<i>1k micaceous iron</i>	<i>Technofast FM</i>	<i>f404fmxxxx</i>	<i>Gates,banisters, handrails, frames, ornaments. ...</i>
<i>2k micaceous iron</i>	<i>Technofer 2K FM</i>	<i>f406fmxxxx</i>	<i>Gates,banisters, handrails, frames, ornaments...</i>
<i>Silicone enamel</i>	<i>Technosil 600</i>	<i>f447spxxxx</i>	<i>Parts in contact with heat sources up to 600°C</i>
<i>Solvent-free epoxy paint</i>	<i>Technofood 2k</i>	<i>f435sp0900</i>	<i>Machineries, tanks or parts in contact with food</i>
<i>Paint for green lawns</i>	<i>Sportpaint</i>	<i>f490sp0900</i>	<i>Football fields, tennis courts</i>



TECHNOPUR 100
Verniciatura esterna di cisterne
destinate all'interramento
(prodotto con certificazione)

TECHNOPUR 100
*External painting of underground tanks
(product with certification)*



TECHNOPUR 100

APPLICAZIONI	PRODOTTO	DESCRIZIONE	CODICE PRODOTTO	MICRON
Sistema Bimixer	Smalto Poliuretanoico esente da solvente	TECHNOPUR 100	f424sp0300	800 – 1000

TECHNOPUR 100

APPLICATIONS	PRODUCT	DESCRIPTION	PRODUCT CODE	MICRON
Bimixer system	Solvent-free polyurethane enamel	TECHNOPUR 100	f424sp0300	800 – 1000



PRODOTTI ALL'ACQUA
WATER PRODUCTS

VERNICI PER MACCHINE AGRICOLE E MOVIMENTO TERRA				
CICLO	APPLICAZIONI	PRODOTTO	DESCRIZIONE	CODICE PRODOTTO
STANDARD	I° MANO	Fondo epossidico	Idroepotech 2k grigio finestra	f353sp7040 cat.15% f953ct
	II° MANO	Finitura Poliuretantica	Idropolitech 2K	f471spxxxx cat.20% f950ct

VERNICI PER VEICOLI INDUSTRIALI				
CICLO	APPLICAZIONI	PRODOTTO	DESCRIZIONE	CODICE PRODOTTO
STANDARD	I° MANO	Fondo epossidico	Idroepotech 2k grigio finestra	f353sp7040 cat.15% f953ct
	II° MANO	Finitura Poliuretantica	Idropolitech 2K	f471spxxxx cat.20% f950ct

VERNICI PER MECCANICA PESANTE				
CICLO	APPLICAZIONI	PRODOTTO	DESCRIZIONE	CODICE PRODOTTO
STANDARD	I° MANO	Fondo epossidico	Idroepotech 2k grigio finestra	f353sp7040 cat.15% f953ct
	II° MANO	Finitura Poliuretantica	Idropolitech 2K	f471spxxxx cat.20% f950ct
MANO UNICA		Fondo-Finitura acrilico 2K	Idropolitech 2K FF	f395spxxxx cat.20% f950ct

VERNICI PER MECCANICA LEGGERA				
CICLO	APPLICAZIONI	PRODOTTO	DESCRIZIONE	CODICE PRODOTTO
STANDARD	I° MANO	Fondo epossidico	Idroepotech 2k grigio finestra	f353sp7040 cat.15% f953ct
	II° MANO	Finitura Poliuretantica	Idropolitech 2K	f471spxxxx cat.20% f950ct
MANO UNICA MONOCOMPONENTE		Fondo-Finitura acrilico 1K	Idrotech FF	f350ffxxxx
MANO UNICA BI-COMPONENTE		Fondo-Finitura acrilico 2K	Idropolitech 2K FF	f395spxxxx cat.20% f950ct

COATINGS FOR AGRICULTURAL MACHINERY AND EARTH MOVING				
CYCLE	APPLICATIONS	PRODUCT	DESCRIPTION	PRODUCT CODE
STANDARD	I° COAT	Epoxydic primer	Idroepotech 2k window grey	f353sp7040 cat.15% f953ct
	II° COAT	Polyurethane topcoat	Idropolitech 2K	f471spxxxx cat.20% f950ct

COATINGS FOR INDUSTRIAL VEHICLES				
CYCLE	APPLICATIONS	PRODUCT	DESCRIPTION	PRODUCT CODE
STANDARD	I° COAT	Epoxydic primer	Idroepotech 2k window grey	f353sp7040 cat.15% f953ct
	II° COAT	Polyurethane topcoat	Idropolitech 2K	f471spxxxx cat.20% f950ct

COATINGS FOR HEAVY MACHINERY				
CYCLE	APPLICATIONS	PRODUCT	DESCRIPTION	PRODUCT CODE
STANDARD	I° COAT	Epoxydic primer	Idroepotech 2k window grey	f353sp7040 cat.15% f953ct
	II° COAT	Polyurethane topcoat	Idropolitech 2K	f471spxxxx cat.20% f950ct
SINGLE COAT		Acrylic self sealer 2K	Idropolitech 2K FF	f395spxxxx cat.20% f950ct

COATINGS FOR LIGHT MACHINERY				
CYCLE	APPLICATIONS	PRODUCT	DESCRIPTION	PRODUCT CODE
STANDARD	I° COAT	Epoxydic primer	Idroepotech 2k window grey	f353sp7040 cat.15% f953ct
	II° COAT	Polyurethane topcoat	Idropolitech 2K	f471spxxxx cat.20% f950ct
SINGLE MONOCOMPONENT COAT		Acrylic self sealer 1K	Idrotech FF	f350ffXXXX
SINGLE BICOMPONENT COAT		Acrylic self sealer 2K	Idropolitech 2K FF	f395spxxxx cat.20% f950ct



Polistuc è un brand di **Sirca SpA** - Viale Roma, 85 - 35010 San Dono di Massanzago (PD)
Tel. +39 049 9322311 - Fax +39 049 9322322 - sirca@sirca.it - www.sirca.it
Stabilimento via Comunale del Rovere, 4 - 33048 San Giovanni al Natisone (UD) - Italy