

Problem 1

public class ProblemA{
public static void main(String[] args){
int x = 3, y = 2, sum = 5;
double q = 0;
while(x < 9){
q = (x + y) - (sum + 5/2) / 3.0 % 2;
sum = sum + (++x) + (int)q;
System.out.println(sum);
if(sum % 3 == 0){
y += 2;
}
else{
y += x % 3;
}
}
System.out.println(x + " " + y + " " + sum);
}
}

Problem 2

public class problemB {
public static void main(String[] args) {
int x = 1, y = 3, sum = 0;
while (x < 8) {
sum += x * y;
System.out.println(sum);
if (sum % 5 == 0) {
y += 2;
}
else {
y--;
}
x += y % 3;
}
System.out.println("Final: " + sum);
}
}

Problem 3

public class problemC {
public static void main(String[] args) {
int x = 3, y = 2, sum = 5;
while (x < 10) {
sum = sum + x++ + ++y;
System.out.println(sum);
if (x % 3 == 0) {
y += 2;
}
else {
y -= 1;
}
}
System.out.println(sum);
}
}

Problem 4 [\[solve\]](#)

public class problemD {
public static void main(String[] args) {
int x = 1;
int y;
int sum = 0;
while (x < 5) {
y = x - 2;
while (y < 3) {
sum = sum + x - y * 2;
System.out.println(sum);
y++;
}
x += 2;
}
System.out.println("Final Sum: " + sum);
}
}

Problem 5

public class problemE {
public static void main(String[] args) {
int m = 16, n = 4, p = 1;
int sum = 20;
while (p < 6) {
if (m % 4 == 0) {
sum = sum + m / n + p;
}
else {
sum = sum - m % n;
}
m -= 3;
p++;
System.out.println(sum);
}
System.out.println(!(n % 4 == 0) && p > 3 sum > 25);
}
}

****Problem 6 [\[solve\]](#)

public class problemF {
public static void main(String[] args) {
int x = 2, y = 1, sum = 0;
double avg;
while (x < 6 && y > 0) {
sum += x++ + ++y;
for (int i = 0; i < 2; i++) {
if (!(sum % 2 == 0)) {

y--;
continue;
}
else if (sum > 8) {
break;
}
y++;
}
System.out.println("x=" + x + ", y=" + y + ", sum=" + sum);
avg = (double) sum / x;
System.out.println("average=" + avg);
}
System.out.println("Final sum=" + sum + ", x=" + x + ", y=" + y);
}
}