

Name :	ID:	Section:
--------	-----	----------

Question 1 [C02] [10 Points]

Design a **BowlingRecord** class where each object stores a Bangladesh player's name and wickets taken in two innings of the first Test match against Australia. Use appropriate variables to track the player's information, record status, and Bangladesh's total wickets. The constructor initializes the player information, and each record is initially not added. The **addRecord()** method adds the player's wickets to the team total only once, while **removeRecord()** removes them.

Tester Code	Output
<pre> public class BowlingRecordTester { public static void main(String[] args) { BowlingRecord.showTeamWickets(); BowlingRecord.showBowlerCount(); System.out.println("1====="); BowlingRecord a = new BowlingRecord("Hasan Mahmud", new int[]{5,4}); a.details(); System.out.println("2====="); a.addRecord(); System.out.println("3====="); BowlingRecord b = new BowlingRecord("Mehidy Hasan Miraz", new int[]{2,4}); b.details(); BowlingRecord.showTeamWickets(); System.out.println("4====="); b.addRecord(); BowlingRecord.showTeamWickets(); System.out.println("5====="); BowlingRecord c = new BowlingRecord("Taskin Ahmed", new int[]{3, 1}); c.addRecord(); c.details(); b.details(); System.out.println("6====="); BowlingRecord d = new BowlingRecord("Nahid Rana", new int[] {1,1}); d.addRecord(); BowlingRecord.showTeamWickets(); System.out.println("7====="); b.removeRecord(); BowlingRecord.showTeamWickets(); System.out.println("8====="); BowlingRecord.showBowlerCount(); c.addRecord(); System.out.println("9====="); c.removeRecord(); c.details(); System.out.println("10====="); BowlingRecord.showTeamWickets(); BowlingRecord.showBowlerCount(); } } </pre>	<pre> Bangladesh Wickets: 0 Total Bowlers: 0 1===== Bowler ID: 1, Name: Hasan Mahmud Innings Wickets: [5, 4] Total Wickets: 9, Recorded: false 2===== Bowler 1 record added. 3===== Bowler ID: 2, Name: Mehidy Hasan Miraz Innings Wickets: [2, 4] Total Wickets: 6, Recorded: false Bangladesh Wickets: 9 4===== Bowler 2 record added. Bangladesh Wickets: 15 5===== Bowler 3 record added. Bowler ID: 3, Name: Taskin Ahmed Innings Wickets: [3, 1] Total Wickets: 4, Recorded: true Bowler ID: 2, Name: Mehidy Hasan Miraz Innings Wickets: [2, 4] Total Wickets: 6, Recorded: true 6===== Bowler 4 record added. Bangladesh Wickets: 21 7===== Bowler 2 record removed. Bangladesh Wickets: 15 8===== Total Bowlers: 4 Bowler 3 record is already added. 9===== Bowler 3 record removed. Bowler ID: 3, Name: Taskin Ahmed Innings Wickets: [3, 1] Total Wickets: 4, Recorded: false 10===== Bangladesh Wickets: 11 Total Bowlers: 4 </pre>