

Set A

```
public class Quiz extends Exam{

    public static int count;
    public String id;
    public int duration;
    public String [] questions = new String [2];

    public Quiz(int m, int d){
        super(m);
        duration = d;
        count++;
        id = "QZ"+count;
    }
    public String toString(){
        System.out.println("ID: "+id+", "+super.toString()+"Time:
"+duration+" min");
        if(questions[0] == null){
            return "No questions set yet";
        }
        else{
            String s = "";
            for(int i = 0; i<questions.length; i++){
                if(questions[i] != null){
                    if(i == questions.length-1){
                        s+=questions[i]+" Marks";
                    }
                    else{
                        s+=questions[i]+" Marks\n";
                    }
                }
            }
            return s;
        }
    }
    public void setQuestion(String [] ques, int [] marks){
        int sum = 0;
        for(int i = 0; i < marks.length; i++){
            sum += marks[i];
        }
        if(sum > this.marks){
            System.out.println("Total question marks exceeded quiz marks.");
            return;
        }
        for(int i = 0; i < ques.length; i++){
            questions[i] = ques[i] + "-" + marks[i];
        }
    }
}
```

```
12 6 -2
44 53 52
16 44 80
```

Set B

```
public class Trip extends Travel{
    public static int count;
    public String id;
    public int duration;
    public String[] places = new String[2];
    public Trip(int b, int d){
        super(b);
        duration = d;
        count++;
        id = "TR" + count;
    }
    public String toString(){
        System.out.println("ID: " + id + ", "+ super.toString()+
"Duration: " + duration + " month");
        if(places[0] == null){
            return "No destinations set yet";
        }
        else{
            String s = "";
            for(int i = 0; i < places.length; i++){
                if(places[i] != null){
                    if(i == places.length - 1){
                        s += places[i];
                    }
                    else{
                        s += places[i] + "\n";
                    }
                }
            }
            return s;
        }
    }
    public void setPlaces(String[] p, int[] cost){
        int sum = 0;
        for(int i = 0; i < cost.length; i++){
            sum += cost[i];
        }
        if(sum > this.budget){
            System.out.println("Budget exceeded for trip.");
            return;
        }
        for(int i = 0; i < p.length; i++){
            places[i] = p[i] + "-" + cost[i] + "L";
        }
    }
}
```

```
}  
}
```

```
17 7 2  
33 37 41  
6 33 60
```