Codebook
DETECT 5-Year Data: Follow-Up Interviews: General Health Measures

Dataset name:	medstar/05_medstar_general_health
Dataset size:	1.1 Mb
Column count:	136
Row count:	955
Updated date:	2025-04-28

Description:

From 'general_health_import.csv' file from FileMaker Pro

Column Attributes:

1	**Column name:**	**id**

Column description:	Cross-set unique subject ID
Source information:	DETECT
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	798
Missing value count:	0

Categories with Smallest Values	Frequency	Categories with Largest Values	Frequency
28	1	2994	5
47	1	9748	5
129	1	38063	5
223	1	40179	5
240	1	3424	10

2	**Column name:**	**id_ms**

Column description:	MedStar within-set unique subject ID
Source information:	DETECT
Column type:	Categorical

Data type:	Integer
Unique non-missing value count:	798
Missing value count:	0

Categories with Smallest Values	Frequency	Categories with Largest Values	Frequency
33	1	683	5
58	1	767	5
190	1	916	5
227	1	14293	5
232	1	2201	10

3	Column name:	ms_resp_num

Column description:	EMS response number (sequential)
Source information:	DETECT
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	955
Missing value count:	0

Categories with Smallest Values	Frequency	Categories with Largest Values	Frequency
176	1	89977	1
1579	1	90039	1
1911	1	90243	1
2156	1	90753	1
2368	1	90921	1

4	Column name:	ms_record_num

Column description:	EMS record number (sequential)
Source information:	DETECT
Column type:	Categorical
Data type:	Integer

Unique non-missing value count:	955
Missing value count:	0

Categories with Smallest Values	Frequency	Categories with Largest Values	Frequency
176	1	89989	1
1579	1	90051	1
1911	1	90255	1
2156	1	90765	1
2368	1	90933	1

5	Column name:	x_primary_key

Column description:	Unique record ID created by the FileMaker Pro Database
Source information:	FileMaker Pro
Column type:	Character
Data type:	Character
Unique non-missing value count:	955
Missing value count:	0

6	Column name:	x_created_timestamp

Column description:	Timestamp of when the record was made in FileMaker Pro
Source information:	FileMaker Pro
Column type:	Time
Data type:	Numeric
Unique non-missing value count:	955
Missing value count:	0

Statistic	Value	Frequency	Percentage
Minimum	1567695995	1	0.10
Mode	All 955 values	1	0.10
Maximum	1685555382	1	0.10

7	Column name:		x_created_by	

Column description:	Use who created the record in FileMaker Pro		
Source information:	FileMaker Pro		
Column type:	Character		
Data type:	Character		
Unique non-missing value count:	29		
Missing value count:	0		

Categories with Smallest Values	Frequency	Categories with Largest Values	Frequency
Ddormady	1	lyang	88
Jhorn	1	jantman	94
aswiney	1	jaycox	99
awalker	1	dsnell	125
rmoren	1	aterrazas	261

8	Column name:		x_modified_by	

Column description:	User that last modified the record in FileMaker Pro		
Source information:	FileMaker Pro		
Column type:	Character		
Data type:	Character		
Unique non-missing value count:	31		
Missing value count:	0		

Categories with Smallest Values	Frequency	Categories with Largest Values	Frequency
Ddormady	1	lyang	87
Jhorn	1	jantman	93
UTHOUSTON\mmathew9	1	jaycox	98
awalker	1	dsnell	123
rmoren	1	aterrazas	262

9	**Column name:**		**x_modified_timestamp**	

	Column description:	Timestamp of when the record was last modified in FileMaker Pro
	Source information:	FileMaker Pro
	Column type:	Time
	Data type:	Numeric
	Unique non-missing value count:	955
	Missing value count:	0

Statistic	Value	Frequency	Percentage
Minimum	1567696579	1	0.10
Mode	All 955 values	1	0.10
Maximum	1685555544	1	0.10

10	**Column name:**		**x_record_status**	

	Column description:	Status of the Record
	Source information:	DETECT
	Column type:	Character
	Data type:	Character
	Unique non-missing value count:	2
	Missing value count:	0

Categories	Frequency	Cumulative Frequency	Percent
Complete	949	949	99.37
Incomplete	6	955	0.63

11	**Column name:**		**x_record_year**	

	Column description:	Related year of the record
	Source information:	FileMaker Pro
	Column type:	Time
	Data type:	Numeric

Unique non-missing value count:	5		
Missing value count:	0		

Statistic	Value	Frequency	Percentage
Minimum	2019	112	11.73
Mode	2022	294	30.79
Maximum	2023	103	10.79

12	Column name:	x_record_month

Column description:	Related month of the record	
Source information:	FileMaker Pro	
Column type:	Time	
Data type:	Character	
Unique non-missing value count:	12	
Missing value count:	0	

Statistic	Value	Frequency	Percentage
Minimum	April	71	7.43
Mode	August	120	12.57
Maximum	September	87	9.11

13	Column name:	x_record_comment

Column description:	Comments within the record	
Source information:	DETECT	
Column type:	Character	
Data type:	Logical	
Unique non-missing value count:	0	
Missing value count:	955	

Categories	Frequency	Cumulative Frequency	Percent
Missing	955	955	100.00

14	Column name:	x_error_message

Column description:	Any database error messages associated with the record	
Source information:	FileMaker Pro	
Column type:	Character	
Data type:	Character	
Unique non-missing value count:	1	
Missing value count:	947	

Categories	Frequency	Cumulative Frequency	Percent
Participant consent not recorded	8	8	0.84
Missing	947	955	99.16

15	Column name:	outcomes_health_general

Column description:	MO_2. In general, would you say your health is	
Source information:	DETECT Follow-Up Interviews	
Column type:	Categorical	
Data type:	Numeric	
Unique non-missing value count:	7	
Missing value count:	10	
Value labels:	1 = Excellent	
	2 = Very good	
	3 = Good	
	4 = Fair	
	5 = Poor	
	7 = Don't Know	
	9 = Refused	

Categories	Frequency	Cumulative Frequency	Percent
1	27	27	2.83
2	120	147	12.57
3	279	426	29.21

4	374	800	39.16
5	141	941	14.76
7	2	943	0.21
9	2	945	0.21
Missing	10	955	1.05

16	Column name:	outcomes_health_general_5cat
	Column description:	MO_2. In general, would you say your health is
	Source information:	DETECT Follow-Up Interviews
	Column type:	Categorical
	Data type:	Numeric
	Unique non-missing value count:	5
	Missing value count:	14
	Value labels:	1 = Excellent
		2 = Very good
		3 = Good
		4 = Fair
		5 = Poor

Categories	Frequency	Cumulative Frequency	Percent
1	27	27	2.83
2	120	147	12.57
3	279	426	29.21
4	374	800	39.16
5	141	941	14.76
Missing	14	955	1.47

17	Column name:	outcomes_health_general_5cat_f
	Column description:	MO_2. In general, would you say your health is
	Source information:	DETECT Follow-Up Interviews
	Column type:	Categorical

Data type:		Integer	
Unique non-missing value count:		5	
Missing value count:		14	

Categories	Frequency	Cumulative Frequency	Percent
1	27	27	2.83
2	120	147	12.57
3	279	426	29.21
4	374	800	39.16
5	141	941	14.76
Missing	14	955	1.47

18	Column name:	outcomes_health_vigorous

Column description:	MO_3. The kinds or amounts of vigorous activities you can do, like lifting heavy objects, running or participating in strenuous sports
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	5
Missing value count:	8
Value labels:	1 = Yes, limited for more than 3 months
	2 = Yes, limited for 3 months or less
	3 = Not limited at all
	7 = Don't Know
	9 = Refused

Categories	Frequency	Cumulative Frequency	Percent
1	787	787	82.41
2	90	877	9.42
3	64	941	6.70
7	5	946	0.52

9	1	947	0.10
Missing	8	955	0.84

19	Column name:	outcomes_health_vigorous_3cat	

Column description:	MO_3. The kinds or amounts of vigorous activities you can do, like lifting heavy objects, running or participating in strenuous sports
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	3
Missing value count:	14
Value labels:	1 = Yes, limited for more than 3 months
	2 = Yes, limited for 3 months or less
	3 = Not limited at all

Categories	Frequency	Cumulative Frequency	Percent
1	787	787	82.41
2	90	877	9.42
3	64	941	6.70
Missing	14	955	1.47

20	Column name:	outcomes_health_vigorous_3cat_f	

Column description:	MO_3. The kinds or amounts of vigorous activities you can do, like lifting heavy objects, running or participating in strenuous sports
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	3
Missing value count:	14

Categories	Frequency	Cumulative Frequency	Percent

1	787	787	82.41
2	90	877	9.42
3	64	941	6.70
Missing	14	955	1.47

21	Column name:	outcomes_health_moderate

Column description:	MO 4. The kinds or amounts of moderate activities you can do, like moving a table, carrying groceries, or bowling
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	5
Missing value count:	8
Value labels:	1 = Yes, limited for more than 3 months
	2 = Yes, limited for 3 months or less
	3 = Not limited at all
	7 = Don't Know
	9 = Refused

Categories	Frequency	Cumulative Frequency	Percent
1	670	670	70.16
2	97	767	10.16
3	174	941	18.22
7	5	946	0.52
9	1	947	0.10
Missing	8	955	0.84

22	Column name:	outcomes_health_moderate_3cat

Column description:	MO 4. The kinds or amounts of moderate activities you can do, like moving a table, carrying groceries, or bowling
Source information:	DETECT Follow-Up Interviews

Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	3
Missing value count:	14
Value labels:	1 = Yes, limited for more than 3 months
	2 = Yes, limited for 3 months or less
	3 = Not limited at all

Categories	Frequency	Cumulative Frequency	Percent
1	670	670	70.16
2	97	767	10.16
3	174	941	18.22
Missing	14	955	1.47

23	Column name:	outcomes_health_moderate_3cat_f

Column description:	MO_4. The kinds or amounts of moderate activities you can do, like moving a table, carrying groceries, or bowling
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	3
Missing value count:	14

Categories	Frequency	Cumulative Frequency	Percent
1	670	670	70.16
2	97	767	10.16
3	174	941	18.22
Missing	14	955	1.47

24	Column name:	outcomes_health_uphill

Column description:	MO_5. Walking uphill or climbing a few flights of stairs

Source information:	DETECT Follow-Up Interviews	
Column type:	Categorical	
Data type:	Numeric	
Unique non-missing value count:	5	
Missing value count:	12	
Value labels:	1 = Yes, limited for more than 3 months	
	2 = Yes, limited for 3 months or less	
	3 = Not limited at all	
	7 = Don't Know	
	9 = Refused	

Categories	Frequency	Cumulative Frequency	Percent
1	670	670	70.16
2	93	763	9.74
3	170	933	17.80
7	8	941	0.84
9	2	943	0.21
Missing	12	955	1.26

25	Column name:	outcomes_health_uphill_3cat
	Column description:	MO 5. Walking uphill or climbing a few flights of stairs
	Source information:	DETECT Follow-Up Interviews
	Column type:	Categorical
	Data type:	Numeric
	Unique non-missing value count:	3
	Missing value count:	22
	Value labels:	1 = Yes, limited for more than 3 months
		2 = Yes, limited for 3 months or less
		3 = Not limited at all

Categories	Frequency	Cumulative Frequency	Percent

1	670	670	70.16
2	93	763	9.74
3	170	933	17.80
Missing	22	955	2.30

26 Column name: outcomes_health_uphill_3cat_f

Column description:	MO_5. Walking uphill or climbing a few flights of stairs
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	3
Missing value count:	22

Categories	Frequency	Cumulative Frequency	Percent
1	670	670	70.16
2	93	763	9.74
3	170	933	17.80
Missing	22	955	2.30

27 Column name: outcomes_health_bend

Column description:	MO_6. Bending, lifting, or stooping
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	4
Missing value count:	14
Value labels:	1 = Yes, limited for more than 3 months
	2 = Yes, limited for 3 months or less
	3 = Not limited at all
	7 = Don't Know

Categories	Frequency	Cumulative Frequency	Percent
1	619	619	64.82
2	113	732	11.83
3	203	935	21.26
7	6	941	0.63
Missing	14	955	1.47

28	Column name:	outcomes_health_bend_3cat

	Column description:	MO_6. Bending, lifting, or stooping
	Source information:	DETECT Follow-Up Interviews
	Column type:	Categorical
	Data type:	Numeric
	Unique non-missing value count:	3
	Missing value count:	20
	Value labels:	1 = Yes, limited for more than 3 months
		2 = Yes, limited for 3 months or less
		3 = Not limited at all

Categories	Frequency	Cumulative Frequency	Percent
1	619	619	64.82
2	113	732	11.83
3	203	935	21.26
Missing	20	955	2.09

29	Column name:	outcomes_health_bend_3cat_f

	Column description:	MO_6. Bending, lifting, or stooping
	Source information:	DETECT Follow-Up Interviews
	Column type:	Categorical
	Data type:	Integer
	Unique non-missing value count:	3

Categories	Frequency	Cumulative Frequency	Percent
1	619	619	64.82
2	113	732	11.83
3	203	935	21.26
Missing	20	955	2.09

30	Column name:	outcomes_health_block

Column description:	MO_7. Walking one block
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	5
Missing value count:	18
Value labels:	1 = Yes, limited for more than 3 months
	2 = Yes, limited for 3 months or less
	3 = Not limited at all
	7 = Don't Know
	9 = Refused

Categories	Frequency	Cumulative Frequency	Percent
1	561	561	58.74
2	97	658	10.16
3	270	928	28.27
7	8	936	0.84
9	1	937	0.10
Missing	18	955	1.88

31	Column name:	outcomes_health_block_3cat

Column description:	MO_7. Walking one block
Source information:	DETECT Follow-Up Interviews

Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	3
Missing value count:	27
Value labels:	1 = Yes, limited for more than 3 months
	2 = Yes, limited for 3 months or less
	3 = Not limited at all

Categories	Frequency	Cumulative Frequency	Percent
1	561	561	58.74
2	97	658	10.16
3	270	928	28.27
Missing	27	955	2.83

32	Column name:	outcomes_health_block_3cat_f

Column description:	MO_7. Walking one block
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	3
Missing value count:	27

Categories	Frequency	Cumulative Frequency	Percent
1	561	561	58.74
2	97	658	10.16
3	270	928	28.27
Missing	27	955	2.83

33	Column name:	outcomes_health_bathe

Column description:	MO_8. Eating, dressing, bathing or using the toilet
Source information:	DETECT Follow-Up Interviews

Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	5
Missing value count:	9
Value labels:	1 = Yes, limited for more than 3 months
	2 = Yes, limited for 3 months or less
	3 = Not limited at all
	7 = Don't Know
	9 = Refused

Categories	Frequency	Cumulative Frequency	Percent
1	225	225	23.56
2	70	295	7.33
3	643	938	67.33
7	7	945	0.73
9	1	946	0.10
Missing	9	955	0.94

34	Column name:	outcomes_health_bathe_3cat

Column description:	MO_8. Eating, dressing, bathing or using the toilet
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	3
Missing value count:	17
Value labels:	1 = Yes, limited for more than 3 months
	2 = Yes, limited for 3 months or less
	3 = Not limited at all

Categories	Frequency	Cumulative Frequency	Percent
1	225	225	23.56

2	70	295	7.33
3	643	938	67.33
Missing	17	955	1.78

35	Column name:		outcomes_health_bathe_3cat_f

Column description:		MO_8. Eating, dressing, bathing or using the toilet
Source information:		DETECT Follow-Up Interviews
Column type:		Categorical
Data type:		Integer
Unique non-missing value count:		3
Missing value count:		17

Categories	Frequency	Cumulative Frequency	Percent
1	225	225	23.56
2	70	295	7.33
3	643	938	67.33
Missing	17	955	1.78

36	Column name:		outcomes_4weeks_pain

Column description:	MO_1. How much bodily pain have you had during the past 4 weeks?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	8
Missing value count:	9
Value labels:	0 = None
	1 = Very mild
	2 = Mild
	3 = Moderate
	4 = Severe

5 = Very Severe

7 = Don't Know

9 = Refused

Categories	Frequency	Cumulative Frequency	Percent
0	92	92	9.63
1	89	181	9.32
2	145	326	15.18
3	308	634	32.25
4	217	851	22.72
5	87	938	9.11
7	7	945	0.73
9	1	946	0.10
Missing	9	955	0.94

37	Column name:	outcomes_4weeks_pain_6cat
	Column description:	MO_1. How much bodily pain have you had during the past 4 weeks?
	Source information:	DETECT Follow-Up Interviews
	Column type:	Categorical
	Data type:	Numeric
	Unique non-missing value count:	6
	Missing value count:	17
	Value labels:	0 = None
		1 = Very mild
		2 = Mild
		3 = Moderate
		4 = Severe
		5 = Very Severe

Categories	Frequency	Cumulative Frequency	Percent
0	92	92	9.63

1	89	181	9.32
2	145	326	15.18
3	308	634	32.25
4	217	851	22.72
5	87	938	9.11
Missing	17	955	1.78

38	Column name:	outcomes_4weeks_pain_6cat_f
	Column description:	MO_1. How much bodily pain have you had during the past 4 weeks?
	Source information:	DETECT Follow-Up Interviews
	Column type:	Categorical
	Data type:	Integer
	Unique non-missing value count:	6
	Missing value count:	17

Categories	Frequency	Cumulative Frequency	Percent
1	92	92	9.63
2	89	181	9.32
3	145	326	15.18
4	308	634	32.25
5	217	851	22.72
6	87	938	9.11
Missing	17	955	1.78

39	Column name:	outcomes_health_keep
	Column description:	MO_9. Does your health keep you from working at a job, doing work around the house, or going to school?
	Source information:	DETECT Follow-Up Interviews
	Column type:	Categorical
	Data type:	Numeric
	Unique non-missing value count:	4

		Missing value count:	20

Value labels:

1 = Yes, for more than 3 months

2 = Yes, for 3 months or less

3 = No

7 = Don't Know

9 = Refused

Categories	Frequency	Cumulative Frequency	Percent
1	636	636	66.60
2	68	704	7.12
3	224	928	23.46
7	7	935	0.73
Missing	20	955	2.09

40	Column name:	outcomes_health_keep_3cat

Column description:	MO_9. Does your health keep you from working at a job, doing work around the house, or going to school?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	3
Missing value count:	27
Value labels:	1 = Yes, for more than 3 months
	2 = Yes, for 3 months or less
	3 = No

Categories	Frequency	Cumulative Frequency	Percent
1	636	636	66.60
2	68	704	7.12
3	224	928	23.46
Missing	27	955	2.83

41	Column name:	outcomes_health_keep_3cat_f

Column description:	MO 9. Does your health keep you from working at a job, doing work around the house, or going to school?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	3
Missing value count:	27

Categories	Frequency	Cumulative Frequency	Percent
1	636	636	66.60
2	68	704	7.12
3	224	928	23.46
Missing	27	955	2.83

42	Column name:	outcomes_month_social

Column description:	MO_11. How much of the time during the past month has your health limited your social activities (like visiting with friends or close relatives)?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	7
Missing value count:	11
Value labels:	1 = All of the time
	2 = Most of the time
	3 = Some of the time
	4 = A little of the time
	5 = None of the time
	7 = Don't Know
	9 = Refused

Categories	Frequency	Cumulative Frequency	Percent
1	187	187	19.58
2	226	413	23.66
3	204	617	21.36
4	97	714	10.16
5	219	933	22.93
7	9	942	0.94
9	2	944	0.21
Missing	11	955	1.15

43	Column name:	outcomes_month_social_5cat

Column description:	MO_11. How much of the time during the past month has your health limited your social activities (like visiting with friends or close relatives)?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	5
Missing value count:	22
Value labels:	1 = All of the time
	2 = Most of the time
	3 = Some of the time
	4 = A little of the time
	5 = None of the time

Categories	Frequency	Cumulative Frequency	Percent
1	187	187	19.58
2	226	413	23.66
3	204	617	21.36
4	97	714	10.16
5	219	933	22.93
Missing	22	955	2.30

44	Column name:	outcomes_month_social_5cat_f

Column description:	MO_11. How much of the time during the past month has your health limited your social activities (like visiting with friends or close relatives)?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	5
Missing value count:	22

Categories	Frequency	Cumulative Frequency	Percent
1	187	187	19.58
2	226	413	23.66
3	204	617	21.36
4	97	714	10.16
5	219	933	22.93
Missing	22	955	2.30

45	Column name:	outcomes_month_nervous

Column description:	MO_12. How much of the time, during the past month, have you been a very nervous person?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	7
Missing value count:	17
Value labels:	1 = All of the time
	2 = Most of the time
	3 = Some of the time
	4 = A little of the time
	5 = None of the time

Categories	Frequency	Cumulative Frequency	Percent
1	75	75	7.85
2	96	171	10.05
3	193	364	20.21
4	217	581	22.72
5	352	933	36.86
7	3	936	0.31
9	2	938	0.21
Missing	17	955	1.78

46	Column name:	outcomes_month_nervous_5cat
	Column description:	MO 12. How much of the time, during the past month, have you been a very nervous person?
	Source information:	DETECT Follow-Up Interviews
	Column type:	Categorical
	Data type:	Numeric
	Unique non-missing value count:	5
	Missing value count:	22
	Value labels:	1 = All of the time
		2 = Most of the time
		3 = Some of the time
		4 = A little of the time
		5 = None of the time

Categories	Frequency	Cumulative Frequency	Percent
1	75	75	7.85
2	96	171	10.05
3	193	364	20.21
4	217	581	22.72

5	352	933	36.86
Missing	22	955	2.30

47	Column name:	outcomes_month_nervous_5cat_f

Column description:	MO_12. How much of the time, during the past month, have you been a very nervous person?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	5
Missing value count:	22

Categories	Frequency	Cumulative Frequency	Percent
1	75	75	7.85
2	96	171	10.05
3	193	364	20.21
4	217	581	22.72
5	352	933	36.86
Missing	22	955	2.30

48	Column name:	outcomes_month_calm

Column description:	MO_13. During the past month, how much of the time have you felt calm and peaceful?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	7
Missing value count:	27
Value labels:	1 = All of the time
	2 = Most of the time
	3 = Some of the time
	4 = A little of the time

5 = None of the time

7 = Don't Know

9 = Refused

Categories	Frequency	Cumulative Frequency	Percent
1	168	168	17.59
2	374	542	39.16
3	191	733	20.00
4	130	863	13.61
5	62	925	6.49
7	1	926	0.10
9	2	928	0.21
Missing	27	955	2.83

49	Column name:	outcomes_month_calm_5cat

	Column description:	MO_13. During the past month, how much of the time have you felt calm and peaceful?
	Source information:	DETECT Follow-Up Interviews
	Column type:	Categorical
	Data type:	Numeric
	Unique non-missing value count:	5
	Missing value count:	30
	Value labels:	1 = All of the time
		2 = Most of the time
		3 = Some of the time
		4 = A little of the time
		5 = None of the time

Categories	Frequency	Cumulative Frequency	Percent
1	168	168	17.59
2	374	542	39.16
3	191	733	20.00

4	130	863	13.61
5	62	925	6.49
Missing	30	955	3.14

50	Column name:	outcomes_month_calm_5cat_f

Column description:	MO_13. During the past month, how much of the time have you felt calm and peaceful?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	5
Missing value count:	30

Categories	Frequency	Cumulative Frequency	Percent
1	168	168	17.59
2	374	542	39.16
3	191	733	20.00
4	130	863	13.61
5	62	925	6.49
Missing	30	955	3.14

51	Column name:	outcomes_month_blue

Column description:	MO_14. How much of the time, during the past month, have you felt downhearted and blue?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	7
Missing value count:	19
Value labels:	1 = All of the time
	2 = Most of the time
	3 = Some of the time

4 = A little of the time

5 = None of the time

7 = Don't Know

9 = Refused

Categories	Frequency	Cumulative Frequency	Percent
1	37	37	3.87
2	96	133	10.05
3	224	357	23.46
4	248	605	25.97
5	327	932	34.24
7	2	934	0.21
9	2	936	0.21
Missing	19	955	1.99

52	Column name:	outcomes_month_blue_5cat
	Column description:	MO_14. How much of the time, during the past month, have you felt downhearted and blue?
	Source information:	DETECT Follow-Up Interviews
	Column type:	Categorical
	Data type:	Numeric
	Unique non-missing value count:	5
	Missing value count:	23
	Value labels:	1 = All of the time
		2 = Most of the time
		3 = Some of the time
		4 = A little of the time
		5 = None of the time

Categories	Frequency	Cumulative Frequency	Percent
1	37	37	3.87
2	96	133	10.05

3	224	357	23.46
4	248	605	25.97
5	327	932	34.24
Missing	23	955	2.41

53	Column name:		outcomes_month_blue_5cat_f

Column description:	MO_14. How much of the time, during the past month, have you felt downhearted and blue?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	5
Missing value count:	23

Categories	Frequency	Cumulative Frequency	Percent
1	37	37	3.87
2	96	133	10.05
3	224	357	23.46
4	248	605	25.97
5	327	932	34.24
Missing	23	955	2.41

54	Column name:		outcomes_month_happy

Column description:	MO_15. During the past month, how much of the time have you been a happy person?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	7
Missing value count:	12
Value labels:	1 = All of the time
	2 = Most of the time

3 = Some of the time

4 = A little of the time

5 = None of the time

7 = Don't Know

9 = Refused

Categories	Frequency	Cumulative Frequency	Percent
1	228	228	23.87
2	396	624	41.47
3	178	802	18.64
4	94	896	9.84
5	44	940	4.61
7	1	941	0.10
9	2	943	0.21
Missing	12	955	1.26

55	Column name:	outcomes_month_happy_5cat

Column description:	MO 15. During the past month, how much of the time have you been a happy person?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	5
Missing value count:	15
Value labels:	1 = All of the time
	2 = Most of the time
	3 = Some of the time
	4 = A little of the time
	5 = None of the time

Categories	Frequency	Cumulative Frequency	Percent
1	228	228	23.87

2	396	624	41.47
3	178	802	18.64
4	94	896	9.84
5	44	940	4.61
Missing	15	955	1.57

56	Column name:		outcomes_month_happy_5cat_f

Column description:	MO 15. During the past month, how much of the time have you been a happy person?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	5
Missing value count:	15

Categories	Frequency	Cumulative Frequency	Percent
1	228	228	23.87
2	396	624	41.47
3	178	802	18.64
4	94	896	9.84
5	44	940	4.61
Missing	15	955	1.57

57	Column name:		outcomes_month_dumps

Column description:	MO 16. How often, during the past month, have you felt so down in the dumps that nothing could cheer you up?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	7
Missing value count:	13

Value labels: 1 = All of the time

                                                 2 = Most of the time

                                                 3 = Some of the time

                                                 4 = A little of the time

                                                 5 = None of the time

                                                 7 = Don't Know

                                                 9 = Refused

Categories	Frequency	Cumulative Frequency	Percent
1	14	14	1.47
2	34	48	3.56
3	83	131	8.69
4	149	280	15.60
5	657	937	68.80
7	3	940	0.31
9	2	942	0.21
Missing	13	955	1.36

58	Column name:	outcomes_month_dumps_5cat

Column description:	MO_16. How often, during the past month, have you felt so down in the dumps that nothing could cheer you up?	
Source information:	DETECT Follow-Up Interviews	
Column type:	Categorical	
Data type:	Numeric	
Unique non-missing value count:	5	
Missing value count:	18	
Value labels:	1 = All of the time	
	2 = Most of the time	
	3 = Some of the time	
	4 = A little of the time	

Categories	Frequency	Cumulative Frequency	Percent
1	14	14	1.47
2	34	48	3.56
3	83	131	8.69
4	149	280	15.60
5	657	937	68.80
Missing	18	955	1.88

59	Column name:	outcomes_month_dumps_5cat_f
	Column description:	MO_16. How often, during the past month, have you felt so down in the dumps that nothing could cheer you up?
	Source information:	DETECT Follow-Up Interviews
	Column type:	Categorical
	Data type:	Integer
	Unique non-missing value count:	5
	Missing value count:	18

Categories	Frequency	Cumulative Frequency	Percent
1	14	14	1.47
2	34	48	3.56
3	83	131	8.69
4	149	280	15.60
5	657	937	68.80
Missing	18	955	1.88

60	Column name:	outcomes_tf_ill
	Column description:	MO_17. I am somewhat ill.
	Source information:	DETECT Follow-Up Interviews
	Column type:	Categorical
	Data type:	Numeric

Unique non-missing value count: 6

Missing value count: 9

Value labels: 1 = Definitely true

2 = Mostly true

3 = Don't know

4 = Mostly false

5 = Definitely false

9 = Refused

Categories	Frequency	Cumulative Frequency	Percent
1	394	394	41.26
2	252	646	26.39
3	50	696	5.24
4	113	809	11.83
5	136	945	14.24
9	1	946	0.10
Missing	9	955	0.94

61	Column name:	outcomes_tf_ill_5cat

Column description: MO_17. I am somewhat ill.

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Numeric

Unique non-missing value count: 5

Missing value count: 10

Value labels: 1 = Definitely true

2 = Mostly true

3 = Don't know

4 = Mostly false

5 = Definitely false

Categories	Frequency	Cumulative Frequency	Percent
1	394	394	41.26
2	252	646	26.39
3	50	696	5.24
4	113	809	11.83
5	136	945	14.24
Missing	10	955	1.05

62	Column name:		outcomes_tf_ill_5cat_f
	Column description:		MO_17. I am somewhat ill.
	Source information:		DETECT Follow-Up Interviews
	Column type:		Categorical
	Data type:		Integer
	Unique non-missing value count:		5
	Missing value count:		10

Categories	Frequency	Cumulative Frequency	Percent
1	394	394	41.26
2	252	646	26.39
3	50	696	5.24
4	113	809	11.83
5	136	945	14.24
Missing	10	955	1.05

63	Column name:		outcomes_tf_anybody
	Column description:		MO_18. I am as healthy as anybody I know.
	Source information:		DETECT Follow-Up Interviews
	Column type:		Categorical
	Data type:		Numeric
	Unique non-missing value count:		6
	Missing value count:		9

Categories	Frequency	Cumulative Frequency	Percent
1	138	138	14.45
2	208	346	21.78
3	50	396	5.24
4	180	576	18.85
5	367	943	38.43
9	3	946	0.31
Missing	9	955	0.94

64	Column name:	outcomes_tf_anybody_5cat

Column description:	MO_18. I am as healthy as anybody I know.
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	5
Missing value count:	12
Value labels:	1 = Definitely true
	2 = Mostly true
	3 = Don't know
	4 = Mostly false
	5 = Definitely false

Categories	Frequency	Cumulative Frequency	Percent
1	138	138	14.45

2	208	346	21.78
3	50	396	5.24
4	180	576	18.85
5	367	943	38.43
Missing	12	955	1.26

65	Column name:	outcomes_tf_anybody_5cat_f
	Column description:	MO_18. I am as healthy as anybody I know.
	Source information:	DETECT Follow-Up Interviews
	Column type:	Categorical
	Data type:	Integer
	Unique non-missing value count:	5
	Missing value count:	12

Categories	Frequency	Cumulative Frequency	Percent
1	138	138	14.45
2	208	346	21.78
3	50	396	5.24
4	180	576	18.85
5	367	943	38.43
Missing	12	955	1.26

66	Column name:	outcomes_tf_bad
	Column description:	MO_20. I have been feeling bad lately
	Source information:	DETECT Follow-Up Interviews
	Column type:	Categorical
	Data type:	Numeric
	Unique non-missing value count:	6
	Missing value count:	14
	Value labels:	1 = Definitely true
		2 = Mostly true

3 = Don't know

4 = Mostly false

5 = Definitely false

9 = Refused

Categories	Frequency	Cumulative Frequency	Percent
1	274	274	28.69
2	262	536	27.43
3	30	566	3.14
4	179	745	18.74
5	192	937	20.10
9	4	941	0.42
Missing	14	955	1.47

67	Column name:	outcomes_tf_bad_5cat
	Column description:	MO_20. I have been feeling bad lately
	Source information:	DETECT Follow-Up Interviews
	Column type:	Categorical
	Data type:	Numeric
	Unique non-missing value count:	5
	Missing value count:	18
	Value labels:	1 = Definitely true
		2 = Mostly true
		3 = Don't know
		4 = Mostly false
		5 = Definitely false

Categories	Frequency	Cumulative Frequency	Percent
1	274	274	28.69
2	262	536	27.43
3	30	566	3.14

4	179	745	18.74
5	192	937	20.10
Missing	18	955	1.88

68	Column name:	outcomes_tf_bad_5cat_f	
	Column description:	MO_20. I have been feeling bad lately	
	Source information:	DETECT Follow-Up Interviews	
	Column type:	Categorical	
	Data type:	Integer	
	Unique non-missing value count:	5	
	Missing value count:	18	

Categories	Frequency	Cumulative Frequency	Percent
1	274	274	28.69
2	262	536	27.43
3	30	566	3.14
4	179	745	18.74
5	192	937	20.10
Missing	18	955	1.88

69	Column name:	outcomes_tf_health	
	Column description:	MO_19. My health is excellent.	
	Source information:	DETECT Follow-Up Interviews	
	Column type:	Categorical	
	Data type:	Numeric	
	Unique non-missing value count:	6	
	Missing value count:	10	
	Value labels:	1 = Definitely true	
		2 = Mostly true	
		3 = Don't know	
		4 = Mostly false	

5 = Definitely false

9 = Refused

Categories	Frequency	Cumulative Frequency	Percent
1	71	71	7.43
2	158	229	16.54
3	29	258	3.04
4	250	508	26.18
5	435	943	45.55
9	2	945	0.21
Missing	10	955	1.05

70	Column name:	outcomes_tf_health_5cat
	Column description:	MO_19. My health is excellent.
	Source information:	DETECT Follow-Up Interviews
	Column type:	Categorical
	Data type:	Numeric
	Unique non-missing value count:	5
	Missing value count:	12
	Value labels:	1 = Definitely true
		2 = Mostly true
		3 = Don't know
		4 = Mostly false
		5 = Definitely false

Categories	Frequency	Cumulative Frequency	Percent
1	71	71	7.43
2	158	229	16.54
3	29	258	3.04
4	250	508	26.18
5	435	943	45.55
Missing	12	955	1.26

71	Column name:		outcomes_tf_health_5cat_f	

Column description:	MO_19. My health is excellent.
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	5
Missing value count:	12

Categories	Frequency	Cumulative Frequency	Percent
1	71	71	7.43
2	158	229	16.54
3	29	258	3.04
4	250	508	26.18
5	435	943	45.55
Missing	12	955	1.26

72	Column name:		depres_satisfied_2cat	

Column description:	GD_1. Are you basically satisfied with your life?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	2
Missing value count:	8
Value labels:	0 = Yes
	1 = No

Categories	Frequency	Cumulative Frequency	Percent
0	700	700	73.30
1	247	947	25.86
Missing	8	955	0.84

73	Column name:		depres_satisfied_2cat_f	

Column description:	GD_1. Are you basically satisfied with your life?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	2
Missing value count:	8

Categories	Frequency	Cumulative Frequency	Percent
1	247	247	25.86
2	700	947	73.30
Missing	8	955	0.84

74	Column name:		depres_hopeless_2cat	

Column description:	GD_2. Do you feel that your situation is hopeless?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	2
Missing value count:	13
Value labels:	0 = No
	1 = Yes

Categories	Frequency	Cumulative Frequency	Percent
0	855	855	89.53
1	87	942	9.11
Missing	13	955	1.36

75	Column name:		depres_hopeless_2cat_f	

Column description:	GD_2. Do you feel that your situation is hopeless?
Source information:	DETECT Follow-Up Interviews

Column type:		Categorical	
Data type:		Integer	
Unique non-missing value count:		2	
Missing value count:		13	

Categories	Frequency	Cumulative Frequency	Percent
1	855	855	89.53
2	87	942	9.11
Missing	13	955	1.36

76	Column name:	depres_better_2cat

Column description:	GD_3. Do you think that most people are better off than you are?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	2
Missing value count:	11
Value labels:	0 = No
	1 = Yes

Categories	Frequency	Cumulative Frequency	Percent
0	675	675	70.68
1	269	944	28.17
Missing	11	955	1.15

77	Column name:	depres_better_2cat_f

Column description:	GD_3. Do you think that most people are better off than you are?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer

	Unique non-missing value count:		2	
	Missing value count:		11	

Categories	Frequency	Cumulative Frequency	Percent
1	675	675	70.68
2	269	944	28.17
Missing	11	955	1.15

78	Column name:	depres_activities_2cat
	Column description:	GD 4. Have you dropped many of your activities and interests
	Source information:	DETECT Follow-Up Interviews
	Column type:	Categorical
	Data type:	Numeric
	Unique non-missing value count:	2
	Missing value count:	12
	Value labels:	0 = No
		1 = Yes

Categories	Frequency	Cumulative Frequency	Percent
0	437	437	45.76
1	506	943	52.98
Missing	12	955	1.26

79	Column name:	depres_activities_2cat_f
	Column description:	GD 4. Have you dropped many of your activities and interests
	Source information:	DETECT Follow-Up Interviews
	Column type:	Categorical
	Data type:	Integer
	Unique non-missing value count:	2
	Missing value count:	12

Categories	Frequency	Cumulative Frequency	Percent
1	437	437	45.76
2	506	943	52.98
Missing	12	955	1.26

80	Column name:		depres_empty_2cat

Column description:	GD_5. Do you feel that your life is empty?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	2
Missing value count:	11
Value labels:	0 = No
	1 = Yes

Categories	Frequency	Cumulative Frequency	Percent
0	797	797	83.46
1	147	944	15.39
Missing	11	955	1.15

81	Column name:		depres_empty_2cat_f

Column description:	GD_5. Do you feel that your life is empty?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	2
Missing value count:	11

Categories	Frequency	Cumulative Frequency	Percent
1	797	797	83.46
2	147	944	15.39
Missing	11	955	1.15

82	Column name:		depres_bored_2cat	

Column description:	GD_6. Do you often get bored?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	2
Missing value count:	10
Value labels:	0 = No
	1 = Yes

Categories	Frequency	Cumulative Frequency	Percent
0	544	544	56.96
1	401	945	41.99
Missing	10	955	1.05

83	Column name:		depres_bored_2cat_f	

Column description:	GD_6. Do you often get bored?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	2
Missing value count:	10

Categories	Frequency	Cumulative Frequency	Percent
1	544	544	56.96
2	401	945	41.99
Missing	10	955	1.05

84	Column name:		depres_spirits_2cat	

Column description:	GD_7. Are you in good spirits most of the time?
Source information:	DETECT Follow-Up Interviews

Column type:		Categorical	
Data type:		Numeric	
Unique non-missing value count:		2	
Missing value count:		11	
Value labels:		0 = Yes	
		1 = No	

Categories	Frequency	Cumulative Frequency	Percent
0	822	822	86.07
1	122	944	12.77
Missing	11	955	1.15

---

85   **Column name:**   **depres_spirits_2cat_f**

Column description:	GD_7. Are you in good spirits most of the time?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	2
Missing value count:	11

Categories	Frequency	Cumulative Frequency	Percent
1	122	122	12.77
2	822	944	86.07
Missing	11	955	1.15

---

86   **Column name:**   **depres_afraid_2cat**

Column description:	GD_8. Are you afraid that something bad is going to happen to you?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	2

Missing value count:	9	
Value labels:	0 = No	
	1 = Yes	

Categories	Frequency	Cumulative Frequency	Percent
0	802	802	83.98
1	144	946	15.08
Missing	9	955	0.94

87	Column name:	depres_afraid_2cat_f

Column description:	GD_8. Are you afraid that something bad is going to happen to you?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	2
Missing value count:	9

Categories	Frequency	Cumulative Frequency	Percent
1	802	802	83.98
2	144	946	15.08
Missing	9	955	0.94

88	Column name:	depres_happy_2cat

Column description:	GD_9. Do you feel happy most of the time?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	2
Missing value count:	13
Value labels:	0 = Yes
	1 = No

Categories	Frequency	Cumulative Frequency	Percent
0	768	768	80.42
1	174	942	18.22
Missing	13	955	1.36

89	Column name:		depres_happy_2cat_f

Column description:	GD_9. Do you feel happy most of the time?	
Source information:	DETECT Follow-Up Interviews	
Column type:	Categorical	
Data type:	Integer	
Unique non-missing value count:	2	
Missing value count:	13	

Categories	Frequency	Cumulative Frequency	Percent
1	174	174	18.22
2	768	942	80.42
Missing	13	955	1.36

90	Column name:		depres_helpless_2cat

Column description:	GD_10. Do you often feel helpless?	
Source information:	DETECT Follow-Up Interviews	
Column type:	Categorical	
Data type:	Numeric	
Unique non-missing value count:	2	
Missing value count:	10	
Value labels:	0 = No	
	1 = Yes	

Categories	Frequency	Cumulative Frequency	Percent
0	709	709	74.24
1	236	945	24.71
Missing	10	955	1.05

91	Column name:	depres_helpless_2cat_f

Column description:	GD_10. Do you often feel helpless?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	2
Missing value count:	10

Categories	Frequency	Cumulative Frequency	Percent
1	709	709	74.24
2	236	945	24.71
Missing	10	955	1.05

92	Column name:	depres_home_2cat

Column description:	GD_11. Do you prefer to stay at home, rather than going out and doing things?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	2
Missing value count:	14
Value labels:	0 = No
	1 = Yes

Categories	Frequency	Cumulative Frequency	Percent
0	429	429	44.92
1	512	941	53.61
Missing	14	955	1.47

93	Column name:	depres_home_2cat_f

Column description:	GD_11. Do you prefer to stay at home, rather than going out and doing things?

Source information:	DETECT Follow-Up Interviews	
Column type:	Categorical	
Data type:	Integer	
Unique non-missing value count:	2	
Missing value count:	14	

Categories	Frequency	Cumulative Frequency	Percent
1	429	429	44.92
2	512	941	53.61
Missing	14	955	1.47

94	Column name:	depres_memory_2cat

Column description:	GD 12. Do you feel that you have more problems with your memory than most?	
Source information:	DETECT Follow-Up Interviews	
Column type:	Categorical	
Data type:	Numeric	
Unique non-missing value count:	2	
Missing value count:	12	
Value labels:	0 = No	
	1 = Yes	

Categories	Frequency	Cumulative Frequency	Percent
0	731	731	76.54
1	212	943	22.20
Missing	12	955	1.26

95	Column name:	depres_memory_2cat_f

Column description:	GD 12. Do you feel that you have more problems with your memory than most?	
Source information:	DETECT Follow-Up Interviews	
Column type:	Categorical	

Data type:		Integer
Unique non-missing value count:		2
Missing value count:		12

Categories	Frequency	Cumulative Frequency	Percent
1	731	731	76.54
2	212	943	22.20
Missing	12	955	1.26

---

96 **Column name:** **depres_alive_2cat**

Column description:	GD_13. Do you think it is wonderful to be alive now?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	2
Missing value count:	14
Value labels:	0 = Yes
	1 = No

Categories	Frequency	Cumulative Frequency	Percent
0	865	865	90.58
1	76	941	7.96
Missing	14	955	1.47

---

97 **Column name:** **depres_alive_2cat_f**

Column description:	GD_13. Do you think it is wonderful to be alive now?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	2
Missing value count:	14

Categories	Frequency	Cumulative Frequency	Percent
1	76	76	7.96
2	865	941	90.58
Missing	14	955	1.47

98	Column name:		depres_worthless_2cat

	Column description:	GD_14. Do you feel worthless the way you are now?
	Source information:	DETECT Follow-Up Interviews
	Column type:	Categorical
	Data type:	Numeric
	Unique non-missing value count:	2
	Missing value count:	16
	Value labels:	0 = No
		1 = Yes

Categories	Frequency	Cumulative Frequency	Percent
0	808	808	84.61
1	131	939	13.72
Missing	16	955	1.68

99	Column name:		depres_worthless_2cat_f

	Column description:	GD_14. Do you feel worthless the way you are now?
	Source information:	DETECT Follow-Up Interviews
	Column type:	Categorical
	Data type:	Integer
	Unique non-missing value count:	2
	Missing value count:	16

Categories	Frequency	Cumulative Frequency	Percent
1	808	808	84.61
2	131	939	13.72
Missing	16	955	1.68

100	Column name:		**depres_energy_2cat**	

Column description:	GD_15. Do you feel full of energy?	
Source information:	DETECT Follow-Up Interviews	
Column type:	Categorical	
Data type:	Numeric	
Unique non-missing value count:	2	
Missing value count:	21	
Value labels:	0 = Yes	
	1 = No	

Categories	Frequency	Cumulative Frequency	Percent
0	328	328	34.35
1	606	934	63.46
Missing	21	955	2.20

101	Column name:		**depres_energy_2cat_f**	

Column description:	GD_15. Do you feel full of energy?	
Source information:	DETECT Follow-Up Interviews	
Column type:	Categorical	
Data type:	Integer	
Unique non-missing value count:	2	
Missing value count:	21	

Categories	Frequency	Cumulative Frequency	Percent
1	606	606	63.46
2	328	934	34.35
Missing	21	955	2.20

102	Column name:		**auditc_drink**	

Column description:	AC_1. How often do you have a drink containing alcohol?

Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	7
Missing value count:	670
Value labels:	0 = Never
	1 = Monthly or less
	2 = 2-4 times a month
	3 = 2-3 times a week
	4 = 4 or more times a week
	7 = Don't Know
	9 = Refused
Skip pattern:	Skipped if "nesarc drink" was "no", indicating subject does never consumed alcohol

Categories	Frequency	Cumulative Frequency	Percent
0	25	25	2.62
1	146	171	15.29
2	42	213	4.40
3	28	241	2.93
4	39	280	4.08
7	4	284	0.42
9	1	285	0.10
Missing	670	955	70.16

103	Column name:	auditc_drink_5cat

Column description:	AC 1. How often do you have a drink containing alcohol?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric

Unique non-missing value count:	5
Missing value count:	675
Value labels:	0 = Never
	1 = Monthly or less
	2 = 2-4 times a month
	3 = 2-3 times a week
	4 = 4 or more times a week
Skip pattern:	Skipped if "nesarc_drink" was "no", indicating subject does never consumed alcohol

Categories	Frequency	Cumulative Frequency	Percent
0	25	25	2.62
1	146	171	15.29
2	42	213	4.40
3	28	241	2.93
4	39	280	4.08
Missing	675	955	70.68

104	Column name:	auditc_drink_5cat_f

Column description:	AC_1. How often do you have a drink containing alcohol?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	5
Missing value count:	675
Skip pattern:	Skipped if "nesarc_drink" was "no", indicating subject does never consumed alcohol

Categories	Frequency	Cumulative Frequency	Percent
1	25	25	2.62
2	146	171	15.29
3	42	213	4.40

4	28	241	2.93
5	39	280	4.08
Missing	675	955	70.68

105	Column name:	auditc_day

Column description:	AC_2. How many standard drinks containing alcohol do you have on a typical day?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	6
Missing value count:	695
Value labels:	1 = 1 or 2
	2 = 3 or 4
	3 = 5 or 6
	4 = 7 to 9
	5 = 10 or more
	7 = Don't Know
	9 = Refused
Skip pattern:	Skipped if "nesarc_drink" was "no" or "auditc_drink" was "never", indicating subject does not drink any alcohol

Categories	Frequency	Cumulative Frequency	Percent
1	139	139	14.55
2	16	155	1.68
3	7	162	0.73
5	2	164	0.21
7	78	242	8.17
9	18	260	1.88
Missing	695	955	72.77

106	Column name:		**auditc_day_5cat**	

Column description: AC 2. How many standard drinks containing alcohol do you have on a typical day?

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Numeric

Unique non-missing value count: 4

Missing value count: 791

Value labels: 1 = 1 or 2

     2 = 3 or 4

     3 = 5 or 6

     4 = 7 to 9

     5 = 10 or more

Skip pattern: Skipped if "nesarc drink" was "no" or "auditc drink" was "never", indicating subject does not drink any alcohol

Categories	Frequency	Cumulative Frequency	Percent
1	139	139	14.55
2	16	155	1.68
3	7	162	0.73
5	2	164	0.21
Missing	791	955	82.83

107	Column name:		**auditc_day_5cat_f**	

Column description: AC_2. How many standard drinks containing alcohol do you have on a typical day?

Source information: DETECT Follow-Up Interviews

Column type: Categorical

Data type: Integer

Unique non-missing value count: 4

Missing value count: 791

Skipped if "nesarc_drink" was "no" or "auditc_drink" was "never", indicating subject does not drink any alcohol

Categories	Frequency	Cumulative Frequency	Percent
1	139	139	14.55
2	16	155	1.68
3	7	162	0.73
5	2	164	0.21
Missing	791	955	82.83

108	Column name:	auditc_five

Column description:	AC 3. How often do you have five or more drinks on one occasion?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	7
Missing value count:	693
Value labels:	0 = Never
	1 = Less than monthly
	2 = Monthly
	3 = Weekly
	4 = Daily or almost daily
	7 = Don't Know
	9 = Refused
Skip pattern:	Skipped if "nesarc_drink" was "no" or "auditc_drink" was "never", indicating subject does not drink any alcohol

Categories	Frequency	Cumulative Frequency	Percent
0	211	211	22.09
1	24	235	2.51
2	9	244	0.94

3	8	252	0.84
4	6	258	0.63
7	3	261	0.31
9	1	262	0.10
Missing	693	955	72.57

109	Column name:	auditc_five_5cat
	Column description:	AC 3. How often do you have five or more drinks on one occasion?
	Source information:	DETECT Follow-Up Interviews
	Column type:	Categorical
	Data type:	Numeric
	Unique non-missing value count:	5
	Missing value count:	697
	Value labels:	0 = Never
		1 = Less than monthly
		2 = Monthly
		3 = Weekly
		4 = Daily or almost daily
	Skip pattern:	Skipped if "nesarc drink" was "no" or "auditc drink" was "never", indicating subject does not drink any alcohol

Categories	Frequency	Cumulative Frequency	Percent
0	211	211	22.09
1	24	235	2.51
2	9	244	0.94
3	8	252	0.84
4	6	258	0.63
Missing	697	955	72.98

110	Column name:	auditc_five_5cat_f

Column description:	AC_3. How often do you have five or more drinks on one occasion?	
Source information:	DETECT Follow-Up Interviews	
Column type:	Categorical	
Data type:	Integer	
Unique non-missing value count:	5	
Missing value count:	697	
Skip pattern:	Skipped if "nesarc_drink" was "no" or "auditc_drink" was "never", indicating subject does not drink any alcohol	

Categories	Frequency	Cumulative Frequency	Percent
1	211	211	22.09
2	24	235	2.51
3	9	244	0.94
4	8	252	0.84
5	6	258	0.63
Missing	697	955	72.98

111	Column name:	outcomes_health_unable

Column description:	MO_10. Have you been unable to do certain kinds or amounts of work, housework, or schoolwork because of your health?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	4
Missing value count:	18
Value labels:	1 = Yes, for more than 3 months
	2 = Yes, for 3 months or less
	3 = No
	7 = Don't Know
	9 = Refused

Categories	Frequency	Cumulative Frequency	Percent
1	648	648	67.85
2	75	723	7.85
3	207	930	21.68
7	7	937	0.73
Missing	18	955	1.88

112	Column name:		outcomes_health_unable_3cat

Column description:	MO 10. Have you been unable to do certain kinds or amounts of work, housework, or schoolwork because of your health?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	3
Missing value count:	25
Value labels:	1 = Yes, for more than 3 months
	2 = Yes, for 3 months or less
	3 = No

Categories	Frequency	Cumulative Frequency	Percent
1	648	648	67.85
2	75	723	7.85
3	207	930	21.68
Missing	25	955	2.62

113	Column name:		outcomes_health_unable_3cat_f

Column description:	MO_10. Have you been unable to do certain kinds or amounts of work, housework, or schoolwork because of your health?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer

Unique non-missing value count:	3	
Missing value count:	25	

Categories	Frequency	Cumulative Frequency	Percent
1	648	648	67.85
2	75	723	7.85
3	207	930	21.68
Missing	25	955	2.62

114	Column name:	nesarc_drink

Column description:	NC_1. In your entire life, have you had at least 1 drink of any kind of alcohol, not counting small tastes or sips?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	3
Missing value count:	8
Value labels:	0 = No
	1 = Yes
	3 = Don't Know
	9 = Refused

Categories	Frequency	Cumulative Frequency	Percent
0	149	149	15.60
1	797	946	83.46
9	1	947	0.10
Missing	8	955	0.84

115	Column name:	nesarc_drink_2cat

Column description:	NC_1. In your entire life, have you had at least 1 drink of any kind of alcohol, not counting small tastes or sips?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical

Data type:	Numeric		
Unique non-missing value count:	2		
Missing value count:	9		
Value labels:	0 = No		
	1 = Yes		

Categories	Frequency	Cumulative Frequency	Percent
0	149	149	15.60
1	797	946	83.46
Missing	9	955	0.94

116	Column name:	**nesarc_drink_2cat_f**

Column description:	NC 1. In your entire life, have you had at least 1 drink of any kind of alcohol, not counting small tastes or sips?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	2
Missing value count:	9

Categories	Frequency	Cumulative Frequency	Percent
1	149	149	15.60
2	797	946	83.46
Missing	9	955	0.94

117	Column name:	**nesarc_months_2cat**

Column description:	NC_2. During the last 12 months, did you have at least 1 drink of any kind of alcohol?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	2

Missing value count:	156		
Value labels:	0 = No		
	1 = Yes		
Skip pattern:	Skipped if "nesarc drink" was "no", indicating subject does never consumed alcohol		

Categories	Frequency	Cumulative Frequency	Percent
0	513	513	53.72
1	286	799	29.95
Missing	156	955	16.34

118	Column name:	nesarc_months_2cat_f

Column description:	NC 2. During the last 12 months, did you have at least 1 drink of any kind of alcohol?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	2
Missing value count:	156
Skip pattern:	Skipped if "nesarc drink" was "no", indicating subject does never consumed alcohol

Categories	Frequency	Cumulative Frequency	Percent
1	513	513	53.72
2	286	799	29.95
Missing	156	955	16.34

119	Column name:	peg_pain

Column description:	PEG_1. What number best describes your pain on average in the past week?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric

Unique non-missing value count:	12
Missing value count:	6
Value labels:	0 = No Pain
	1 = 1
	2 = 2
	3 = 3
	4 = 4
	5 = 5
	6 = 6
	7 = 7
	8 = 8
	9 = 9
	10 = Pain as bad as you can imagine
	99 = Refused

Categories with Smallest Values	Frequency	Categories with Largest Values	Frequency
99	3	6	85
Missing	6	7	103
9	50	8	117
1	54	5	118
10	60	0	144

120	Column name:	peg_pain_11cat
	Column description:	PEG_1. What number best describes your pain on average in the past week?
	Source information:	DETECT Follow-Up Interviews
	Column type:	Categorical
	Data type:	Numeric
	Unique non-missing value count:	11
	Missing value count:	9

Value labels:		0 = No Pain	
		1 = 1	
		2 = 2	
		3 = 3	
		4 = 4	
		5 = 5	
		6 = 6	
		7 = 7	
		8 = 8	
		9 = 9	
		10 = Pain as bad as you can imagine	

Categories with Smallest Values	Frequency	Categories with Largest Values	Frequency
Missing	9	6	85
9	50	7	103
1	54	8	117
10	60	5	118
2	70	0	144

121	Column name:	peg_pain_11cat_f

Column description:	PEG 1. What number best describes your pain on average in the past week?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	11
Missing value count:	9

Categories with Smallest Values	Frequency	Categories with Largest Values	Frequency
Missing	9	7	85
10	50	8	103

2	54	9	117
11	60	6	118
3	70	1	144

122	Column name:		peg_enjoyment

Column description:	PEG_2. What number best describes how, during the past week, pain has interfered with your enjoyment of life?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	12
Missing value count:	8
Value labels:	0 = No Pain
	1 = 1
	2 = 2
	3 = 3
	4 = 4
	5 = 5
	6 = 6
	7 = 7
	8 = 8
	9 = 9
	10 = Pain as bad as you can imagine
	99 = Refused

Categories with Smallest Values	Frequency	Categories with Largest Values	Frequency
99	7	7	84
Missing	8	8	91
1	44	5	98
2	50	10	101

4	58	0	228

123	**Column name:**	**peg_enjoyment_11cat**

Column description:	PEG_2. What number best describes how, during the past week, pain has interfered with your enjoyment of life?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	11
Missing value count:	15
Value labels:	0 = No Pain
	1 = 1
	2 = 2
	3 = 3
	4 = 4
	5 = 5
	6 = 6
	7 = 7
	8 = 8
	9 = 9
	10 = Pain as bad as you can imagine

Categories with Smallest Values	Frequency	Categories with Largest Values	Frequency
Missing	15	7	84
1	44	8	91
2	50	5	98
4	58	10	101
9	60	0	228

124	**Column name:**	**peg_enjoyment_11cat_f**

Column description:	PEG_2. What number best describes how, during the past week, pain has interfered with your enjoyment of life?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	11
Missing value count:	15

Categories with Smallest Values	Frequency	Categories with Largest Values	Frequency
Missing	15	8	84
2	44	9	91
3	50	6	98
5	58	11	101
10	60	1	228

125	Column name:	peg_activity

Column description:	PEG_3. What number best describes how, during the past week, pain has interfered with your general activity?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	12
Missing value count:	11
Value labels:	0 = No Pain
	1 = 1
	2 = 2
	3 = 3
	4 = 4
	5 = 5

6 = 6

7 = 7

8 = 8

9 = 9

10 = Pain as bad as you can imagine

99 = Refused

Categories with Smallest Values	Frequency	Categories with Largest Values	Frequency
99	5	7	82
Missing	11	10	101
1	48	5	103
2	52	8	107
4	55	0	208

126	Column name:	peg_activity_11cat

Column description:	PEG_3. What number best describes how, during the past week, pain has interfered with your general activity?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	11
Missing value count:	16
Value labels:	0 = No Pain
	1 = 1
	2 = 2
	3 = 3
	4 = 4
	5 = 5
	6 = 6
	7 = 7

$8 = 8$

$9 = 9$

$10 =$ Pain as bad as you can imagine

Categories with Smallest Values	Frequency	Categories with Largest Values	Frequency
Missing	16	7	82
1	48	10	101
2	52	5	103
4	55	8	107
9	56	0	208

127	Column name:		peg_activity_11cat_f

Column description:		PEG_3. What number best describes how, during the past week, pain has interfered with your general activity?
Source information:		DETECT Follow-Up Interviews
Column type:		Categorical
Data type:		Integer
Unique non-missing value count:		11
Missing value count:		16

Categories with Smallest Values	Frequency	Categories with Largest Values	Frequency
Missing	16	8	82
2	48	11	101
3	52	6	103
5	55	9	107
10	56	1	208

128	Column name:		ls_lack_companionship

Column description:		LS 1. First, how often do you feel that you lack companionship?
Source information:		DETECT Follow-Up Interviews

Column type:	Categorical	
Data type:	Numeric	
Unique non-missing value count:	4	
Missing value count:	560	
Value labels:	1 = Hardly ever	
	2 = Some of the time	
	3 = Often	
	9 = Refused	

Categories	Frequency	Cumulative Frequency	Percent
1	236	236	24.71
2	84	320	8.80
3	72	392	7.54
9	3	395	0.31
Missing	560	955	58.64

129	Column name:	ls_lack_companionship_3cat

Column description:	LS_1. First, how often do you feel that you lack companionship?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	3
Missing value count:	563
Value labels:	1 = Hardly ever
	2 = Some of the time
	3 = Often

Categories	Frequency	Cumulative Frequency	Percent
1	236	236	24.71
2	84	320	8.80
3	72	392	7.54

Missing	563	955	58.95

130	Column name:	ls_lack_companionship_3cat_f	

Column description:	LS_1. First, how often do you feel that you lack companionship?	
Source information:	DETECT Follow-Up Interviews	
Column type:	Categorical	
Data type:	Integer	
Unique non-missing value count:	3	
Missing value count:	563	

Categories	Frequency	Cumulative Frequency	Percent
1	236	236	24.71
2	84	320	8.80
3	72	392	7.54
Missing	563	955	58.95

131	Column name:	ls_feel_left_out	

Column description:	LS_2. How often do you feel left out?	
Source information:	DETECT Follow-Up Interviews	
Column type:	Categorical	
Data type:	Numeric	
Unique non-missing value count:	4	
Missing value count:	561	
Value labels:	1 = Hardly ever	
	2 = Some of the time	
	3 = Often	
	9 = Refused	

Categories	Frequency	Cumulative Frequency	Percent
1	258	258	27.02
2	82	340	8.59

3	53	393	5.55
9	1	394	0.10
Missing	561	955	58.74

132	Column name:		ls_feel_left_out_3cat

Column description:		LS_2. How often do you feel left out?
Source information:		DETECT Follow-Up Interviews
Column type:		Categorical
Data type:		Numeric
Unique non-missing value count:		3
Missing value count:		562
Value labels:		1 = Hardly ever
		2 = Some of the time
		3 = Often

Categories	Frequency	Cumulative Frequency	Percent
1	258	258	27.02
2	82	340	8.59
3	53	393	5.55
Missing	562	955	58.85

133	Column name:		ls_feel_left_out_3cat_f

Column description:		LS_2. How often do you feel left out?
Source information:		DETECT Follow-Up Interviews
Column type:		Categorical
Data type:		Integer
Unique non-missing value count:		3
Missing value count:		562

Categories	Frequency	Cumulative Frequency	Percent
1	258	258	27.02
2	82	340	8.59

3	53	393	5.55
Missing	562	955	58.85

134	Column name:		ls_feel_isolated

Column description:	LS_3. How often do you feel isolated from others?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	4
Missing value count:	562
Value labels:	1 = Hardly ever
	2 = Some of the time
	3 = Often
	9 = Refused

Categories	Frequency	Cumulative Frequency	Percent
1	256	256	26.81
2	78	334	8.17
3	58	392	6.07
9	1	393	0.10
Missing	562	955	58.85

135	Column name:		ls_feel_isolated_3cat

Column description:	LS_3. How often do you feel isolated from others?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Numeric
Unique non-missing value count:	3
Missing value count:	563
Value labels:	1 = Hardly ever

Categories	Frequency	Cumulative Frequency	Percent
1	256	256	26.81
2	78	334	8.17
3	58	392	6.07
Missing	563	955	58.95

136	Column name:	ls_feel_isolated_3cat_f

Column description:	LS_3. How often do you feel isolated from others?
Source information:	DETECT Follow-Up Interviews
Column type:	Categorical
Data type:	Integer
Unique non-missing value count:	3
Missing value count:	563

Categories	Frequency	Cumulative Frequency	Percent
1	256	256	26.81
2	78	334	8.17
3	58	392	6.07
Missing	563	955	58.95