

PHP Version 5.4.4-10

System	Linux wheezyvm 2.6.32-5-amd64 #1 SMP Sun Sep 23 10:07:46 UTC 2012 x86_64
Build Date	Nov 24 2012 10:59:58
Server API	Apache 2.0 Handler
Virtual Directory Support	disabled
Configuration File (php.ini) Path	/etc/php5/apache2
Loaded Configuration File	/etc/php5/apache2/php.ini
Scan this dir for additional .ini files	/etc/php5/apache2/conf.d
Additional .ini files parsed	/etc/php5/apache2/conf.d/10-pdo.ini, /etc/php5/apache2/conf.d/20-gd.ini, /etc/php5/apache2/conf.d/20-mcrypt.ini, /etc/php5/apache2/conf.d/20-mysql.ini, /etc/php5/apache2/conf.d/20-mysqli.ini, /etc/php5/apache2/conf.d/20-pdo_mysql.ini
PHP API	20100412
PHP Extension	20100525
Zend Extension	220100525
Zend Extension Build	API220100525,NTS
PHP Extension Build	API20100525,NTS
Debug Build	no
Thread Safety	disabled
Zend Signal Handling	disabled
Zend Memory Manager	enabled
Zend Multibyte Support	provided by mbstring
IPv6 Support	enabled
DTrace Support	disabled
Registered PHP Streams	https, ftps, compress.zlib, compress.bzip2, php, file, glob, data, http, ftp, phar, zip
Registered Stream Socket Transports	tcp, udp, unix, udg, ssl, sslv3, tls
Registered Stream Filters	zlib.*, bzip2.*, convert.iconv.*, string.rot13, string.toupper, string.tolower, string.strip_tags, convert.*, consumed, dechunk, mcrypt.*, mdecrypt.*

This program makes use of the Zend Scripting Language Engine:
Zend Engine v2.4.0, Copyright (c) 1998-2012 Zend Technologies



PHP Credits

Configuration

apache2handler

Apache Version	Apache/2.2.22 (Debian)
Apache API Version	20051115
Server Administrator	webmaster@localhost
Hostname:Port	hostname.tld:0
User/Group	www-data(33)/33
Max Requests	Per Child: 0 - Keep Alive: on - Max Per Connection: 100
Timeouts	Connection: 300 - Keep-Alive: 5
Virtual Server	Yes
Server Root	/etc/apache2
Loaded Modules	core mod_log_config mod_logio mod_version prefork http_core mod_so mod_alias mod_auth_basic mod_authn_file mod_authz_default mod_authz_groupfile mod_authz_host mod_authz_user mod_autoindex mod_cgi mod_deflate mod_dir mod_env mod_fastcgi mod_fcgid mod_mime mod_negotiation mod_php5 mod_reqtimeout mod_rewrite mod_setenvif mod_ssl mod_status mod_suexec

Directive	Local Value	Master Value
engine	1	1
last_modified	0	0
xbithack	0	0

Apache Environment

Variable	Value
HTTP_HOST	172.16.2.45
HTTP_USER_AGENT	Mozilla/5.0 (X11; Ubuntu; Linux x86_64; rv:17.0) Gecko/20100101 Firefox/17.0
HTTP_ACCEPT	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
HTTP_ACCEPT_LANGUAGE	en-US,en;q=0.5
HTTP_ACCEPT_ENCODING	gzip, deflate
HTTP_CONNECTION	keep-alive
HTTP_CACHE_CONTROL	max-age=0
PATH	/usr/local/bin:/usr/bin:/bin
SERVER_SIGNATURE	<address>Apache/2.2.22 (Debian) Server at 172.16.2.45 Port 80</address>
SERVER_SOFTWARE	Apache/2.2.22 (Debian)
SERVER_NAME	172.16.2.45
SERVER_ADDR	172.16.2.45
SERVER_PORT	80
REMOTE_ADDR	172.16.2.44
DOCUMENT_ROOT	/home/username/hostname.tld/http
SERVER_ADMIN	webmaster@localhost
SCRIPT_FILENAME	/home/username/hostname.tld/http/index.php
REMOTE_PORT	51152
GATEWAY_INTERFACE	CGI/1.1
SERVER_PROTOCOL	HTTP/1.1
REQUEST_METHOD	GET
QUERY_STRING	no value
REQUEST_URI	/index.php

SCRIPT_NAME	/index.php
-------------	------------

HTTP Headers Information

HTTP Request Headers	
HTTP Request	GET /index.php HTTP/1.1
Host	172.16.2.45
User-Agent	Mozilla/5.0 (X11; Ubuntu; Linux x86_64; rv:17.0) Gecko/20100101 Firefox/17.0
Accept	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Language	en-US,en;q=0.5
Accept-Encoding	gzip, deflate
Connection	keep-alive
Cache-Control	max-age=0
HTTP Response Headers	
X-Powered-By	PHP/5.4.4-10

bcmath

BCMath support	enabled
----------------	---------

Directive	Local Value	Master Value
bcmath.scale	0	0

bz2

BZip2 Support	Enabled
Stream Wrapper support	compress.bzip2://
Stream Filter support	bzip2.decompress, bzip2.compress
BZip2 Version	1.0.6, 6-Sept-2010

calendar

Calendar support	enabled
------------------	---------

Core

PHP Version	5.4.4-10
-------------	----------

Directive	
allow_url_fopen	On
allow_url_include	Off
always_populate_raw_post_data	Off
arg_separator.input	&
arg_separator.output	&
asp_tags	Off
auto_append_file	no value
auto_globals_jit	On

auto_prepend_file	<i>no value</i>
browscap	<i>no value</i>
default_charset	<i>no value</i>
default_mimetype	text/html
disable_classes	<i>no value</i>
disable_functions	pcntl_alarm,pcntl_fork,pcntl_waitpid,pcntl_wait,pcntl_wifexited,pcntl_wifstopped,pcntl_wifsignaled,pcntl_w
display_errors	Off
display_startup_errors	Off
doc_root	<i>no value</i>
docref_ext	<i>no value</i>
docref_root	<i>no value</i>
enable_dl	Off
enable_post_data_reading	On
error_append_string	<i>no value</i>
error_log	<i>no value</i>
error_prepend_string	<i>no value</i>
error_reporting	22527
exit_on_timeout	Off
expose_php	On
extension_dir	/usr/lib/php5/20100525
file_uploads	On
highlight.comment	#FF8000
highlight.default	#0000BB
highlight.html	#000000
highlight.keyword	#007700
highlight.string	#DD0000
html_errors	On
ignore_repeated_errors	Off
ignore_repeated_source	Off
ignore_user_abort	Off
implicit_flush	Off
include_path	./:usr/share/php:/usr/share/pear
log_errors	On
log_errors_max_len	1024
mail.add_x_header	On
mail.force_extra_parameters	<i>no value</i>
mail.log	<i>no value</i>
max_execution_time	30
max_file_uploads	20
max_input_nesting_level	64
max_input_time	60
max_input_vars	1000
memory_limit	128M
open_basedir	<i>no value</i>
output_buffering	4096
output_handler	<i>no value</i>
post_max_size	8M
precision	14
realpath_cache_size	16K
realpath_cache_ttl	120

register_argc_argv	Off
report_memleaks	On
report zend_debug	On
request_order	GP
sendmail_from	<i>no value</i>
sendmail_path	/usr/sbin/sendmail -t -i
serialize_precision	17
short_open_tag	On
SMTP	localhost
smtp_port	25
sql.safe_mode	Off
track_errors	Off
unserialize_callback_func	<i>no value</i>
upload_max_filesize	2M
upload_tmp_dir	<i>no value</i>
user_dir	<i>no value</i>
user_ini.cache_ttl	300
user_ini.filename	.user.ini
variables_order	GPCS
xmlrpc_error_number	0
xmlrpc_errors	Off
zend.detect_unicode	On
zend.enable_gc	On
zend.multibyte	Off
zend.script_encoding	<i>no value</i>

ctype

ctype functions	enabled
-----------------	---------

date

date/time support	enabled
"Olson" Timezone Database Version	0.system
Timezone Database	internal
Default timezone	UTC

Directive	Local Value	Master Value
date.default_latitude	31.7667	31.7667
date.default_longitude	35.2333	35.2333
date.sunrise_zenith	90.583333	90.583333
date.sunset_zenith	90.583333	90.583333
date.timezone	<i>no value</i>	<i>no value</i>

dba

DBA support	enabled
Supported handlers	cdb cdb_make db4 inifile flatfile qdbm

Directive	Local Value	Master Value
dba.default_handler	flatfile	flatfile

dom

DOM/XML	enabled
DOM/XML API Version	20031129
libxml Version	2.8.0
HTML Support	enabled
XPath Support	enabled
XPointer Support	enabled
Schema Support	enabled
RelaxNG Support	enabled

ereg

Regex Library	Bundled library enabled
----------------------	-------------------------

exif

EXIF Support	enabled
EXIF Version	1.4 \$Id\$
Supported EXIF Version	0220
Supported filetypes	JPEG,TIFF

Directive	Local Value	Master Value
exif.decode_jis_intel	JIS	JIS
exif.decode_jis_motorola	JIS	JIS
exif.decode_unicode_intel	UCS-2LE	UCS-2LE
exif.decode_unicode_motorola	UCS-2BE	UCS-2BE
exif.encode_jis	<i>no value</i>	<i>no value</i>
exif.encode_unicode	ISO-8859-15	ISO-8859-15

fileinfo

fileinfo support	enabled
version	1.0.5

filter

Input Validation and Filtering	enabled
Revision	\$Id: e523cdc8829892d1b4f9cb7c3c57b2ba1c36b9ea \$

Directive	Local Value	Master Value
filter.default	unsafe_raw	unsafe_raw
filter.default_flags	<i>no value</i>	<i>no value</i>

ftp

FTP support	enabled
--------------------	---------

gd

GD Support	enabled
GD Version	2.0
FreeType Support	enabled
FreeType Linkage	with freetype
FreeType Version	2.4.9
GIF Read Support	enabled
GIF Create Support	enabled
JPEG Support	enabled
libJPEG Version	unknown
PNG Support	enabled
libPNG Version	1.2.49
WBMP Support	enabled

Directive	Local Value	Master Value
gd.jpeg_ignore_warning	0	0

gettext

GetText Support	enabled
------------------------	---------

hash

hash support	enabled
Hashing Engines	md2 md4 md5 sha1 sha224 sha256 sha384 sha512 ripemd128 ripemd160 ripemd256 ripemd320 whirlpool tiger128,3 tiger160,3 tiger192,3 tiger128,4 tiger160,4 tiger192,4 snfru snfru256 gost adler32 crc32 crc32b fnv132 fnv164 joaat haval128,3 haval160,3 haval192,3 haval224,3 haval256,3 haval128,4 haval160,4 haval192,4 haval224,4 haval256,4 haval128,5 haval160,5 haval192,5 haval224,5 haval256,5

iconv

iconv support	enabled
iconv implementation	glibc
iconv library version	2.13

Directive	Local Value	Master Value
iconv.input_encoding	ISO-8859-1	ISO-8859-1
iconv.internal_encoding	ISO-8859-1	ISO-8859-1
iconv.output_encoding	ISO-8859-1	ISO-8859-1

json

json support	enabled
json version	1.2.1

libxml

libXML support	active
libXML Compiled Version	2.8.0
libXML Loaded Version	20800
libXML streams	enabled

mbstring

Multibyte Support	enabled
Multibyte string engine	libmbfl
HTTP input encoding translation	disabled
libmbfl version	1.3.2

mbstring extension makes use of "streamable kanji code filter and converter", which is distributed under the GNU Lesser General Public License version 2.1.

Multibyte (japanese) regex support	enabled
Multibyte regex (oniguruma) version	5.9.1

Directive	Local Value	Master Value
mbstring.detect_order	<i>no value</i>	<i>no value</i>
mbstring.encoding_translation	Off	Off
mbstring.func_overload	0	0
mbstring.http_input	pass	pass
mbstring.http_output	pass	pass
mbstring.http_output_conv_mimetypes	^(text/ application/xhtml +xml)	^(text/ application/xhtml +xml)
mbstring.internal_encoding	<i>no value</i>	<i>no value</i>
mbstring.language	neutral	neutral
mbstring.strict_detection	Off	Off
mbstring.substitute_character	<i>no value</i>	<i>no value</i>

mcrypt

mcrypt support	enabled
mcrypt_filter support	enabled
Version	2.5.8
Api No	20021217
Supported ciphers	cast-128 gost rijndael-128 twofish arcfour cast-256 loki97 rijndael-192 saferplus wake blowfish-compat des rijndael-256 serpent xtea blowfish enigma rc2 tripledes
Supported modes	cbc cfb ctr ecb ncfb nofb ofb stream

Directive	Local Value	Master Value
mcrypt.algorithms_dir	<i>no value</i>	<i>no value</i>
mcrypt.modes_dir	<i>no value</i>	<i>no value</i>

mhash

MHASH support	Enabled
MHASH API Version	Emulated Support

mysql

MySQL Support	enabled
Active Persistent Links	0
Active Links	0
Client API version	5.5.28
MYSQL_MODULE_TYPE	external
MYSQL_SOCKET	/var/run/mysqld/mysqld.sock
MYSQL_INCLUDE	-I/usr/include/mysql
MYSQL_LIBS	-L/usr/lib -lmysqlclient_r

Directive	Local Value	Master Value
mysql.allow_local_infile	On	On
mysql.allow_persistent	On	On
mysql.connect_timeout	60	60
mysql.default_host	<i>no value</i>	<i>no value</i>
mysql.default_password	<i>no value</i>	<i>no value</i>
mysql.default_port	<i>no value</i>	<i>no value</i>
mysql.default_socket	/var/run/mysqld/mysqld.sock	/var/run/mysqld/mysqld.sock
mysql.default_user	<i>no value</i>	<i>no value</i>
mysql.max_links	Unlimited	Unlimited
mysql.max_persistent	Unlimited	Unlimited
mysql.trace_mode	Off	Off

mysqli

Mysqli Support	enabled
Client API library version	5.5.28
Active Persistent Links	0
Inactive Persistent Links	0
Active Links	0
Client API header version	5.5.28
MYSQLI_SOCKET	/var/run/mysqld/mysqld.sock

Directive	Local Value	Master Value
mysqli.allow_local_infile	On	On
mysqli.allow_persistent	On	On
mysqli.default_host	<i>no value</i>	<i>no value</i>
mysqli.default_port	3306	3306
mysqli.default_pw	<i>no value</i>	<i>no value</i>
mysqli.default_socket	/var/run/mysqld/mysqld.sock	/var/run/mysqld/mysqld.sock
mysqli.default_user	<i>no value</i>	<i>no value</i>
mysqli.max_links	Unlimited	Unlimited
mysqli.max_persistent	Unlimited	Unlimited
mysqli.reconnect	Off	Off

openssl

OpenSSL support	enabled
OpenSSL Library Version	OpenSSL 1.0.1c 10 May 2012
OpenSSL Header Version	OpenSSL 1.0.1c 10 May 2012

pcre

PCRE (Perl Compatible Regular Expressions) Support	enabled
PCRE Library Version	8.30 2012-02-04

Directive	Local Value	Master Value
pcre.backtrack_limit	1000000	1000000
pcre.recursion_limit	100000	100000

PDO

PDO support	enabled
PDO drivers	mysql

pdo_mysql

PDO Driver for MySQL	enabled
Client API version	5.5.28

Directive	Local Value	Master Value
pdo_mysql.default_socket	/var/run/mysqld/mysqld.sock	/var/run/mysqld/mysqld.sock

Phar

Phar: PHP Archive support	enabled
Phar EXT version	2.0.1
Phar API version	1.1.1
SVN revision	\$Id: 2a47d3d0354109d8077e34d59f1228ccfd021d59 \$
Phar-based phar archives	enabled
Tar-based phar archives	enabled
ZIP-based phar archives	enabled
gzip compression	enabled
bzip2 compression	enabled
OpenSSL support	enabled

Phar based on pear/PHP_Archive, original concept by Davey Shafik.
Phar fully realized by Gregory Beaver and Marcus Boerger.
Portions of tar implementation Copyright (c) 2003-2009 Tim Kientzle.

Directive	Local Value	Master Value
phar.cache_list	no value	no value
phar.readonly	On	On

phar.require_hash	On	On
-------------------	----	----

posix

Revision	\$Id: 967584c6fadb3467f31abe8e13caa8764df85867 \$
----------	---

Reflection

Reflection	enabled
Version	\$Id: 1cf65cee164ed57874ce2d29e5c46b82f6139524 \$

session

Session Support	enabled
Registered save handlers	files user
Registered serializer handlers	php php_binary wddx

Directive	Local Value	Master Value
session.auto_start	Off	Off
session.cache_expire	180	180
session.cache_limiter	nocache	nocache
session.cookie_domain	<i>no value</i>	<i>no value</i>
session.cookie_httponly	Off	Off
session.cookie_lifetime	0	0
session.cookie_path	/	/
session.cookie_secure	Off	Off
session.entropy_file	/dev/urandom	/dev/urandom
session.entropy_length	32	32
session.gc_divisor	1000	1000
session.gc_maxlifetime	1440	1440
session.gc_probability	0	0
session.hash_bits_per_character	5	5
session.hash_function	0	0
session.name	PHPSESSID	PHPSESSID
session.referer_check	<i>no value</i>	<i>no value</i>
session.save_handler	files	files
session.save_path	/var/lib/php5	/var/lib/php5
session.serialize_handler	php	php
session.upload_progress.cleanup	On	On
session.upload_progress.enabled	On	On
session.upload_progress.freq	1%	1%
session.upload_progress.min_freq	1	1
session.upload_progress.name	PHP_SESSION_UPLOAD_PROGRESS	PHP_SESSION_UPLOAD_PROGRESS
session.upload_progress.prefix	upload_progress_	upload_progress_
session.use_cookies	On	On
session.use_only_cookies	On	On
session.use_trans_sid	0	0

shmop

shmop support	enabled
----------------------	---------

SimpleXML

Simplexml support	enabled
Revision	\$Id: 455280fc74f9f002b7314def7a456f6c3080eb92 \$
Schema support	enabled

soap

Soap Client	enabled
Soap Server	enabled

Directive	Local Value	Master Value
soap.wsdl_cache	1	1
soap.wsdl_cache_dir	/tmp	/tmp
soap.wsdl_cache_enabled	1	1
soap.wsdl_cache_limit	5	5
soap.wsdl_cache_ttl	86400	86400

sockets

Sockets Support	enabled
------------------------	---------

SPL

SPL support	enabled
Interfaces	Countable, OuterIterator, RecursiveIterator, SeekableIterator, SplObserver, SplSubject
Classes	AppendIterator, ArrayIterator, ArrayObject, BadFunctionCallException, BadMethodCallException, CachingIterator, CallbackFilterIterator, DirectoryIterator, DomainException, EmptyIterator, FilesystemIterator, FilterIterator, GlobIterator, InfiniteIterator, InvalidArgumentException, IteratorIterator, LengthException, LimitIterator, LogicException, MultipleIterator, NoRewindIterator, OutOfBoundsException, OutOfRangeException, OverflowException, ParentIterator, RangeException, RecursiveArrayIterator, RecursiveCachingIterator, RecursiveCallbackFilterIterator, RecursiveDirectoryIterator, RecursiveFilterIterator, RecursiveIteratorIterator, RecursiveRegexIterator, RecursiveTreeIterator, RegexIterator, RuntimeException, SplDoublyLinkedList, SplFileInfo, SplFileObject, SplFixedArray, SplHeap, SplMinHeap, SplMaxHeap, SplObjectStorage, SplPriorityQueue, SplQueue, SplStack, SplTempFileObject, UnderflowException, UnexpectedValueException

standard

Dynamic Library Support	enabled
Path to sendmail	/usr/sbin/sendmail -t -i

Directive	Local Value	Master Value
assert.active	1	1

assert.bail	0	0
assert.callback	<i>no value</i>	<i>no value</i>
assert.quiet_eval	0	0
assert.warning	1	1
auto_detect_line_endings	0	0
default_socket_timeout	60	60
from	<i>no value</i>	<i>no value</i>
url_rewriter.tags	a=href,area=href,frame=src,input=src,form=fakeentry	a=href,area=href,frame=src,input=src,form=fakeentry
user_agent	<i>no value</i>	<i>no value</i>

sysvmsg

sysvmsg support	enabled
Revision	\$Id: 6360183f0075ec66a3dfa01633b2ed808dd482af \$

tokenizer

Tokenizer Support	enabled
--------------------------	---------

wddx

WDDX Support	enabled
WDDX Session Serializer	enabled

xml

XML Support	active
XML Namespace Support	active
libxml2 Version	2.8.0

xmlreader

XMLReader	enabled
------------------	---------

xmlwriter

XMLWriter	enabled
------------------	---------

zip

Zip	enabled
Extension Version	\$Id\$
Zip version	1.9.1
Libzip version	0.9.0

zlib

ZLib Support	enabled
Stream Wrapper	compress.zlib://
Stream Filter	zlib.inflate, zlib.deflate
Compiled Version	1.2.1.1
Linked Version	1.2.7

Directive	Local Value	Master Value
zlib.output_compression	Off	Off
zlib.output_compression_level	-1	-1
zlib.output_handler	<i>no value</i>	<i>no value</i>

Additional Modules

Module Name
sysvsem
sysvshm

Environment

Variable	Value
APACHE_RUN_DIR	/var/run/apache2
APACHE_PID_FILE	/var/run/apache2.pid
PATH	/usr/local/bin:/usr/bin:/bin
APACHE_LOCK_DIR	/var/lock/apache2
LANG	C
APACHE_RUN_USER	www-data
APACHE_RUN_GROUP	www-data
APACHE_LOG_DIR	/var/log/apache2
PWD	/

PHP Variables

Variable	Value
_SERVER["HTTP_HOST"]	172.16.2.45
_SERVER["HTTP_USER_AGENT"]	Mozilla/5.0 (X11; Ubuntu; Linux x86_64; rv:17.0) Gecko/20100101 Firefox/17.0
_SERVER["HTTP_ACCEPT"]	text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
_SERVER["HTTP_ACCEPT_LANGUAGE"]	en-US,en;q=0.5
_SERVER["HTTP_ACCEPT_ENCODING"]	gzip, deflate
_SERVER["HTTP_CONNECTION"]	keep-alive
_SERVER["HTTP_CACHE_CONTROL"]	max-age=0
_SERVER["PATH"]	/usr/local/bin:/usr/bin:/bin
_SERVER["SERVER_SIGNATURE"]	<address>Apache/2.2.22 (Debian) Server at 172.16.2.45 Port 80</address>
_SERVER["SERVER_SOFTWARE"]	Apache/2.2.22 (Debian)
_SERVER["SERVER_NAME"]	172.16.2.45
_SERVER["SERVER_ADDR"]	172.16.2.45
_SERVER["SERVER_PORT"]	80
_SERVER["REMOTE_ADDR"]	172.16.2.44

_SERVER["DOCUMENT_ROOT"]	/home/username/hostname.tld/http
_SERVER["SERVER_ADMIN"]	webmaster@localhost
_SERVER["SCRIPT_FILENAME"]	/home/username/hostname.tld/http/index.php
_SERVER["REMOTE_PORT"]	51152
_SERVER["GATEWAY_INTERFACE"]	CGI/1.1
_SERVER["SERVER_PROTOCOL"]	HTTP/1.1
_SERVER["REQUEST_METHOD"]	GET
_SERVER["QUERY_STRING"]	<i>no value</i>
_SERVER["REQUEST_URI"]	/index.php
_SERVER["SCRIPT_NAME"]	/index.php
_SERVER["PHP_SELF"]	/index.php
_SERVER["REQUEST_TIME_FLOAT"]	1357926808.177
_SERVER["REQUEST_TIME"]	1357926808

PHP License

This program is free software; you can redistribute it and/or modify it under the terms of the PHP License as published by the PHP Group and included in the distribution in the file: LICENSE

This program is distributed in the hope that it will be useful, but WITHOUT ANY WARRANTY; without even the implied warranty of MERCHANTABILITY or FITNESS FOR A PARTICULAR PURPOSE.

If you did not receive a copy of the PHP license, or have any questions about PHP licensing, please contact license@php.net.