Fig wasps and sex ratio evolution

Sex ratio evolution

Why is the sex ratio usual about equal?

In species where most individuals either produce sperm or eggs (but not both), why are there roughly equal numbers of sperm and egg producers?

1. Suppose one sex is less common than the other

¹Hamilton, W. D. (1967). Extraordinary Sex Ratios: A sex-ratio theory for sex linkage and inbreeding has new implications in cytogenetics and entomology. Science, 156(3774), 477-488. [Link]

- 1. Suppose one sex is less common than the other
- 2. A newborn of the rare sex has more mating opportunities, so can produce more offspring

¹Hamilton, W. D. (1967). Extraordinary Sex Ratios: A sex-ratio theory for sex linkage and inbreeding has new implications in cytogenetics and entomology. Science, 156(3774), 477-488. [Link]

- 1. Suppose one sex is less common than the other
- 2. A newborn of the rare sex has more mating opportunities, so can produce more offspring
- 3. If so, parents that produce more of the rare sex will have higher fitness

¹Hamilton, W. D. (1967). Extraordinary Sex Ratios: A sex-ratio theory for sex linkage and inbreeding has new implications in cytogenetics and entomology. Science, 156(3774), 477-488. [Link]

- 1. Suppose one sex is less common than the other
- 2. A newborn of the rare sex has more mating opportunities, so can produce more offspring
- 3. If so, parents that produce more of the rare sex will have higher fitness
- 4. Rare-sex-producing genes increase in frequency

¹Hamilton, W. D. (1967). Extraordinary Sex Ratios: A sex-ratio theory for sex linkage and inbreeding has new implications in cytogenetics and entomology. Science, 156(3774), 477-488. [Link]

- 1. Suppose one sex is less common than the other
- 2. A newborn of the rare sex has more mating opportunities, so can produce more offspring
- 3. If so, parents that produce more of the rare sex will have higher fitness
- 4. Rare-sex-producing genes increase in frequency
- 5. As a 50:50 sex ratio is approached, the rare sex has less of a fitness advantage

¹Hamilton, W. D. (1967). Extraordinary Sex Ratios: A sex-ratio theory for sex linkage and inbreeding has new implications in cytogenetics and entomology. Science, 156(3774), 477-488. [Link]

- 1. Suppose one sex is less common than the other
- 2. A newborn of the rare sex has more mating opportunities, so can produce more offspring
- 3. If so, parents that produce more of the rare sex will have higher fitness
- 4. Rare-sex-producing genes increase in frequency
- 5. As a 50:50 sex ratio is approached, the rare sex has less of a fitness advantage
- 6. Therefore, a 50:50 sex ratio is maintained with both sexes having equal fitness

¹Hamilton, W. D. (1967). Extraordinary Sex Ratios: A sex-ratio theory for sex linkage and inbreeding has new implications in cytogenetics and entomology. Science, 156(3774), 477-488. [Link]

Logic of 50:50 sex ratio not dependent on 2 sexes

► Note, this logic applies to any number of sexes or 'mating types' or strategies

¹Boddy, L. (2016). Chapter 4 Genetics-Variation, Sexuality, and Evolution The Fungi (pp. 99-139). [Link]

Logic of 50:50 sex ratio not dependent on 2 sexes

- Note, this logic applies to any number of sexes or 'mating types' or strategies
- Fungi can have multiple mating types (Diaphoromixis)

¹Boddy, L. (2016). Chapter 4 Genetics-Variation, Sexuality, and Evolution The Fungi (pp. 99-139). [Link]

Logic of 50:50 sex ratio not dependent on 2 sexes

- ► Note, this logic applies to any number of sexes or 'mating types' or strategies
- Fungi can have multiple mating types (Diaphoromixis)
- ► Rare type has the advantage because it can mate with more other individuals

¹Boddy, L. (2016). Chapter 4 Genetics-Variation, Sexuality, and Evolution The Fungi (pp. 99-139). [Link]

- When should sex ratios not be equal?
- Perspective of a foundress fig wasp
- Females leave the syconia, males do not




- How does a foundress maximise her fitness?
- What strategy would produce the most grand-offspring?



- What about the second foundress that arrives in the syconia?
- ➤ What about the third foundress?




- Mathematical predictions of proportion of males given foundress numbers and levels of inbreeding
- Proportions of males observed from 3 different species of fig wasps



¹Herre, E. A. (1985). Sex ratio adjustment in fig wasps. Science, 228:896-898. [Link]

- Comparison of mathematical predictions and actual male proportions in 3 fig wasp species
 - ► (A) Ficus insipida
 - ► (B) Ficus popenoei
 - (C) Ficus citrifolia



 $^{^{1}}$ Herre, E. A. (1985). Sex ratio adjustment in fig wasps. Science, 228:896-898. [Link]

- ► Female-biased sex ratios can occur in fig wasps, flies, beetles, weevils, moths, grasses, and many other species¹
- ► Exceptions to the rare sex advantage

¹Hamilton, W. D. (1967). Extraordinary Sex Ratios: A sex-ratio theory for sex linkage and inbreeding has new implications in cytogenetics and entomology. Science, 156(3774), 477-488. [Link]