Controlled Vocabulary Enumeration Values for ISM

ISM-CVEnums

09 May 2014

Distribution Notice:

This document has been approved for Public Release and is available for use without restriction.

Table of Contents

List of Tables

Chapter 1 - CVEnumISM25X for ISM

1.1 - Permissible Values

The permissible values for this simple type are defined in the Controlled Value Enumeration: CVEnumISM25X.xml

Table 1 - CVEnumISM25X Values

Value	Documentation
AEA	When using a source document that contains portions of Restricted Data (RD) or Formerly Restricted Data (FRD) where the RD/FRD source document(s) do not have declassification instructions, the derivatively classified document shall not contain a declassification date or event on the Declassify On line. The following shall be annotated on the Declassify On line: "Not Applicable or (N/A) to RD/FRD portions" and "See source list for NSI portions" separated by a period. The source list must include the declassification instruction for each of the source documents classified under E.O. 13526 and shall not appear in the classification authority block
NATO	Since NATO information is not to be declassified or downgraded without the prior consent of NATO, the "Declassify on" line of documents that commingle information classified by NATO and U.S. classified NSI, will read "N/A to NATO portions. See source list for NSI portions." The NSI source list will appear beneath the classification authority block in a manner that clearly identifies it as separate and distinct.
NATO-AEA	Handles special case of BOTH NATO and AEA as a single exemption.
25X1	Reveal the identity of a confidential human source, a human intelligence source, a relationship with an intelligence or security service of a foreign government or international organization, or a non-human intelligence source; or impair the effectiveness of an intelligence method currently in use, available for use, or under development.

Value	Documentation
25X1-EO-12951	"25X1, EO 12951" (prescribed by the DNI for use on information described in E.O. 12951, Release of Imagery Acquired by Space-Based National Intelligence Reconnaissance Systems)
25X2	Reveal information that would assist in the development, production, or use of weapons of mass destruction.
25X3	Reveal information that would impair U.S. cryptologic systems or activities.
25X4	Reveal information that would impair the application of state-of-the-art technology within a U.S. weapon system.
25X5	Reveal formally named or numbered U.S. military war plans that remain in effect, or reveal operational or tactical elements of prior plans that are contained in such active plans;
25X6	Reveal information, including foreign government information, that would cause serious harm to relations between the United States and a foreign government, or to ongoing diplomatic activities of the United States
25X7	Reveal information that would impair the current ability of United States Government officials to protect the President, Vice President, and other protectees for whom protection services, in the interest of the national security, are authorized.
25X8	Reveal information that would seriously impair current national security emergency preparedness plans or reveal current vulnerabilities of systems, installations, or infrastructures relating to the national security.
25X9	Violate a statute, treaty, or international agreement that does not permit the automatic or unilateral declassification of information at 25 years.
50X1-HUM	When the information clearly and demonstrably could be expected to reveal the identity of a confidential human source or a human intelligence source.

Value	Documentation
50X1	The ISCAP has authorized use of this code in the FBI's classification guidance (which results in a 75-year classification period) for any agency sourcing/reusing the information.
50X2-WMD	When the information clearly and demonstrably could reveal key design concepts of weapons of mass destruction.
50X6	The ISCAP has authorized use of this code in the FBI's classification guidance (which results in a 75-year classification period) for any agency sourcing/reusing the information.

Chapter 2 - CVEnumISMAttributesValues for ISM

2.1 - Permissible Values

The permissible values for this simple type are defined in the Controlled Value Enumeration:
CVEnumISMAttributes.xml

Table 2 - CVEnumISMAttributes Values

Value	Documentation
compliesWith	compliesWith attribute
classification	classification attribute
ownerProducer	ownerProducer attribute
SCIcontrols	SCIcontrols attribute
SARIdentifier	SARIdentifier attribute
atomicEnergyMarkings	atomicEnergyMarkings attribute
disseminationControls	disseminationControls attribute
FGIsourceOpen	FGIsourceOpen attribute
FGIsourceProtected	FGIsourceProtected attribute
releasableTo	releasableTo attribute
displayOnlyTo	displayOnlyTo attribute
nonICmarkings	nonICmarkings attribute
classifiedBy	classifiedBy attribute
derivativelyClassifiedBy	derivativelyClassifiedBy attribute
classificationReason	classificationReason attribute
nonUSControls	nonUSControls attribute
derivedFrom	derivedFrom attribute
declassDate	declassDate attribute
declassEvent	declassEvent attribute
declassException	declassException attribute
resourceElement	resourceElement attribute
excludeFromRollup	excludeFromRollup attribute
createDate	createDate attribute
compilationReason	compilationReason attribute
noticeType	noticeType attribute
externalNotice	externalNotice attribute
DESVersion	DESVersion attribute
ISMCATCESVersion	ISMCATCESVersion attribute

Value	Documentation
noticeDate	notice date attribute
noticeReason	notice Reason attribute
exemptFrom	exemptFrom attribute
unregisteredNoticeType	unregisteredNoticeType attribute
pocType	Specifies a point-of contact for a security-related requirement.
joint	Indicator that multiple ownerProducers should be interpreted as JOINT.

2.2 - CVEnumISMAttributes Values maxLength:

34

Chapter 3 - CVEnumISMClassificationAll for ISM

3.1 - Permissible Values

The permissible values for this simple type are defined in the Controlled Value Enumeration:
CVEnumISMClassificationAll.xml

Table 3 - CVEnumISMClassificationAll Values

Value	Documentation
R	RESTRICTED
C	CONFIDENTIAL
S	SECRET
TS	TOP SECRET
U	UNCLASSIFIED

Chapter 4 - CVEnumISMClassificationUS for ISM

4.1 - Permissible Values

The permissible values for this simple type are defined in the Controlled Value Enumeration:
CVEnumISMClassificationUS.xml

Table 4 - CVEnumISMClassificationUS Values

Value	Documentation
TS	TOP SECRET
S	SECRET
C	CONFIDENTIAL
U	UNCLASSIFIED

Chapter 5 - CVEnumISMCompliesWithValues for ISM

5.1 - Permissible Values

The permissible values for this simple type are defined in the Controlled Value Enumeration: CVEnumISMCompliesWith.xml

Table 5 - CVEnumISMCompliesWith Values

Value	Documentation
USGov	Document claims compliance with all rules encoded in ISM for documents produced by the US Federal Government. This is the minimum set of rules for US documents to adhere to, and all US documents should claim compliance with USGov. For example, a US Intelligence Community document should claim ism:compliesWith="USGov USIC".
USIC	Document claims compliance with all rules encoded in ISM for documents produced by the US Intelligence Community. Documents that claim compliance with USIC MUST also claim compliance with USGov.
USDOD	Document claims compliance with all rules encoded in ISM for documents produced by the US Department of Defense. Documents that claim compliance with USDOD MUST also claim compliance with USGov.
OtherAuthority	Document claims compliance with an authority other than the USGov, USIC, or USDOD. This token is not allowed if the ism:ownerProducer contains USA.

5.2 - CVEnumISMCompliesWith Values maxLength:

4

Chapter 6 - CVEnumISMDissemValues for ISM

6.1 - Permissible Values

The permissible values for this simple type are defined in the Controlled Value Enumeration: CVEnumISMDissem.xml

Table 6 - CVEnumISMDissem Values

Value	Documentation
RS	RISK SENSITIVE
FOUO	FOR OFFICIAL USE ONLY
OC	ORIGINATOR CONTROLLED
OC-USGOV	ORIGINATOR CONTROLLED US GOVERNMENT
IMC	CONTROLLED IMAGERY
NF	NOT RELEASABLE TO FOREIGN NATIONALS
PR	CAUTION-PROPRIETARY INFORMATION INVOLVED
REL	AUTHORIZED FOR RELEASE TO
RELIDO	RELEASABLE BY INFORMATION DISCLOSURE OFFICIAL
EYES	EYES ONLY Deprecation Date:2014-09-11
DSEN	DEA SENSITIVE
FISA	FOREIGN INTELLIGENCE SURVEILLANCE ACT
DISPLAYONLY	AUTHORIZED FOR DISPLAY BUT NOT RELEASE TO

6.2 - CVEnumISMDissem Values maxLength:

13

Chapter 7 - CVEnumISMElements for ISM

7.1 - Permissible Values

The permissible values for this simple type are defined in the Controlled Value Enumeration:
CVEnumISMElements.xml

Table 7 - CVEnumISMElements Values

Value	Documentation
Notice	Notice element
NoticeText	NoticeText element
NoticeList	NoticeList element
NoticeExternal	NoticeExternal element
NoticeExternalList	NoticeExternalList element

Chapter 8 - CVEnumISMExemptFromValues for ISM

8.1 - Permissible Values

The permissible values for this simple type are defined in the Controlled Value Enumeration:
CVEnumISMExemptFrom.xml

Table 8 - CVEnumISMExemptFrom Values

Value	Documentation
IC_710_MANDATORY_FDR	Document claims exemption from ICD-710 rules mandating the use of Foreign Disclosure and Release markings that have been encoded in ISM. Currently, the requirement for FD&R is only mandatory for Disseminated Analytic Product; however, it is strongly encouraged otherwise.
DOD_DISTRO_STATEMENT	Document claims exemption from the rules in DoD5230.24 requiring DoD Distribution Statements that have been encoded into ISM.

8.2 - CVEnumISMExemptFrom Values maxLength:

2

Chapter 9 - CVEnumISMNonICValues for ISM

9.1 - Permissible Values

The permissible values for this simple type are defined in the Controlled Value Enumeration:
CVEnumISMNonIC.xml

Table 9 - CVEnumISMNonIC Patterns

Pattern	Documentation
ACCM-[A-Z0-9\-_]{1,61}	The name of the ALTERNATE COMPENSATORY CONTROL MEASURE, substituting "_" for a space.
NNPI	NAVAL NUCLEAR PROPULSION INFORMATION

Table 10 - CVEnumISMNonIC Values

Value	Documentation
DS	LIMITED DISTRIBUTION
XD	EXCLUSIVE DISTRIBUTION
ND	NO DISTRIBUTION
SBU	SENSITIVE BUT UNCLASSIFIED
SBU-NF	SENSITIVE BUT UNCLASSIFIED NOFORN
LES	LAW ENFORCEMENT SENSITIVE
LES-NF	LAW ENFORCEMENT SENSITIVE NOFORN
SSI	SENSITIVE SECURITY INFORMATION

9.2 - CVEnumISMNonIC Values maxLength:

1000

Chapter 10 - CVEnumISMNonUSControlsValues for ISM

10.1 - Permissible Values

The permissible values for this simple type are defined in the Controlled Value Enumeration:
CVEnumISMNonUSControls.xml

Table 11 - CVEnumISMNonUSControls Values

Value	Documentation
ATOMAL	NATO Atomal mark
BOHEMIA	NATO Bohemia mark
BALK	NATO Balk mark

10.2 - CVEnumISMNonUSControls Values maxLength:

3

Chapter 11 - CVEnumISMNoticeValues for ISM

11.1 - Permissible Values

The permissible values for this simple type are defined in the Controlled Value Enumeration:
CVEnumISMNotice.xml

Table 12 - CVEnumISMNotice Values

Value	Documentation
FISA	FISA Warning statement
IMC	IMCON Warning statement
CNWDI	Controled Nuclear Weapon Design Information Warning statement
RD	RD Warning statement
FRD	FRD Warning statement
DS	LIMDIS caveat
LES	LES Notice
LES-NF	LES-NF Notice
DSEN	DSEN Notice
DoD-Dist-A	DoD Distribution statement A from DoD Directive 5230.24
DoD-Dist-B	DoD Distribution statement B from DoD Directive 5230.24
DoD-Dist-C	DoD Distribution statement C from DoD Directive 5230.24
DoD-Dist-D	DoD Distribution statement D from DoD Directive 5230.24
DoD-Dist-E	DoD Distribution statement E from DoD Directive 5230.24
DoD-Dist-F	DoD Distribution statement F from DoD Directive 5230.24
DoD-Dist-X	DoD Distribution statement X from DoD Directive 5230.24
US-Person	US Person info Notice
pre13526ORCON	Indicates that an instance document must abide by rules pertaining to ORIGINATOR CONTROLLED data issued prior to Executive Order 13526.
POC	Indicates that the contents of this notice specify the contact information for a required point-of-contact.

Value	Documentation
COMSEC	COMSEC Notice

11.2 - CVEnumISMNotice Values maxLength:

20

Chapter 12 - CVEnumISMPocTypeValues for ISM

12.1 - Permissible Values

The permissible values for this simple type are defined in the Controlled Value Enumeration:
CVEnumISMPocType.xml

Table 13 - CVEnumISMPocType Values

Value	Documentation
ICD-710	Point-of-contact for an ICD-710 notice.
DoD-Dist-B	DoD Distribution statement B from DoD Directive 5230.24
DoD-Dist-C	DoD Distribution statement C from DoD Directive 5230.24
DoD-Dist-D	DoD Distribution statement D from DoD Directive 5230.24
DoD-Dist-E	DoD Distribution statement E from DoD Directive 5230.24
DoD-Dist-F	DoD Distribution statement F from DoD Directive 5230.24
DoD-Dist-X	DoD Distribution statement X from DoD Directive 5230.24

12.2 - CVEnumISMPocType Values maxLength:

7

Chapter 13 - CVEnumISMSARValues for ISM

13.1 - Permissible Values

The permissible values for this simple type are defined in the Controlled Value Enumeration:
CVEnumISMSAR.xml

Table 14 - CVEnumISMSAR Regular Expressions

Regular Expression	Documentation
[A-Z_0-9\-]{1,100}	SPECIAL ACCESS REQUIRED-XXX,Within the nickname or name of a SAR all spaces must be replaced with a "_". The XSL will restore the spaces for rendering.
[A-Z]{2,}	SPECIAL ACCESS REQUIRED-XXX, the Digraph or Trigraph of the SAR is represented by the XXX
[A-Z]{2,}-[A-Z][A-Z0-9]+	SPECIAL ACCESS REQUIRED-XXX, the Digraph or Trigraph of the SAR is represented by the XXX
[A-Z]{2,}-[A-Z][A-Z0-9]+-[A-Z0-9]{2,}	SPECIAL ACCESS REQUIRED-XXX, the Digraph or Trigraph of the SAR is represented by the XXX

13.2 - CVEnumISMSAR Values maxLength:

1000

Chapter 14 - CVEnumISMSCIControlsValues for ISM

14.1 - Permissible Values

The permissible values for this simple type are defined in the Controlled Value Enumeration: CVEnumISMSCIControls.xml

Table 15 - CVEnumISMSCIControls Patterns

Pattern	Documentation
KDK-BLFH-[A-Z0-9]{1,6}	KDK-BLFH-xxxxxx, xxxxxx represents up to 6 alphanumeric characters indicating a sub BLUEFISH compartment
KDK-IDIT-[A-Z0-9]{1,6}	KDK-IDIT-xxxxxx, xxxxxx represents up to 6 alphanumeric characters indicating a sub IDITAROD compartment
KDK-KAND-[A-Z0-9]{1,6}	KDK-KAND-xxxxxx, xxxxxx represents up to 6 alphanumeric characters indicating a sub KANDIK compartment
RSV-[A-Z0-9]{3}	RSV-XXX, XXX represents 3 alpha numeric characters to indicate sub Reserve compartments
SI-G-[A-Z]{4}	G-AAAA, AAAA represents 4 alpha characters to indicate sub Gamma compartments
SI-[A-Z]{3}	SPECIAL INTELLIGENCE compartment
SI-[A-Z]{3}-[A-Z]{4}	SPECIAL INTELLIGENCE sub-compartment

Table 16 - CVEnumISMSCIControls Values

Value	Documentation
EL	ENDSEAL
EL-EU	ECRU
EL-NK	NONBOOK
HCS	HCS
HCS-O	HCS-O
HCS-P	HCS-P
KDK	KLONDIKE
KDK-BLFH	KDK BLUEFISH
KDK-IDIT	KDK IDITAROD
KDK-KAND	KDK KANDIK
RSV	RESERVE

Value	Documentation
SI	SPECIAL INTELLIGENCE
SI-G	SI-GAMMA
TK	TALENT KEYHOLE

14.2 - CVEnumISMSCIControls Values maxLength:

1000

Chapter 15 - CVEnumISMatomicEnergyMarkingsValues for ISM

15.1 - Permissible Values

The permissible values for this simple type are defined in the Controlled Value Enumeration:
CVEnumISMatomicEnergyMarkings.xml

Table 17 - CVEnumISMatomicEnergyMarkings Patterns

Pattern	Documentation
RD-SG-((14)|(15)|(18)|(20))	RD-SIGMA-#, # represents the SIGMA number which may be 14, 15, 18, or 20.
FRD-SG-((14)|(15)|(18)|(20))	FRD-SIGMA-#, # represents the SIGMA number which may be 14, 15, 18, or 20.

Table 18 - CVEnumISMatomicEnergyMarkings Values

Value	Documentation
RD	RESTRICTED DATA
RD-CNWDI	RD-CRITICAL NUCLEAR WEAPON DESIGN INFORMATION
FRD	FORMERLY RESTRICTED DATA
DCNI	DoD CONTROLLED NUCLEAR INFORMATION
UCNI	DoE CONTROLLED NUCLEAR INFORMATION
TFNI	TRANSCLASSIFIED FOREIGN NUCLEAR INFORMATION

15.2 - CVEnumISMatomicEnergyMarkings Values maxLength:

1000