







Performance

SEO



Performance

Values are estimated and may vary. The <u>performance score is</u> <u>calculated</u> directly from these metrics. <u>See calculator.</u>

0-49

50-89

90-100



METRICS Expand view

First Contentful Paint

Largest Contentful Paint

about:blank

7/18/25, 2:16 PM

about:blank

1.1 s

1.9 s

▲ Total Blocking Time

▲ Cumulative Layout Shift

16,380 ms

0.368

▲ Speed Index

9.6 s



















2/27

Later this year, insights will replace performance audits. <u>Learn more and provide</u> <u>feedback here</u>.


Try insights

Show audits relevant to: All FCP LCP TBT CLS

DIAGNOSTICS

▲ Avoid large layout shifts — 2 layout shifts found

These are the largest layout shifts observed on the page. Each table item represents a single layout shift, and shows the element that shifted the most. Below each item are possible root causes that led to the layout shift. Some of these layout shifts may not be included in the CLS metric value due to <u>windowing</u>. <u>Learn how to improve CLS CLS</u>



about:blank

▲ Minimize main-thread work — 42.8 s

Consider reducing the time spent parsing, compiling and executing JS. You may find delivering smaller JS payloads helps with this. Learn how to minimize main-thread work (TBT)

Category	Time Spent
Script Evaluation	32,517 ms
Other	5,365 ms
Style & Layout	2,453 ms
Garbage Collection	977 ms
Rendering	837 ms
Script Parsing & Compilation	547 ms
Parse HTML & CSS	60 ms

▲ Reduce the impact of third-party code — Third-party code blocked the main thread for 15,950 ms

Third-party code can significantly impact load performance. Limit the number of redundant third-party providers and try to load third-party code after your page has primarily finished loading. <u>Learn how to minimize third-party impact</u>. (TBT)

Third-Party	Transfer Size	Main-Thread Blocking Time
cloudfront.net	0 KiB	5,376 ms
/js/jquery-3.5.1.min.dc5e7f18c8.js? site=6424c85 (d3e54v103j8qbb.cloudfront.net)	0 KiB	5,376 ms
website-files.com	0 KiB	3,503 ms
js/droplet-stage.schunk.57d5559d2f0cd9f8.js (cdn.prod.website-files.com)	0 KiB	2,700 ms
js/droplet-stage.schunk.efb129adc7.js (cdn.prod.website-files.com)	0 KiB	574 ms
js/droplet-stage.2d85831f.286c0d6712e844c5.js (cdn.prod.website-files.com)	0 KiB	229 ms

about:blank 3/27

Third-Party	Transfer Size	Main-Thread Blocking Time
css/droplet-stage.shared.b85888c50.min.css (cdn.prod.website-files.com)	0 KiB	0 ms
/6424c85/65d58e1bg-diamonds.svg (cdn.prod.website-files.com)	0 KiB	0 ms
/6424c85/644038cfont.woff2 (cdn.prod.website-files.com)	0 KiB	0 ms
/6424c85/64403bcfont.woff2 (cdn.prod.website-files.com)	0 KiB	0 ms
/6424c85/6440386font.woff2 (cdn.prod.website-files.com)	0 KiB	0 ms
/6424c85/64403c3font.woff2 (cdn.prod.website-files.com)	0 KiB	0 ms
/6424c85/65cee4eLogo-Horizontal.webp (cdn.prod.website-files.com)	0 KiB	0 ms
/6424c85/667241d _Cambridge%20Public%20Schools%201%20(1).png (cdn.prod.website-files.com)	0 KiB	0 ms
/6424c85/681d630Guilford%20first%20pass.svg (cdn.prod.website-files.com)	0 KiB	0 ms
/6424c85/6672431 _Atlanta%20Public%20Schools%20(1).png (cdn.prod.website-files.com)	0 KiB	0 ms
/6424c85/6672435Hawaii%20Department%20of%20Education%20(png (cdn.prod.websi te-files.com)	0 KiB	0 ms
/6424c85/681d634Forsyth.svg (cdn.prod.website-files.com)	0 KiB	0 ms
/6424c85/6672437Utah%20Tech%20(1).png (cdn.prod.website-files.com)	0 KiB	0 ms
/6424c85/681d62fASU.svg (cdn.prod.website-files.com)	0 KiB	0 ms
/6424c85/667243aPelion%20(3).png (cdn.prod.website-files.com)	0 KiB	0 ms
/6424c85/683e4b0fayette-cps.svg (cdn.prod.website-files.com)	0 KiB	0 ms
/6424c85/683e4abNC%20DPI.svg (cdn.prod.website-files.com)	0 KiB	0 ms
/6424c85/65cda2506-No%20Code.lottie (cdn.prod.website-files.com)	0 KiB	0 ms
/6424c85/67871efDROPLETjson (cdn.prod.website-files.com)	0 KiB	0 ms
/6424c85/643712cComp%201.json (cdn.prod.website-files.com)	0 KiB	0 ms
/6424c85/6827ed9Dropletjson (cdn.prod.website-files.com)	0 KiB	0 ms
/6424c85/6827ed9Dropletjson (cdn.prod.website-files.com)	0 KiB	0 ms
/6424c85/6827ed9Dropletjson (cdn.prod.website-files.com)	0 KiB	0 ms
/6424c85/6827ed9Dropletjson (cdn.prod.website-files.com)	0 KiB	0 ms
/6424c85/6827ed9Dropletjson (cdn.prod.website-files.com)	0 KiB	0 ms

about:blank 4/27

Third-Party	Transfer Size	Main-Thread Blocking Time
/6424c85/6827ed9Dropletjson (cdn.prod.website-files.com)	0 KiB	0 ms
/6424c85/6827ed9Dropletjson (cdn.prod.website-files.com)	0 KiB	0 ms
/6424c85/65d4ec902-Paperless.lottie (cdn.prod.website-files.com)	0 KiB	0 ms
/6424c85/65d4475Logo%20Favicon.png (cdn.prod.websitefiles.com)	0 KiB	0 ms
Hotjar Analytics	0 KiB	3,351 ms
/modules.3128f1ejs (script.hotjar.com)	0 KiB	3,351 ms
/?site_id=3911017&gzip=1 (content.hotjar.io)	0 KiB	0 ms
/c/hotjar-3911017.js?sv=6 (static.hotjar.com)	0 KiB	0 ms
JSDelivr CDN Cdn	0 KiB	2,474 ms
cookie-consent@1/fs-cc.js (cdn.jsdelivr.net)	0 KiB	2,467 ms
attributes-cmsslider@1/cmsslider.js (cdn.jsdelivr.net)	0 KiB	5 ms
jquery.counterup@2.1.0/jquery.counterup.min.js (cdn.jsdelivr.net)	0 KiB	1 ms
attributes-cmscore@1/cmscore.js (cdn.jsdelivr.net)	0 KiB	0 ms
Google Tag Manager Tag-Manager	0 KiB	1,033 ms
/gtag/js?id=G-H8QJKNHW8F (www.googletagmanager.com)	0 KiB	537 ms
/gtag/js?id= (www.googletagmanager.com)	0 KiB	290 ms
/gtag/js?id=AW-108 (www.googletagmanager.com)	0 KiB	174 ms
/gtm.js?id=GTM-TVDMBTQX (www.googletagmanager.com)	0 KiB	33 ms
57f0/sw_iframe.html? origin=https%3A%2F%2Fdroplet.io (www.googletagmanager.com)	0 KiB	0 ms
Hubspot Marketing	3 KiB	202 ms
175/46175904.js (js.hs-analytics.net)	0 KiB	101 ms
/collectedforms.js (js.hscollectedforms.net)	0 KiB	74 ms
46175904/banner.js (js.hs-banner.com)	0 KiB	27 ms
v3/counters.gif?key=collected-forms-embed-js-form- bind&count=1 (forms.hsforms.com)	1 KiB	0 ms
pixels-and-events/json?portalId=46175904 (api.hubapi.com)	1 KiB	0 ms
/ptq.gif?k= (track.hubspot.com)	1 KiB	0 ms
config/json? portalId=46175904&utk=8451637 (forms.hscollectedforms.net)	1 KiB	0 ms

about:blank 5/27

Third-Party	Transfer Size	Main-Thread Blocking Time
/46175904.js (js.hs-scripts.com)	0 KiB	0 ms
/fb.js (js.hsadspixel.net)	0 KiB	0 ms
Cloudflare CDN Cdn	0 KiB	6 ms
4.0.0/jquery.waypoints.min.js (cdnjs.cloudflare.com)	0 KiB	4 ms
5.12.2/lottie.min.js (cdnjs.cloudflare.com)	0 KiB	2 ms
hubspotonwebflow.com	0 KiB	5 ms
js/form-124.js (hubspotonwebflow.com)	0 KiB	5 ms
js/blockedDomains.json (hubspotonwebflow.com)	0 KiB	0 ms
Google/Doubleclick Ads Ad	10 KiB	0 ms
rul/108?random= (td.doubleclick.net)	0 KiB	0 ms
viewthrou/108?random= (googleads.g.doubleclick.net)	2 KiB	0 ms
viewthrou/108?random= (googleads.g.doubleclick.net)	2 KiB	0 ms
viewthrou/108?random= (googleads.g.doubleclick.net)	2 KiB	0 ms
viewthrou/108?random= (googleads.g.doubleclick.net)	2 KiB	0 ms
rul/108?random= (td.doubleclick.net)	0 KiB	0 ms
rul/108?random= (td.doubleclick.net)	0 KiB	0 ms
rul/108?random= (td.doubleclick.net)	0 KiB	0 ms
LinkedIn Ads Ad	1 KiB	0 ms
/attributi?pid= (px.ads.linkedin.com)	1 KiB	0 ms
/wa/ (px.ads.linkedin.com)	0 KiB	0 ms
/collect?v= (px.ads.linkedin.com)	0 KiB	0 ms
/collect?v= (px.ads.linkedin.com)	0 KiB	0 ms
/li.lms-analytics/insight.min.js (snap.licdn.com)	0 KiB	0 ms
Other Google APIs/SDKs Utility	0 KiB	0 ms
1p-user-list/108?random= (www.google.com)	0 KiB	0 ms
1p-user-list/108?random= (www.google.com)	0 KiB	0 ms
1p-user-list/108?random= (www.google.com)	0 KiB	0 ms
1p-user-list/108?random= (www.google.com)	0 KiB	0 ms
/ccm/collect?tid= (www.google.com)	0 KiB	0 ms

about:blank 6/27

Third-Party	Transfer Size	Main-Thread Blocking Time
Google Analytics Analytics	0 KiB	0 ms
/g/collect?v= (analytics.google.com)	0 KiB	0 ms
/g/collect?v= (analytics.google.com)	0 KiB	0 ms
/g/collect?v= (analytics.google.com)	0 KiB	0 ms
google.com	0 KiB	0 ms
form-data/108?gtm= (google.com)	0 KiB	0 ms
form-data/108?gtm= (google.com)	0 KiB	0 ms

▲ Reduce JavaScript execution time — 33.0 s

Consider reducing the time spent parsing, compiling, and executing JS. You may find delivering smaller JS payloads helps with this. <u>Learn how to reduce Javascript execution time</u>. (TBT)

✓ Show 3rd-party resources (15)

	_	. ,	` ,
URL	Total CPU Time	Script Evaluation	Script Parse
website-files.com	15,603 ms	12,707 ms	112 ms
js/droplet- stage.schunk.57d5559d2f0cd9f8.js (cdn.prod.website- files.com)	12,070 ms	11,361 ms	46 ms
js/droplet-stage.schunk.efb129adc7.js (cdn.prod.website-files.com)	2,974 ms	799 ms	65 ms
js/droplet- stage.2d85831f.286c0d6712e844c5.js (cdn.prod.website- files.com)	560 ms	547 ms	1 ms
Hotjar (Analytics)	11,903 ms	10,892 ms	28 ms
/modules.3128f1ejs (script.hotjar.com)	11,903 ms	10,892 ms	28 ms
cloudfront.net	6,020 ms	5,084 ms	12 ms
/js/jquery-3.5.1.min.dc5e7f18c8.js? site=6424c85 (d3e54v103j8qbb.cloudfront.net)	6,020 ms	5,084 ms	12 ms

about:blank 7/27

URL	Total CPU Time	Script Evaluation	Script Parse
droplet.io (1st Party)	3,028 ms	46 ms	5 ms
https://droplet.io	3,028 ms	46 ms	5 ms
JSDelivr CDN Cdn	2,796 ms	2,074 ms	4 ms
cookie-consent@1/fs-cc.js (cdn.jsdelivr.net)	2,796 ms	2,074 ms	4 ms
Google Tag Manager Tag-Manager	1,506 ms	1,070 ms	294 ms
/gtag/js?id=G-H8QJKNHW8F (www.googletagmanager.com)	725 ms	528 ms	63 ms
/gtag/js?id= (www.googletagmanager.com)	403 ms	356 ms	43 ms
/gtag/js?id=AW-108 (www.googletagmanager.com)	230 ms	75 ms	154 ms
/gtm.js?id=GTM-TVDMBTQX (www.googletagmanager.com)	149 ms	110 ms	35 ms
Unattributable	1,146 ms	36 ms	0 ms
Unattributable	1,146 ms	36 ms	0 ms
Hubspot Marketing	539 ms	504 ms	27 ms
175/46175904.js (js.hs-analytics.net)	243 ms	233 ms	9 ms
/collectedforms.js (js.hscollectedforms.net)	205 ms	192 ms	10 ms
46175904/banner.js (js.hs-banner.com)	90 ms	79 ms	8 ms
LinkedIn Ads (Ad)	58 ms	34 ms	17 ms
/li.lms-analytics/insight.min.js (snap.licdn.com)	58 ms	34 ms	17 ms
Cloudflare CDN Cdn	55 ms	20 ms	35 ms
5.12.2/lottie.min.js (cdnjs.cloudflare.com)	55 ms	20 ms	35 ms

▲ Avoid an excessive DOM size — 26,634 elements

about:blank 8/27

A large DOM will increase memory usage, cause longer <u>style calculations</u>, and produce costly <u>layout reflows</u>. <u>Learn</u> <u>how to avoid an excessive DOM size</u>. (TBT)

Statistic	Element	Value
Total DOM Elements		26,634
Maximum DOM Depth	path	28
Maximum Child Elements	defs	771

	Page prevented I	back/forward	cache restoration	_	1 failure reasor
_	i age preventea i	baciq i oi wai a	oddiic restoration		Transfer Casor

Many navigations are performed by going back to a previous page, or forwards again. The back/forward cache (bfcache) can speed up these return navigations. <u>Learn more about the bfcache</u>

Failure reason	Failure type
Pages with WebSocket cannot enter back/forward cache.	Pending browser support
https://droplet.io	

Image elements do not have explicit width and height

Set an explicit width and height on image elements to reduce layout shifts and improve CLS. <u>Learn how to set image</u> <u>dimensions</u> (CLS)

	URL	
img.img-value		
img.img-value		

about:blank 9/27

Serve images in next-gen formats — Est savings of 811 KiB

Warnings:

• Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...

 Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...

• Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...

 Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...

• Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...

about:blank 10/27

 Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASRCAYAAABMn...

- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...
- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAAAPcAAAD3CAYAAADBj...
- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...

about:blank 11/27

 Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...

- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...
- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...
- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...
- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...
- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...
- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...
- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...
- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...
- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...
- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...
- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...
- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...
- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...
- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...
- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...
- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...
- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...
- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...
- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...
- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...
- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...

about:blank 12/27

 Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...

- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...
- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...
- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...
- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...
- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...
- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...
- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...
- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...
- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...
- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAAAN8AAAEsCAYAAABDi...
- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...

about:blank 13/27

 Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...

- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...
- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...
- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...
- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...
- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...
- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...
- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...
- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...
- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...
- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...
- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...
- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...
- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAAATgAAAE4CAYAAADPf...
- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAAAhAAAIICAYAAAA/h...
- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASRCAYAAABMn...
- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw...
- Unable to locate resource data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAAAMgAAADICAYAAACtW...

Image formats like WebP and AVIF often provide better compression than PNG or JPEG, which means faster downloads and less data consumption. Learn more about modern image formats. FCP | LCP |

about:blank

URL	Resource Size	Savin
data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAAAaQAAAGkCAYAAAB+T	230.7 KiB	206.9 ł
data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAAAaoAAAGqCAYAAABa	i ^j 204.0 KiB	188.2 k
data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAAAaQAAAGkCAYAAAB+T	151.2 KiB	133.4 I
data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAAAXsAAAHKCAYAAADi q	119.0 KiB	99.5
data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAACA8AAAsLCAYAAAAYg	87.6 KiB	42.1
data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABu4AAAnuCAYAAABDw	43.8 KiB	29.9 I
data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASRCAYAAABNn	Л 25.5 KiB	19.1
data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw	Н 20.8 КіВ	13.3
data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw	Н 20.8 КіВ	13.2
data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw	d 20.8 KiB	13.1
data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw	Н 20.8 КіВ	13.0
data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw	Н 20.8 КіВ	13.0
data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw	Н 20.8 КіВ	13.0
data:image/png;base64,iVBORw0KGgoAAAANSUhEUgAABegAAASQCAYAAACHw	d 20.9 KiB	12.9

Serve static assets with an efficient cache policy — 11 resources found

A long cache lifetime can speed up repeat visits to your page. <u>Learn more about efficient cache policies</u>.

URL	Cache TTL	Transfer Size
LinkedIn Ads Ad		0 KiB
/collect?v= (px.ads.linkedin.com)	None	0 KiB
/li.lms-analytics/insight.min.js (snap.licdn.com)	1d	0 KiB
Hotjar Analytics		0 КіВ
/c/hotjar-3911017.js?sv=6 (static.hotjar.com)	1m	0 KiB
Hubspot Marketing		0 KiB
/46175904.js (js.hs-scripts.com)	1m 30s	0 KiB
175/46175904.js (js.hs-analytics.net)	5m	0 KiB
46175904/banner.js (js.hs-banner.com)	5m	0 KiB
/collectedforms.js (js.hscollectedforms.net)	5m	0 KiB
/fb.js (js.hsadspixel.net)	10m	0 KiB
JSDelivr CDN Cdn		0 KiB
attributes-cmscore@1/cmscore.js (cdn.jsdelivr.net)	7d	0 KiB
attributes-cmsslider@1/cmsslider.js (cdn.jsdelivr.net)	7d	0 KiB
cookie-consent@1/fs-cc.js (cdn.jsdelivr.net)	7d	0 KiB

Does not use passive listeners to improve scrolling performance

Consider marking your touch and wheel event listeners as passive to improve your page's scroll performance. Learn more about adopting passive event listeners.

16/27 about:blank

Source		
cloudfront.net		
jquery-3.5.1.min.dc5e7f18c8.js:2		

Avoid serving legacy JavaScript to modern browsers

Polyfills and transforms enable legacy browsers to use new JavaScript features. However, many aren't necessary for modern browsers. Consider modifying your JavaScript build process to not transpile Baseline features, unless you know you must support legacy browsers. Learn why most sites can deploy ES6+ code without transpiling (FCP) (LCP)

URL		Est Savings
Hotjar (Analytics)		0.0 KiB
/c/hotjar-3911017.js?sv=6 (static.hotjar.com)		0.0 KiB
hotjar-3911017.js:3	@babel/plugin-transform-classes	
hotjar-3911017.js:3	@babel/plugin-transform-spread	
/modules.3128f1ejs (script.hotjar.com)		0.0 KiB
modules.3128f1ejs:4	@babel/plugin-transform-classes	
modules.3128f1ejs:4	@babel/plugin-transform-spread	
Hubspot Marketing		0.0 KiB
/collectedforms.js (js.hscollectedforms.net)		0.0 KiB
collectedforms.js:2	Array.prototype.concat	
collectedforms.js:2	Array.prototype.slice	
collectedforms.js:2	Object.assign	
collectedforms.js:2	Object.create	
LinkedIn Ads (Ad)		0.0 KiB
/li.lms-analytics/insight.min.js (snap.licdn.com)		0.0 KiB
insight.min.js:1	@babel/plugin-transform-classes	
insight.min.js:1	@babel/plugin-transform-spread	
/li.lms-analytics/insight.min.js (snap.licdn.com)		0.0 KiB

about:blank 17/27

URL		Est Savings
insight.min.js:1	@babel/plugin-transform-classes	
insight.min.js:1	@babel/plugin-transform-spread	

O Avoid long main-thread tasks — 20 long tasks found

Lists the longest tasks on the main thread, useful for identifying worst contributors to input delay. <u>Learn how to avoid long main-thread tasks</u> (TBT)

URL	Start Time	Duration
cloudfront.net		3,800 ms
/js/jquery-3.5.1.min.dc5e7f18c8.js? site=6424c85 (d3e54v103j8qbb.cloudfront.net)	10,951 ms	2,673 ms
/js/jquery-3.5.1.min.dc5e7f18c8.js? site=6424c85 (d3e54v103j8qbb.cloudfront.net)	6,125 ms	1,127 ms
website-files.com		3,274 ms
js/droplet-stage.schunk.57d5559d2f0cd9f8.js (cdn.prod.website-files.com)	4,249 ms	846 ms
js/droplet-stage.schunk.57d5559d2f0cd9f8.js (cdn.prod.website-files.com)	5,210 ms	674 ms
js/droplet-stage.2d85831f.286c0d6712e844c5.js (cdn.prod.website-files.com)	1,812 ms	279 ms
js/droplet-stage.schunk.efb129adc7.js (cdn.prod.website-files.com)	17,142 ms	269 ms
js/droplet-stage.schunk.efb129adc7.js (cdn.prod.website-files.com)	9,819 ms	255 ms
js/droplet-stage.schunk.efb129adc7.js (cdn.prod.website-files.com)	16,890 ms	252 ms
js/droplet-stage.schunk.57d5559d2f0cd9f8.js (cdn.prod.website-files.com)	3,694 ms	240 ms
js/droplet-stage.schunk.efb129adc7.js (cdn.prod.website-files.com)	18,360 ms	232 ms
js/droplet-stage.schunk.efb129adc7.js (cdn.prod.website-files.com)	18,133 ms	227 ms
JSDelivr CDN Cdn		2,404 ms
cookie-consent@1/fs-cc.js (cdn.jsdelivr.net)	18,847 ms	761 ms

about:blank

URL	Start Time	Duration
cookie-consent@1/fs-cc.js (cdn.jsdelivr.net)	13,872 ms	611 ms
cookie-consent@1/fs-cc.js (cdn.jsdelivr.net)	21,560 ms	420 ms
cookie-consent@1/fs-cc.js (cdn.jsdelivr.net)	23,964 ms	316 ms
cookie-consent@1/fs-cc.js (cdn.jsdelivr.net)	16,540 ms	296 ms
Google Tag Manager Tag-Manager		1,278 ms
/gtag/js?id=G-H8QJKNHW8F (www.googletagmanager.com)	2,838 ms	576 ms
/gtag/js?id=G-H8QJKNHW8F (www.googletagmanager.com)	8,790 ms	371 ms
/gtag/js?id= (www.googletagmanager.com)	2,341 ms	331 ms
Hotjar Analytics		1,061 ms
/modules.3128f1ejs (script.hotjar.com)	7,524 ms	1,061 ms

O Avoid non-composited animations — 4 animated elements found

Animations which are not composited can be janky and increase CLS. <u>Learn how to avoid non-composited animations</u> <u>CLS</u>

Element	Name
div.w-slider-dot	
Unsupported CSS Property: background-color	background-color
Unsupported CSS Property: background-color	background-color
div.w-slider-dot	

about:blank

Element	Name
Unsupported CSS Property: background-color	background-color
div.w-slider-dot	
Unsupported CSS Property: background-color	background-color
Unsupported CSS Property: background-color	background-color
div.w-slider-dot	
Unsupported CSS Property: background-color	background-color

O Avoid chaining critical requests — 10 chains found

The Critical Request Chains below show you what resources are loaded with a high priority. Consider reducing the length of chains, reducing the download size of resources, or deferring the download of unnecessary resources to improve page load. <u>Learn how to avoid chaining critical requests</u>.

Maximum critical path latency: 366.728 ms

Initial Navigation

https://droplet.io

```
...css/droplet-stage.shared.b85888c50.min.css (cdn.prod.website-files.com)

/6424c85.../644038c..._font.woff2 (cdn.prod.website-files.com) - 2.577 ms, 0.00 KiB

/6424c85.../64403bc..._font.woff2 (cdn.prod.website-files.com) - 3.124 ms, 0.00 KiB

/6424c85.../6440386..._font.woff2 (cdn.prod.website-files.com) - 3.419 ms, 0.00 KiB

/6424c85.../64403c3..._font.woff2 (cdn.prod.website-files.com) - 3.168 ms, 0.00 KiB

//s/jaquery-3.5.1.min.dc5e7f18c8.js?site=6424c85... (d3e54v103j8qbb.cloudfront.net) - 11.875 ms, 0.00 KiB

...js/droplet-stage.schunk.57d5559d2f0cd9f8.js (cdn.prod.website-files.com) - 4.589 ms, 0.00 KiB

...js/droplet-stage.schunk.efb129...adc7.js (cdn.prod.website-files.com) - 4.856 ms, 0.00 KiB

...js/droplet-stage.2d85831f.286c0d6712e844c5.js (cdn.prod.website-files.com) - 9.682 ms, 0.00 KiB


...5.12.2/lottie.min.js (cdnjs.cloudflare.com) - 17.547 ms, 0.00 KiB

...js/form-124.js (hubspotonwebflow.com) - 78.282 ms, 0.07 KiB
```

about:blank 20/27

○ Largest Contentful Paint element — 1,860 ms

This is the largest contentful element painted within the viewport. <u>Learn more about the Largest Contentful Paint</u> <u>element</u> (LCP)



Phase	% of LCP	Timing
TTFB	44%	820 ms
Load Delay	18%	340 ms
Load Time	3%	50 ms
Render Delay	35%	640 ms

More information about the performance of your application. These numbers don't <u>directly affect</u> the Performance score.

PASSED AUDITS (23)	Hide
Eliminate render-blocking resources	^
Resources are blocking the first paint of your page. Consider delivering critical JS/CSS inline and defer critical JS/styles. <u>Learn how to eliminate render-blocking resources</u> . FCP <u>LCP</u>	ring all non-
Properly size images	^
Serve images that are appropriately-sized to save cellular data and improve load time. Learn how to size FCP (LCP)	e images.
Defer offscreen images	^

Consider lazy-loading offscreen and hidden images after all critical resources have finished loading to lower time to interactive. <u>Learn how to defer offscreen images</u>. [FCP] [LCP]

about:blank 21/27

Minify CSS Minifying CSS files can reduce network payload sizes. Learn how to minify CSS. FCP LCP Minify JavaScript Minifying JavaScript files can reduce payload sizes and script parse time. Learn how to minify JavaScript. FCP) [CCP] Reduce unused CSS Reduce unused rules from stylesheets and defer CSS not used for above-the-fold content to decrease bytes consumed by network activity. Learn how to reduce unused CSS. [FCP] [LCP] Reduce unused JavaScript Reduce unused JavaScript and defer loading scripts until they are required to decrease bytes consumed by network activity. Learn how to reduce unused JavaScript. FCP [LCP] Efficiently encode images Optimized images load faster and consume less cellular data. Learn how to efficiently encode images. FCP) [CCP] Enable text compression Text-based resources should be served with compression (gzip, deflate or brotli) to minimize total network bytes. Learn more about text compression. FCP [LCP] Preconnect to required origins Consider adding preconnect or dns-prefetch resource hints to establish early connections to important thirdparty origins. Learn how to preconnect to required origins. [LCP] FCP] Initial server response time was short — Root document took 220 ms Keep the server response time for the main document short because all other requests depend on it. Learn more about the Time to First Byte metric. FCP LCP URL Time Spent droplet.io (1st Party) 220 ms

about:blank 22/27

URL	Time Sper
https://droplet.io	220 m
Avoid multiple page redirects	
Redirects introduce additional delays before the page can be loaded. <u>Learn ho</u>	w to avoid page redirects. (LCP) (FC
Use HTTP/2	
HTTP/2 offers many benefits over HTTP/1.1, including binary headers and multi LCP FCP	iplexing. <u>Learn more about HTTP/2</u> .
Use video formats for animated content	
Large GIFs are inefficient for delivering animated content. Consider using MPE PNG/WebP for static images instead of GIF to save network bytes. <u>Learn more</u>	
Remove duplicate modules in JavaScript bundles	
Remove large, duplicate JavaScript modules from bundles to reduce unnecess	sary bytes consumed by network
Remove large, duplicate JavaScript modules from bundles to reduce unnecess	sary bytes consumed by network
Remove large, duplicate JavaScript modules from bundles to reduce unnecess activity. FCP LCP Preload Largest Contentful Paint image f the LCP element is dynamically added to the page, you should preload the in	
Remove large, duplicate JavaScript modules from bundles to reduce unnecess activity. FCP LCP Preload Largest Contentful Paint image f the LCP element is dynamically added to the page, you should preload the in	
Remove large, duplicate JavaScript modules from bundles to reduce unnecess activity. FCP LCP Preload Largest Contentful Paint image f the LCP element is dynamically added to the page, you should preload the inmore about preloading LCP elements. LCP Avoids enormous network payloads — Total size was 15 KiB Large network payloads cost users real money and are highly correlated with least to the page, and are highly correlated with least to the page, and are highly correlated with least to the page, and are highly correlated with least to the page, and are highly correlated with least to the page, and are highly correlated with least to the page, and are highly correlated with least to the page, and are highly correlated with least to the page, and are highly correlated with least to the page, and are highly correlated with least to the page, and are highly correlated with least to the page, and the page was the page with the page was the p	mage in order to improve LCP. <u>Learn</u>
Remove large, duplicate JavaScript modules from bundles to reduce unnecess activity. FCP LCP Preload Largest Contentful Paint image f the LCP element is dynamically added to the page, you should preload the inmore about preloading LCP elements. LCP Avoids enormous network payloads — Total size was 15 KiB Large network payloads cost users real money and are highly correlated with least to the page, and are highly correlated with least to the page, and are highly correlated with least to the page, and are highly correlated with least to the page, and are highly correlated with least to the page, and are highly correlated with least to the page, and are highly correlated with least to the page, and are highly correlated with least to the page, and are highly correlated with least to the page, and are highly correlated with least to the page, and are highly correlated with least to the page, and the page was the page with the page was the p	mage in order to improve LCP. <u>Learn</u> ong load times. <u>Learn how to reduc</u>
Remove large, duplicate JavaScript modules from bundles to reduce unnecess activity. FCP LCP Preload Largest Contentful Paint image f the LCP element is dynamically added to the page, you should preload the inmore about preloading LCP elements. LCP Avoids enormous network payloads — Total size was 15 KiB Large network payloads cost users real money and are highly correlated with least to the page, and are highly correlated with least to the page, and are highly correlated with least to the page, and are highly correlated with least to the page, and are highly correlated with least to the page, and are highly correlated with least to the page, and are highly correlated with least to the page, and are highly correlated with least to the page, and are highly correlated with least to the page, and are highly correlated with least to the page, and are highly correlated with least to the page, and the page was the page with the page was the p	nage in order to improve LCP. Learn ong load times. Learn how to reduc Show 3rd-party resources
Remove large, duplicate JavaScript modules from bundles to reduce unnecess activity. FCP LCP Preload Largest Contentful Paint image If the LCP element is dynamically added to the page, you should preload the immore about preloading LCP elements. LCP Avoids enormous network payloads — Total size was 15 KiB Large network payloads cost users real money and are highly correlated with lepayload sizes.	mage in order to improve LCP. <u>Learn</u>

about:blank 23/27

URL	Transfer Size
viewthrou/108?random= (googleads.g.doubleclick.net)	2.1 KiB
viewthrou/108?random= (googleads.g.doubleclick.net)	2.1 KiB
viewthrou/108?random= (googleads.g.doubleclick.net)	2.1 KiB
Hubspot Marketing	2.9 KiB
v3/counters.gif?key=collected-forms-embed-js-form-bind&count=1 (forms.hsforms.com)	0.9 KiB
pixels-and-events/json?portalId=46175904 (api.hubapi.com)	0.8 KiB
/ptq.gif?k= (track.hubspot.com)	0.7 KiB
config/json?portalId=46175904&utk=8451637 (forms.hscollectedforms.net)	0.5 KiB
droplet.io (1st Party)	0.6 KiB
https://droplet.io	0.6 KiB
LinkedIn Ads Ad	0.6 KiB
/attributi?pid= (px.ads.linkedin.com)	0.6 KiB

User Timing marks and measures

Consider instrumenting your app with the User Timing API to measure your app's real-world performance during key user experiences. <u>Learn more about User Timing marks</u>.

All text remains visible during webfont loads

Leverage the font-display CSS feature to ensure text is user-visible while webfonts are loading. <u>Learn more about font-display</u>.

Lazy load third-party resources with facades

Some third-party embeds can be lazy loaded. Consider replacing them with a facade until they are required. <u>Learn</u> how to defer third-parties with a facade. (TBT)

about:blank 24/27

Largest Contentful Paint image was not lazily loaded

Above-the-fold images that are lazily loaded render later in the page lifecycle, which can delay the largest contentful paint. Learn more about optimal lazy loading. [LCP]

Avoids document.write()

For users on slow connections, external scripts dynamically injected via document.write() can delay page load by tens of seconds. <u>Learn how to avoid document.write()</u>.

Has a <meta name="viewport"> tag with width or initial-scale

A <meta name="viewport"> not only optimizes your app for mobile screen sizes, but also prevents <u>a 300</u> millisecond delay to user input. Learn more about using the viewport meta tag.



SEO

These checks ensure that your page is following basic search engine optimization advice. There are many additional factors Lighthouse does not score here that may affect your search ranking, including performance on Core Web Vitals. Learn more about Google Search Essentials.

CONTENT BEST PRACTICES

▲ Links do not have descriptive text — 5 links found

Descriptive link text helps search engines understand your content. Learn how to make links more accessible.

Link destination

Link Text

droplet.io (1st Party)

/product (droplet.io)

LearN MORE

/product (droplet.io)

LearN MORE

/product (droplet.io)

LearN MORE

about:blank 25/27

Link destination	Link Text
/product (droplet.io)	LEARN MORE
/product (droplet.io)	LEARN MORE

Format your HTML in a way that enables crawlers to better understand your app's content.

ADDITIONAL ITEMS TO MANUALLY CHECK (1) Hide Structured data is valid. Run the Structured Data Testing Tool and the Structured Data Linter to validate structured data. Learn more about Structured Data. Run these additional validators on your site to check additional SEO best practices. Hide PASSED AUDITS (7) Page isn't blocked from indexing Search engines are unable to include your pages in search results if they don't have permission to crawl them. Learn more about crawler directives. Document has a <title> element The title gives screen reader users an overview of the page, and search engine users rely on it heavily to determine if a page is relevant to their search. Learn more about document titles. Document has a meta description Meta descriptions may be included in search results to concisely summarize page content. Learn more about the meta description. Page has successful HTTP status code Pages with unsuccessful HTTP status codes may not be indexed properly. Learn more about HTTP status codes.

Search engines may use href attributes on links to crawl websites. Ensure that the href attribute of anchor elements links to an appropriate destination, so more pages of the site can be discovered. Learn how to make links

Links are crawlable

about:blank 26/27

<u>crawlable</u>

Image elements have [alt] attributes			^
Informative elements should aim for short, d empty alt attribute. <u>Learn more about the al</u>		elements can be ignored with an	
Document has a valid hreflang			^
hreflang links tell search engines what version region. Learn more about hreflang.	on of a page they should list in search	results for a given language or	
NOT APPLICABLE (2)			Hide
o robots.txt is valid			^
If your robots.txt file is malformed, crawlers or indexed. <u>Learn more about robots.txt</u> .	may not be able to understand how y	ou want your website to be craw	/led
 Document has a valid rel=canonical 			^
Canonical links suggest which URL to show i	n search results. <u>Learn more about c</u>	anonical links.	
Captured at Jul 18, 2025, 2:15 PM MDT	Emulated Moto G Power with Lighthouse 12.6.0	Single page session	
Initial page load	Slow 4G throttling	Using Chromium 138.0.0.0 with devtools	

Generated by **Lighthouse** 12.6.0 | File an issue

about:blank 27/27