

Annual Review

Consultation Completed: 19th August 2019

Mr Olsen is a 56 year old man and has been taking treatment equivalent to **Step 3** of the BTS / SIGN Asthma Guidelines. This is his **2nd** entry to the Lung Health software.

Diagnosis

Main pointers to an asthma diagnosis include:

- Patient has been on inhalers since childhood or for more than ten years

Other Supporting Information:

- Patient has previously scored 2 or 3 on Royal College of Physicians (RCP) 3 Questions, indicating poor asthma control

Other Supporting Information:

- Management of an exacerbation in the practice

Other Supportive Test Results:

- Bronchodilator Reversibility (> 12% and 200 ml change in FEV1 or FVC)
- PEF Chart Variability

Today's Peak Flow

Today's PEF was recorded as **300** (L/min) which is **61%** of the patient's predicted value of **493** (L/min)

Personal Features

He is a non-smoker.

Control

Overall control has been assessed as **poor**. Their control is based on the following:

- The Royal College of Physicians Three Questions - 3/3 (high is poor)
- The patient has had no exacerbations in the last 12 months
- The patient used their reliever inhaler 3-4 times last week
- The patient's PEF is 60.85% of expected

Drug Therapy

The therapy recommendation from this consultation is:

This patient is poorly controlled on Step 3 therapy. Both inhaler technique and adherence to medicines are reported to be good and there is no acute reason so consider stepping up therapy to regain control. You have chosen to switch to (S)MART therapy.

Salbutamol 100mcg breath actuated inhaler CFC free 2 doses, as required daily has been withdrawn.

The therapy of Symbicort 100/6 Turbohaler 1 puff, twice daily has been changed to Budesonide 100mcg/Formoterol 6mcg dry powder inhaler 2 puffs, SMART daily.

Patient is currently taking no non-respiratory medication

Other Checks and Advice

Inhaler technique with current medication has been checked and was found to be **adequate** for current devices

Checks on prescription collection suggest good concordance with therapy.

Aggravating Factors

Employment

No work related factors have been found.

Triggers

No triggers have been identified.

Vaccination Status

- The patient's flu vaccination is not up to date but the vaccine is not currently available.
- Pneumococcal vaccination is up to date and is not due for some time.

Education Materials and Management Plan

A written management plan has been supplied and it has been confirmed that the patient understands it.

Information about the Asthma UK online advice website has **not** yet been given to the patient.

Asthma UK online resources have **not** yet been given to the patient, and the patient has not been made aware of them.

A Peak Flow meter has been issued to the patient with the details://sdlkds

QOF Codes Reported

		5-Byte v2	CTV3	Value
Asthma Register	Asthma	H33	H33..	
	Reversibility Peak flow rate before bronchodilation	339A	XaEHe	300
RCP 3 Questions	Asthma disturbing sleep	663N	663N.	
	Asthma daytime symptoms	663q	XaIIZ	
	Asthma restricts exercise	663e	663e.	
Smoking	Never smoked	1371	XE0oh	

Thank you for agreeing that your data may be used anonymously for the purposes of evaluating the asthma service and for research.

Nurse Summary

Nurse Name:	Nurse Signature:	Date:

GP Recommendations and Requests

I authorise the NSHI Nurse Advisor to implement the above medicinal/non-medicinal intervention(s) in line with the Practice Treatment Protocol on the practice computer system		
GP Name:	GP Signature:	Date:
Review appointment required? Yes/No	If Yes, give date:	